

Subject Coverage	<ul style="list-style-type: none"> Analytical chemistry Applied chemistry Biochemistry 	<ul style="list-style-type: none"> Chemical engineering Macromolecular chemistry Organic chemistry
File Type	Bibliographic	
Features	Thesaurus Classification Code (/CC), Company Name (/CO), Controlled Term (/CT), F-Term (/FTERM), International Patent Classifications (/IPC), National Patent Classifications Current (/NCL), National Patent Classifications Issue (/INCL), and Role (/RL)	
	CAS Registry Numbers[®] <input checked="" type="checkbox"/>	Page Images <input type="checkbox"/>
	Keep & Share <input checked="" type="checkbox"/>	SLART <input checked="" type="checkbox"/>
	Learning Database <input checked="" type="checkbox"/>	Structures <input checked="" type="checkbox"/>
		STN AnaVist <input type="checkbox"/>
		STN Easy <input type="checkbox"/>
		STN Viewer <input type="checkbox"/>
Record Content	<ul style="list-style-type: none"> LCA is a static, training database for learning how to use the CA File Bibliographic information and available abstracts Cited references for journals, conference proceedings, and basic patents from the US, EPO, WIPO, and German patent offices added to CAS databases since 1997 Patent examiner citations from British and French patents (2003-present), Canadian patents (2005-present) as well as nearly 300,000 patent records from 1982-2008 Citing references Legal status information for U.S. patents since 1980 	
File Size	64,643 records (06/11)	
Coverage	References from eight weekly issues of Chemical Abstracts (CA), two each from 1969, 1974, 1979, and 1984 (representing the 8th, 9th, 10th, and 11th Collective Index periods), as well as references from LCASREACT (1987-1988).	
Updates	None	
Language	English	
Database Producer	Chemical Abstracts Service 2540 Olentangy River Road P.O. Box 3012 Columbus, Ohio 43210-0012 USA Phone: 800-753-4227 (North America) Phone: 614-447-3700 (worldwide) Fax: 614-447-3751 E-mail: help@cas.org	

Sources	Catalogs and chemical libraries from suppliers worldwide.
User Aids	<ul style="list-style-type: none">• Search aids are available on the web: www.cas.org/support/stngen/index.html• Online Helps (HELP DIRECTORY lists all help messages available)• STNGUIDE
Clusters	LEARNING STN Database Clusters information (PDF).
Related Databases	CA CAPLUS
Pricing	See the STN Price List or enter HELP COST at an arrow prompt (=>).

Search and Display Field Codes

General Search Fields

Fields that allow left truncation are indicated by an asterisk (*)

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index * (contains single words from title (TI), supplementary terms (ST), index terms (IT), abstracts (AB), as well as CAS Registry Numbers)	None (or /BI or /IA)	S 50-21-5 S ?ASSAY? S MAGNETIC RECORD? S (WATER (S) OIL)/BI	AB, IT, ST, TI
Abstract	/AB	S (WATER(1W)OIL)/AB S LD50/AB S HIGH TEMP?/AB S (HEPATITIS(S)ANTIGEN)/AB	AB
Accession Number	/AN	S 101:103341/AN	AN
Author (inventor)	/AU	S JONES D?/AU S (HEINEMAN W? (S) EDITOR#)/AU S ANON/AU S ET AL/AU	AU, IN
CA Section Cross-Reference (number and title) (1)	/SX	S 1/SX S ANALYTICAL/SX S ANALYTICAL CHEMISTRY/SX	CC
Classification Code (1) (contains CA section- subsection number, section title, and section group codes)	/CC	S 1/CC S 80-6/CC S TOXICOLOGY/CC S RADIATION CHEMISTRY/CC S L1 AND BIO/CC	CC
Controlled Term	/CT	S NEOPLASM INHIB?/CT	CT, IT
Controlled Word	/CW	S OPTIC?/CW	CT, IT
Corporate Source (1) (organization name and location)	/CS	S BAYER/CS S MERRELL DOW/CS S USA DOW/CS S DOW CHEM MIDLAND/CS S "DOW CORNING"?/CS	CS, PA
Country of Author	/CYA	S USA/CYA	CS, CYA, PA
Crossover Key (CODEN, volume, issue, first page)	/CK	S JACSAT-109-3-862/CK	CK
Document Number	/DN	S 41:39650/DN	DN
Document Type (code and text)	/DT (or /TC)	S P/DT S PATENT/DT S REVIEW/DT	DT
Entry Date (2)	/ED	S 19881224/ED	Not displayed
Field Availability	/FA	S L1 AND ABS/FA	Not displayed
File Segment	/FS	S BIO/FS AND L1	FS
Index Term (3)	/IT	S 618-87-1 (S) DETN OF/IT	IT
International Standard (Document) Number (contains CODEN and ISSN)	/ISN	S JOCEAH/ISN S 0008-4212/ISN	ISN, SO
Issue Number of Publication (2)	/IS	S 1-3/IS AND 32/VL	SO
Journal Title	/JT	S J ORG CHEM/JT	JT, SO
Language (code and text)	/LA	S L1 AND EN/LA S L1 AND ENGLISH/LA S L1 NOT DE/LA	LA
Original Reference Number (4)	/OREF	S 63:5967A/OREF	OREF
Other Source	/OS	S L1 AND CASREACT/OS	OS
Publication Date (2)	/PD	S PD>19880000 S JUNE 1987-SEPT 1987/PD	PI, SO
Publication Year (2)	/PY	S 1983-1984/PY	PI, PY, SO

General Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
Publisher (2)	/PB	S ACADEMIC/PB	PB
Role	/RL	S 117638-28-5 (L) SPN/RL S 117638-28-5/SPN S NUCLEOSIDES (L) SPN/RL S NUCLEOSIDES/SPN	IT, RL
Source (contains publication title, date, publisher, conference title, meeting date, volume, issue, pagination, CODEN, and ISSN)	/SO	S INORG CHEM/SO S JOCRAM/SO S 0021-9673/SO S (AM CERAM SOC AND 67)/SO	SO
Supplementary Term Title	/ST /TI	S LIVER METAB?/ST S LIVER/TI S THIN FILM/TI S (COMPTE(S)RENDU)/TI	ST TI
Update Date (2)	/UP	S 19880415/UP	Not displayed
Volume and Issue of CA	/VI	S 106-15/VI	Not displayed
Volume Number of Publication (2)	/VL	S 53-54/VL AND JOCEAH/SO	SO

(1) Search with implied (S) proximity is available in this field.

(2) Numeric search field that may be searched with numeric operators or ranges.

(3) There are no stopwords in this field.

(4) OREF contains the CA volume number and page location information for abstracts published 1907-1966.

Patent Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Country Number Count (1)	/CYC	S L1 AND 4-5/CYC	CY.CNT
Designated States	/DS	S FR/DS; S R DE/DS	DS, PI
Designated States, Basic	/DS.B	S DE/DS.B	DS, PI
Family Accession Number	/FAN	S 1969:450013/FAN	FAN
Family Accession Number Count (1)	/FAN.CNT	S L1 AND FAN.CNT>1	Not displayed
International Patent Classification (includes Main and Secondary IPCs) (2)	/IC	S C07C/IC S C07C015/IC S C07C015-02/IC S CYANOGEN/IC	IC
International Patent Classification, Additional or Supplementary (2)	/ICA	S B01J/ICA S B01J027/ICA S ANTIBIOTIC/ICA	ICA
International Patent Classification, Index or Complementary (2)	/ICI	S A61K/ICI S A61K031/ICI S ANTIBIOTIC/ICI	ICI
International Patent Classification, Main Group, Range Searchable (1)	/MGR	S 10-20/MGR (S) C07C/IC	IC
International Patent Classification, Secondary (2)	/ICS	S G02/ICS	ICS
International Patent Classification, Subgroup, Range Searchable (1)	/SGR	S SGR=>30000 (S) C01B031/IC	IC
Inventor Name	/IN	S PATTON JAMES W/IN	IN
National Patent Classification	/NCL	S 106039000/NCL	NCL
National Patent Classification, Range Searchable (1)	/NCLR	S 106020000-106040000/NCLR	NCL
Patent Application Country	/AC	S DE/AC	AI, PI
Patent Application Country, Basic	/AC.B	S DE/AC.B	AI, PI
Patent Application Date (1)	/AD	S AD>19920100 S AD>JANUARY 20, 1993	AI, PI
Patent Application Date, Basic (1)	/AD.B	S 19840229/AD.B	AI, PI

Patent Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
Patent Application Number (3)	/AP	S EP83-304630/AP S 83EP-0304630/AP	AI, PI
Patent Application Number, Basic (3)	/AP.B	S JP83-98897/AP.B	AI, PI
Patent Application Year (1)	/AY	S 1990-1992/AY	AI, PI
Patent Application Year, Basic (1)	/AY.B	S AY.B>1983	AI, PI
Patent Assignee (4)	/PA	S PFIZER/PA S PFIZER CORP/PA S "PFIZER CHAS"?/PA	PA
Patent Country	/PC	S WO/PC	PI
Patent Country, Basic	/PC.B	S JP/PC.B	PI
Patent Kind Code	/PK	S DEA1/PK	PI
Patent Kind Code, Basic	/PK.B	S DEA1/PK.B	PI
Patent Number (3)	/PN	S EP69396/PN S EP-69396/PN S WO8402426/PN S JP04000106/PN S JP62000081/PN	PI
Patent Number, Basic (3)	/PN.B	S JP68020366/PN.B	PI
Patent Number Count (1)	/PNC	S 3/PNC	PN.CNT
Priority Application Country	/PRC	S US/PRC	PRAI
Priority Application Country, Basic	/PRC.B	S US/PRC.B	PRAI
Priority Application Date (1)	/PRD	S PRD>19910600 S JULY 1, 1991/PRD	PRAI
Priority Application Date Basic (1)	/PRD.B	S PRD.B>19820100	PRAI
Priority Application Number (3)	/PRN	S US91-686273/PRN S 91US-0686273/PRN	PRAI
Priority Application Number, Basic (3)	/PRN.B	S US83-561152/PRN.B	PRAI
Priority Application Year (1)	/PRY	S 1990-1992/PRY	PRAI
Priority Application Year, Basic (1)	/PRY.B	S 1982/PRY.B	PRAI
Publication Date (Patent, Basic) (1)	/PD.B	S 19660207/PD.B	PI
Publication Year (Patent, Basic) (1)	/PY.B	S 1965-1966/PY.B	PI
Update Date Patent Family (1)	/UPP	S DE3335588/PN AND UPP>19990100	PI

(1) Numeric search field that may be searched with numeric operators or ranges.

(2) This field contains the classifications and catchwords for main classification subject headings and subheadings from the current (6th) edition of the WIPO International Patent Classifications (IPC) manual. To search the classifications from any of the previous editions (1-5) of the IPC manual, use the field code followed by the edition number, e.g., /IC2, ICA2, /ICS2, /ICM2, /IC12 for the 2nd edition. Catchwords are included only in the fields for the 6th and 5th editions of the IPC manual.

(3) Either STN format or Derwent format may be used.

(4) Search with implied (S) proximity is available in this field.

Citing References Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Citing Reference Accession Numbers	/OS.G (/OS.CITING.AN)	S 2008:610804/OS.G	OS.G
Citing Reference Count	/OSC.G (/CITING.CNT)	S 2-5/OSC.G	OSC.G
Date Last Citing Reference Entered STN	/UPOS.G (/CITING.UP)	S 16 Feb 2009/UPOS.G S UPOS.G>20090216	UPOS.G
Update Date, Citing Reference	/UPOG	S 20091026/UPOG	UPOS.G

Super Search Fields

Enter a super search code to execute a search in one or more fields that may contain the desired information. Super search fields facilitate crossfile and multifile searching. EXPAND may not be used with super search fields. Use EXPAND with the individual field codes instead.

Search Field Name	Search Code	Fields Searched	Search Examples	Display Codes
International Patent Classifications	/IPC	/IC,/ICA,/ICI	S A61K/IPC S A61K049-02/IPC	IC, ICA, ICI
Patent Application and Priority Number (1)	/APPS	/AP,/PRN	S DE84-3400096/APPS S 84DE-3400096/APPS	AI, PI, PRAI
Patent Application and Priority Number, Basic (1)	/APPS.B	/AP.B,/PRN.B	S DE84-3400096/APPS.B	AI, PI, PRAI
Patent Countries	/PCS	/DS,/PC	S DE/PCS	DS, PI
Patent Countries, Basic	/PCS.B	/DS.B,/PC.B	S AT/PCS.B	DS, PI
Patent Numbers (1)	/PATS	/PN	S EP68822/PATS S EP-68822/PATS S WO8402426/PATS S JP04000106/PATS S JP62000081/PATS	PI, SO
Patent Numbers, Basic (1)	/PATS.B	/PN.B	S WO8402426/PATS.B	PI, SO

(1) Either STN format or Derwent format may be used.

IPC (/IC, /IC5, /ICI, etc.) Thesauri

The classifications and catchwords for the main headings and subheadings from the 6th edition of the WIPO International Patent Classification (IPC) manual are available in the following fields: /IC, /ICA, /ICI, /ICM, and /ICS. The classifications from the previous editions (1-5) are also available as separate thesauri. To EXPAND and SEARCH in the thesauri for editions 1-5, use the field code followed by the edition number, e.g., /IC2, ICA2, /ICS2, /ICM2, /ICI2 for the 2nd edition. Catchwords are included only in the thesauri for the 6th and 5th editions.

Code	Content	Examples
ALL	All Associated Terms (BT, SELF, NT, RT)	E C01C003-00+ALL/IC
BT	Broader Terms (BT, SELF)	E C01F001-00+BT/IC
HIE	Hierarchy Terms (Broader and Narrower Terms (BT, SELF, NT)	E C01C003-00+HIE/IC
KT	Keyword Terms (catchwords) (SELF, KT)	E CYANOGEN+KT/IC
NEXT	Next Classification	E C01C001-00+NEXT5/IC
NT	Narrower Terms	E C01C+NT/IC
PREV	Previous Classification	E C01C001-12+PREV10/IC
BRO (MAN)	Complete Class	E C01C+BRO/IC
RT (SIB)	Related Terms (SELF, RT)	E C01C003-20+RT/IC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E C01F001-00+TI/IC

Role (/RL) Thesaurus

Code	Content	Examples
ALL	All associated terms, including Notes (BT, SELF, NOTE, NT)	E SPN+ALL/RL
BT	Broader Terms (BT, SELF)	E CAT+BT/RL
HIE	Hierarchy Terms (Broader and Narrower Terms) (BT, SELF, NT)	E FFD+HIE/RL
NOTE	Any Notes (role definitions) (SELF, NOTE)	E IMF+NOTE/RL
NT	Narrower Terms (SELF, NT)	E USES+NT/RL

DISPLAY and PRINT Formats

Any combination of display formats listed below may be used to display answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU; D L1 1-5 TI, AU. The fields are displayed in the order requested.

The PRINT command is not valid in this file.

There are no display fees in this file.

Hit-term highlighting is available in all fields except FAN and FS. Highlighting must be on during SEARCH in order to use the FHITSTR, HIT, HITIND, HITRN, HITSTR, KWIC, and OCC display formats.

Format	Content	Examples
AB	Abstract Text	D TI AB
AI (AP) (1)	Patent Application Information	D AI PI
AI.B (AP.B) (1)	Patent Application Information, Basic	D AI.B
AN	Accession Number	D 1-5 AN
AU	Author Name	D AU, TI
CC	CA Classification Code (CA section and section cross-references)	D CC
CK (2)	Crossover Key (CODEN, volume, issue, first page)	D CK
CS	Corporate Source	D TI AU CS
CT (2)	Controlled Term	D CT
CUR (8)	Patent Currency Status	D CUR ALL
CYA (2)	Country of Author	D CYA
CYC (CY.CNT) (2)	Patent Country Count	D CYC
DN	Document Number (CA Reference Number)	D DN
DS (2)	Designated States	D DS
DS.B (2)	Designated States, Basic	D DS.B
DT (TC)	Document Type	D DT
ECLA	Patent Family European Classifications associated with patent numbers	D ECLA
FS (2)	File Segment (Section Group)	D FS
FTERM	File Forming Terms from the Japanese Patent Office associated with patent numbers	D FTERM
GI (3)	Graphic Image or Graphic Image Information	D GI
IC	International Patent Classification, Main and Secondary	D PI IC
ICA	Additional or Supplementary IPC	D ICA
ICI	Index or Complementary IPC	D ICI
ICM	Main IPC	D ICM
ICS	Secondary IPC	D ICS
IN	Inventor Name	D IN
INCL	Issued National Classification	D INCL
IPCI	IPC Initial Classification	D IPCI
IPCR	IPC Reclassification	D IPCR
ISN (2)	International Standard (Document) Number	D ISN
IT (4)	Index Term and Role	D AN IT
JT (2)	Journal Title	D JT
JTA (2)	Journal Title, Abbreviated	D JTA
JTF (2)	Journal Title, Full	D JTF 1-3

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
LA LSUS (2) NCL OREF (7) OS OS.G (OS.CITING.AN) OSC.G (CITING.CNT) PA PB PI (1) PI.B (PN.B) (1,2) PN PNC (PN.CNT) (2) PRAI (PRN) (1) PRAI.B (PRN.B) (1,2) PY (2) PY.B (2) RL (4) RN (2) SO ST SX (2,5) TI UPOS.G (CITING.UP)	Language Legal status information for U.S. patents National Patent Classification Original Reference Number Other Source Citing Reference Accession Numbers Citing Reference Count Patent Assignee Publisher Patent Information Patent Information, Basic Patent Number Patent Number Count Priority Application Information Priority Application Information, Basic Publication Year Publication Year, Basic Index Term and Role CAS Registry Number Source Supplementary Term (CA Keywords) CA Section Cross-Reference Code Title of Document Date Last Citing Reference Entered STN	D LA D LSUS D AI PI IC NCL D OREF D TI OS D OS.G D OSC.G D PA D PB D TI PI D PI.B D PN D PNC D AI PRAI;D PRN D PRAI.B D TI PY D TI PY.B D RL D AN RN D TI AU SO D ST D TI SX DIS TI 1-10 D OS.G
ABS (3) ALL (1,3,4) APPS (1) APPS.B (1,2) BIB (1) CAN CBIB CLASS DALL (1,3,4) DMAX (1,3,4) FAM (1) FAN FBIB (1)	GI, AB AN, DN, OREF, TI, AU, IN, CS, PA, SO, DT, LA, FAN.CNT, INCL, PI, PRAI, CLASS, OS, GI, AB, CC, ST, IT, RL, OSC.G, UPOS.G, OS.G AI, PRAI AI.B, PRAI.B AN, DN, OREF, TI, AU, IN, CS, PA, SO, DT, LA, FAN.CTN, PI, PRAI, OS, OSC.G (BIB is the default) List of CA abstract numbers without answer numbers AN, plus Compressed Bibliographic Data Classifications (IPC, ECLA, NCL, and FTERM codes) associated with basic patent and family members ALL, delimited for post-processing MAX, delimited for post-processing AN, DN, FAN.CNT, PI for the accession number, plus PI for other family accession numbers Family Accession Number (AN, FAN.CNT, FAN) BIB plus PI for other family accession numbers	D ABS D 1-30 ALL D APPS D APPS.B D 1,3 BIB D 1 3 D 1-10 CAN D L2 1 CBIB D CLASS D DALL D MAX D FAM D FAN D FBIB
IABS (3) IALL (1,3,4) IBIB (1) IMAX (1,3,4) IND (4) IPC IPC.TAB IPC.UNIQ IPCI IPCR ISTD (1) MAX (1,3,4)	ABS, with text labels ALL, indented with text labels BIB, indented with text labels MAX, indented with text labels INCL, IPCI, IPCR, NCL, CC, ST, IT, RL International Patent Classification (IC (ICS), ICA, ICI) IPC, Tabular Display IPC codes unique for a basic patent and equivalents IPC Initial Classification IPC Reclassification STD, indented with text labels ALL, plus PI for other family accession numbers	D IABS D IALL D IBIB D IMAX D TI IND D L2 1 IPC D IPC.TAB D IPC.UNIQ D IPCI D IPCR D ISTD D MAX

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
OBIB (1)	BIB, Original (AN, OREF, TI, AU, IN, CS, PA, SO, PI, DS, AI, PRAI, DT, LA, OS)	D OBIB
OIBIB (1)	OBIB, indented with text labels	D OIBIB
OSG	OSC.G, UPOS.G, OS.G (up to 50 accession numbers)	D OSG
OSG.MAX	OSC.G, UPOS.G, and OS.G (up to 1020 accession numbers)	D OSG.MAX
OS.GMAX	OS.G (up to 1020 accession numbers)	D OS.GMAX
PATS (1)	SO, PI	D PATS
SAM (4)	INCL, IPCI, IPCR, NCL, CC, TI, ST, IT, RL	DIS SAM 1-5
SCAN (4,6)	INCL, IPCI, IPCR, NCL, CC, TI, ST, IT, RL (random display, no answer numbers)	D SCAN
STD (1)	AN, DN, OREF, TI, AU, IN, CS, PA, SO, DT, LA, FAN.CNT, PI, PRAI, INCL, IPCI, IPCR, NCL, OS	D STD
FHITSTR (4)	First hit CAS Registry Number, its role, text modification, its CA index name, and the structure diagram	D CBIB FHITSTR
HIT	Fields containing hit terms	D HIT 1-5
HITIND (4)	INCL, IPCI, IPCR, NCL, CC, ST, IT, RL containing hit terms	D HITIND
HITRN (4)	Hit CAS Registry Number, its role, and text modification	D HITRN
HITSTR (4)	Hit CAS Registry Number, its role, text modification, its CA index name, and its structure diagram	D HITSTR KWIC
IPC.HIT (HITIPC)	Hit IPC	D IPC.HIT or D HITPIC
KWIC	Hit terms plus 20 words on either side (Key-Word-In-Context)	D 1-7 TI
OCC	Number of occurrences of hit terms and fields in which they occur	D OCC

- (1) By default, patent numbers, application and priority numbers are displayed in STN format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN format, enter SET PATENT STN.
- (2) Custom display only.
- (3) Structure diagrams in abstracts in the GI (Graphics Image) field are available only on graphics terminals and in offline prints.
- (4) By default, roles are displayed as codes and text. To suppress display of role codes and text, enter SET ROLES OFF. To display only codes, enter SET ROLES CODES.
- (5) SX displays all information in the CC field, i.e., CA section and section cross-references.
- (6) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.
- (7) No online display fee for this format.
- (8) CUR must be entered on the command line, e.g., D CUR. The patent status information displays before the requested records.

LCA**SELECT, ANALYZE, and SORT Fields**

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y	N
Accession Number	AN	Y	N
Author	AU	Y	Y
CA Classification Code (section and subsection)	CC	Y	Y
CA Section Cross-Reference	SX	Y	Y
CAS Registry Number	RN	Y (2)	N
Citation	CIT	Y (3,4)	N
Citing Reference Accession Numbers	OS.G (OS.CITING.AN)	Y	N
Citing Reference Count	OSC.G (CITING.CNT)	Y	Y
Citing Reference Date	UPOS.G (CITING.UP)	Y	Y
CODEN	CODEN	Y (5)	Y
Controlled Term	CT	Y	N
Corporate Source	CS	Y	Y
Corporate Source, Division	CS.DIV	Y	N
Corporate Source, Organization	CS.ORG	Y	N
Country Name of Author	CYA	Y	Y
Crossover Key	CK	Y	Y
Designated States	DS	Y	N
Designated States, Basic	DS.B	Y (4,6)	N
Document Type	DT	Y	Y
Family Accession Number	FAN	Y (4,7)	N
File Segment	FS	Y (4)	Y
Index Term	IT	Y	N
International Standard (Document) Number	ISN	Y (8)	N
International Standard Serial Number	ISSN	Y (9)	Y
Inventor Name	IN	Y	Y
IPC	IPC	Y (10)	N
IPC, Additional or Supplementary	ICA	Y	Y
IPC, Index or Complementary	ICI	Y	Y
IPC, Main and Secondary	IC	Y	Y
IPC, Secondary	ICS	Y	Y
Journal Title	JT	Y	Y
Language	LA	Y	Y
National Patent Classification	NCL	Y	Y
Occurrence of Hit Terms	OCC	N	Y
Original Reference Number	OREF	Y (4,40)	N
Other Source	OS	Y	Y
Patent Application Country	AC	Y (4)	Y
Patent Application Country, Basic	AC.B	Y (4,11)	Y
Patent Application Date	AD	Y (4)	Y
Patent Application Date, Basic	AD.B	Y (12)	Y
Patent Application Information	AI	Y (4,13,14)	Y
Patent Application Information, Basic	AI.B	Y (4,14,15)	Y
Patent Application Number	AP	Y (4,14,14)	Y
Patent Application Number, Basic	AP.B	Y (4,14,15)	Y
Patent Application and Priority Number	APPS	Y (4,14,16)	N
Patent Application and Priority Number, Basic	APPS.B	Y (4,14,17)	N
Patent Application Year	AY	Y	Y

SELECT, ANALYZE, and SORT Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Patent Application Year, Basic	AY.B	Y (18)	Y
Patent Assignee	PA	Y	Y
Patent Countries	PCS	Y (4,19)	N
Patent Countries, Basic	PCS.B	Y (4,20)	N
Patent Country	PC	Y (4)	Y
Patent Country, Basic	PC.B	Y (4,21)	Y
Patent Country Count	CYC	Y (22)	N
Patent Information	PI	Y (4,14,23)	Y
Patent Information, Basic	PI.B	Y (14,24)	Y
Patent Kind Code	PK	Y (4)	Y
Patent Kind Code, Basic	PK.B	Y (4,25)	Y
Patent Number	PN	Y (4,14)	Y
	PATS	Y (4,14,26)	N
Patent Number, Basic	PN.B	Y (14,27)	Y
	PATS.B	Y (14,28)	N
Patent Number Count	PNC	Y (29)	N
Priority Application Country	PRC	Y (4)	Y
Priority Application Country, Basic	PRC.B	Y (4,30)	Y
Priority Application Date	PRD	Y (4)	Y
Priority Application Date, Basic	PRD.B	Y (31)	Y
Priority Application Information	PRAI	Y (4,14,32)	Y
Priority Application Information, Basic	PRAI.B	Y (14,33)	Y
Priority Application Number	PRN	Y (4,14)	Y
Priority Application Number, Basic	PRN.B	Y (14,34)	Y
Priority Application Year	PRY	Y (4)	Y
Priority Application Year, Basic	PRY.B	Y (35)	Y
Publication Date	PD	Y (4)	Y
Publication Date, Basic	PD.B	Y (36)	Y
Publication Year	PY	Y	Y
Publication Year, Basic	PY.B	Y (37)	Y
Role	RL	Y (4)	N
Source of Document	SO	Y (38)	N
Supplementary Term	ST	Y	N
Title	TI	Y (default)	Y
Treatment Code	TC	Y (39)	Y

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT RN.
- (2) Appends /BI to the terms created by SELECT.
- (3) Extracts first author, publication year, volume, and first page with a truncation symbol appended and with /RE appended to the terms created by SELECT.
- (4) SELECT HIT and ANALYZE HIT are not valid with this field.
- (5) Selects or analyzes the CODEN and appends /ISN to the terms created by SELECT.
- (6) Appends /DS to the terms created by SELECT.
- (7) Appends /AN to the terms created by SELECT.
- (8) Selects or analyzes the CODEN and ISSN and appends /ISN to the terms created by SELECT.
- (9) Selects or analyzes the ISSN and appends /ISN to the terms created by SELECT.
- (10) Selects or analyzes the IC, ICA, ICI and appends /IPC to the terms created by SELECT.
- (11) Appends /AC to the terms created by SELECT.
- (12) Appends /AD to the terms created by SELECT.
- (13) Selects or analyzes the Patent Application Number and appends /AP to the terms created by SELECT.
- (14) Enter SET PATENT DERWENT at an arrow prompt (=>) to SELECT or ANALYZE patent, application, and priority numbers in Derwent format.
- (15) Selects or analyzes Basic Patent Application Number and appends /AP to the terms created by SELECT.
- (16) Selects or analyzes the AP and PRN and appends /APPS to the terms created by SELECT.
- (17) Selects or analyzes Basic Application and Priority Numbers and appends /APPS to the terms created by SELECT.
- (18) Appends /AY to the terms created by SELECT.
- (19) Selects or analyzes the country codes from PI and DS and appends /PCS to the terms created by SELECT.
- (20) Selects or analyzes country codes from PI.B and DS.B and appends /PCS to the terms created by SELECT.
- (21) Appends /PC to the terms created by SELECT.
- (22) Appends /CY.CNT to the terms created by SELECT.
- (23) Selects or analyzes the Patent Number and appends /PN to the terms created by SELECT.

LCA

- (24) Selects or analyzes Basic Patent Number and appends /PN to the terms created by SELECT.
 (25) Appends /PK to the terms created by SELECT.
 (26) Selects or analyzes the Patent Number and appends /PATS to the terms created by SELECT.
 (27) Appends /PN to the terms created by SELECT.
 (28) Selects or analyzes Basic Patent Number and appends /PATS to the terms created by SELECT.
 (29) Appends /PN.CNT to the terms created by SELECT.
 (30) Appends /PRC to the terms created by SELECT.
 (31) Appends /PRD to the terms created by SELECT.
 (32) Selects or analyzes the Priority Application Number and appends /PRN to the terms created by SELECT.
 (33) Selects or analyzes Basic Priority Application Number and appends /PRN to the terms created by SELECT.
 (34) Appends /PRN to the terms created by SELECT.
 (35) Appends /PRY to the terms created by SELECT.
 (36) Appends /PD to the terms created by SELECT.
 (37) Appends /PY to the terms created by SELECT.
 (38) Selects or analyzes the CODEN and the ISSN and appends /SO to the terms created by SELECT.
 (39) Appends /DT to the terms created by SELECT.
 (40) Select or analyzes OREF and appends /AN to the terms created by SELECT.

Sample Records**DISPLAY IALL**

ACCESSION NUMBER: 101:95170 LCA
 ORIGINAL REFERENCE NO.: 101:14539a,14542a
 ENTRY DATE: Entered STN: 15 Sep 1984
 TITLE: Electrolytic treatment of ore slurry
 INVENTOR(S): Neil, Thomas Harold
 PATENT ASSIGNEE(S): Motif Traders Pty. Ltd., Australia
 SOURCE: Pat. Specif. (Petty) (Aust.), 13 pp.
 CODEN: AUXXDN
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 CLASSIFICATION: 54-2 (Extractive Metallurgy)
 Section cross-reference(s): 72
 FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	----	-----	----
AU 533833	B3	19840105	AU 83-21087	19831108
PRIORITY APPLN. INFO.:			AU 1983-21087	19831108

PATENT CLASSIFICATION CODES:

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
-----	----	-----
AU 533833	IPCI	C22B0003-00 [ICM]; C22B0015-00 [ICS]; C22B0023-04 [ICS]; C25C0001-08 [ICS]; C25C0001-12 [ICS]; C25C0001-00 [ICS,C*]
	IPCR	C01G0051-00 [I,C*]; C01G0051-00 [I,A]; C01G0053-00 [I,C*]; C01G0053-00 [I,A]; C22B0003-00 [I,C*]; C22B0003-26 [I,A]
	ECLA	C01G051/00B; C01G053/00B; C22B003/00D2; C22B003/00D4

ABSTRACT:

Metals are recovered from ore slurries by: adding NaOH and electrolyzing at high temp.; adding an alkali metal halide and continuing electrolysis to solubilize the metal values; and extg. the metal values by adsorption on activated C or by solvent extn. The ore has a particle size of preferably -320 mesh. Thus, laterite serpentine ore contg. 3.1% Ni was ground, slurried with water, and mixed with NaOH. The slurry was heated to 150.degree., and d.c. was applied at 15 V and 5-7 A for 5 h. NaCl and activated C were added, and electrolysis was continued at 12 V and 3-5 A for 12 h. The C was filtered and stripped with HNO3. The Ni recovery was 87%.

DISPLAY IALL (cont'd)

SUPPL. TERM: metal recovery ore electrolysis; nickel recovery ore electrolysis; cobalt recovery ore electrolysis; electrolysis ore metal recovery; sodium hydroxide ore electrolysis; chloride sodium ore electrolysis

INDEX TERM: Metals, preparation
ROLE: PUR (Purification or recovery); PREP (Preparation)
(recovery of, from slurries by electrolysis)

INDEX TERM: 1310-73-2, uses and miscellaneous 7647-14-5, uses and miscellaneous
ROLE: USES (Uses)
(in metal recovery from ore slurries by electrolysis)

INDEX TERM: 7440-02-0P, preparation 7440-48-4P, preparation
ROLE: PUR (Purification or recovery); PREP (Preparation)
(recovery of, from slurries by electrolysis)

DISPLAY BIB

AN 109:231455 LCA
OREF 109:38304h,38305a
TI Nucleosides. IV. Synthesis and reactions of 2',3',5'-trichloro-2',3',5'-trideoxy-2',3'-secouridines
AU Hirota, Kosaku; Tomishi, Tetsuo; Maki, Yoshifumi
CS Gifu Pharm. Univ., Gifu, 502, Japan
SO Chem. Pharm. Bull. (1988), 36(4), 1298-304
CODEN: CPBTAL; ISSN: 0009-2363
DT Journal
LA English
OS CASREACT 109:231455

DISPLAY FBIB

AN 101:103253 LCA
OREF 101:15611a,15614a
TI Liquid chromatograph
IN Nakamoto, Akira; Saito, Katsuhiko
PA Shimadzu Corp., Japan
SO Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	----	-----	----
PI	EP 106009	A1	19840425	EP 1983-101996	19830301
	EP 106009	B1	19870128		
	R: DE, FR, GB			JP 1982-98345U	U 19820629

PATENT FAMILY INFORMATION:

FAN 101:47887

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	US 4448692	A	19840515	US 1983-470553	19830228
				JP 1982-31411	A 19820227
				JP 1982-98345U	U 19820629
	JP 58148958	A	19830905	JP 1982-31411	19820227
	JP 02025463	B	19900604		
	CA 1186166	A1	19850430	CA 1983-422472	19830225
				JP 1982-31411	A 19820227
				JP 1982-98345U	U 19820629

14
LCA

DISPLAY CBIB HITSTR

101:83938 Original Reference No. 101:12777a,12780a Is the estimation of GABA turnover rate in vivo a tool to differentiate between various types of drugs interfering with the GABA/benzodiazepine/ionophore receptor complex?. Bernasconi, R.; Bittiger, H.; Schmutz, M.; Martin, P.; Klein, M. (Pharm. Div., Ciba-Geigy Ltd., Basel, CH 4002, Switz.). Neuropharmacology, 23(7B), 815-16 (English) 1984. CODEN: NEPHBW. ISSN: 0028-3908.


IT 77779-60-3

RL: BIOL (Biological study)

(GABA metabolism by brain response to, benzodiazepine-GABA-ionophore receptor interaction in relation to)

RN 77779-60-3 LCA

CN 3H-Pyrazolo[4,3-c]quinolin-3-one, 2,5-dihydro-2-phenyl- (CA INDEX NAME)



EXPAND in /RL Thesaurus

=> E USES+ALL/RL

E1 12606 --> Uses/RL

E2 452 ADV/RL

E3 12606 USES/RL

NOTE Vol. 66 (1967) to present - Assigned to a substance in studies reporting new or novel uses and applications of the substance. USES roles are assigned only when the application is demonstrated, claimed, or clearly intended, not for a well-known use or function of the substance. Patents imply usefulness and purpose, thus USES roles are assigned for a claimed use, as well as for demonstrated uses in examples.

E4 202 NT1 AGR/RL

E5 0 NT1 AGR valid Vol. 66 (1967) to present/RL

E6 16 NT1 ARG/RL

E7 0 NT1 ARG valid Vol. 66 (1967) to present/RL

E8 202 NT1 Agricultural Use/RL

E9 0 NT1 Agricultural Use valid Vol. 66 (1967) to present/RL

E10 16 NT1 Analytical Reagent Use/RL

E11 0 NT1 Analytical Reagent Use valid Vol. 66 (1967) to present/RL

E12 4 NT1 BUU/RL

E13 0 NT1 BUU valid Vol. 66 (1967) to present/RL

E14 4 NT1 Biological Use, Unclassified/RL

E15 0 NT1 Biological Use, Unclassified valid Vol. 66 (1967) to present/RL

E16 1485 NT1 CAT/RL

E17 0 NT1 CAT valid Vol. 66 (1967) to present/RL

E18 3 NT1 COS/RL

E19 0 NT1 COS valid Vol. 136 (2002) to present/RL

E20 0 NT1 CUS/RL

E21 0 NT1 CUS valid Vol. 136 (2002) to present/RL

E22 1485 NT1 Catalyst Use/RL

E23 0 NT1 Catalyst Use valid Vol. 66 (1967) to present/RL

E24 0 NT1 Combinatorial Use/RL

E25 0 NT1 Combinatorial Use valid Vol. 136 (2002) to present/RL

E26 3 NT1 Cosmetic Use/RL

E27 0 NT1 Cosmetic Use valid Vol. 136 (2002) to present/RL

E28 271 NT1 DEV/RL

EXPAND in /RL Thesaurus (cont'd)

E29 0 NT1 DEV valid Vol. 66 (1967) to Vol. 145 (2006)/RL
E30 0 NT1 DGN/RL
E31 0 NT1 DGN valid Vol. 136 (2002) to present/RL
E32 271 NT1 Device Component Use/RL
E33 0 NT1 Device Component Use valid Vol. 66 (1967) to Vol. 145
(2006)/RL
E34 0 NT1 Diagnostic Use/RL
E35 0 NT1 Diagnostic Use valid Vol. 136 (2002) to present/RL
E36 15 NT1 FFD/RL
E37 0 NT1 FFD valid Vol. 66 (1967) to present/RL
E38 15 NT1 Food or Feed Use/RL
E39 0 NT1 Food or Feed Use valid Vol. 66 (1967) to present/RL
E40 190 NT1 MOA/RL
E41 0 NT1 MOA valid Vol. 66 (1967) to present/RL
E42 190 NT1 Modifier or Additive Use/RL
E43 0 NT1 Modifier or Additive Use valid Vol. 66 (1967) to
present/RL
E44 23 NT1 NUU/RL
E45 0 NT1 NUU valid Vol. 66 (1967) to present/RL
E46 6 NT1 Nonbiological Use, Unclassified/RL
E47 0 NT1 Nonbiological Use, Unclassified valid Vol. 66 (1967)
to present/RL
E48 18 NT1 Other Use, Unclassified/RL
E49 18 NT1 POF/RL
E50 0 NT1 POF valid Vol. 66 (1967) to present/RL
E51 18 NT1 Polymer in Formulation/RL
E52 0 NT1 Polymer in Formulation valid Vol. 66 (1967) to
present/RL
E53 576 NT1 TEM/RL
E54 0 NT1 TEM valid Vol. 66 (1967) to present/RL
E55 247 NT1 THU/RL
E56 0 NT1 THU valid Vol. 66 (1967) to present/RL
E57 576 NT1 Technical or Engineered Material Use/RL
E58 0 NT1 Technical or Engineered Material Use valid Vol. 66
(1967) to present/RL
E59 247 NT1 Therapeutic Use/RL
E60 0 NT1 Therapeutic Use valid Vol. 66 (1967) to present/RL
***** END *****

EXPAND in /IC Thesaurus

=> E C01C003-00+ALL/IC

E1 2 BT4 C/IC
SECTION C - CHEMISTRY; METALLURGY
Note
In section C, the definitions of groups of chemical
elements are as follows:
Alkali metals: Li, Na, K, Rb, Cs, Fr
Alkaline earth metals: Ca, Sr, Ba, Ra
Lanthanides: elements with atomic numbers 57 to 71
inclusive
Rare earths: Sc, Y, Lanthanides
Actinides: elements with atomic numbers 89 to 103
inclusive
Refractory metals: Ti, V, Cr, Zr, Nb, Mo, Hf, Ta, W
Halogens: F, Cl, Br, I, At
Noble gases: He, Ne, Ar, Kr, Xe, Rn
Platinum group: Os, Ir, Pt, Ru, Rh, Pd
Noble metals: Ag, Au, Platinum group
Light metals: alkali metals, alkaline earth metals,
Be, Al, Mg
Heavy metals: metals other than light metals
Iron group: Fe, Co, Ni
Non-metals: H, B, C, Si, N, P, O, S, Se, Te, noble

EXPAND in /IC Thesaurus (cont'd)

gases, halogens

Metals: elements other than non-metals

Transition elements: elements with atomic numbers 21 to 30 inclusive, 39 to 48 inclusive, 57 to 80 inclusive, 89 upwards

Notes

The following notes are meant to assist in the use of this part of the classification scheme. They must not be read as modifying in any way the elaborations.

(1) Section C covers :

(a) pure chemistry, which covers inorganic compounds, organic compounds, macromolecular compounds, and their methods of preparation;

(b) applied chemistry, which covers compositions containing the above compounds, such as: glass, ceramics, fertilisers, plastics compositions, paints, products of the petroleum industry. It also covers certain compositions on account of their having particular properties rendering them suitable for certain purposes, as in the case of explosives, dyestuffs, adhesives, lubricants, and detergents;

(c) certain marginal industries, such as the manufacture of coke and of solid or gaseous fuels, the production and refining of oils, fats and waxes, the fermentation industry (e.g., brewing and wine-making), the sugar industry;

(d) certain operations or treatments, which are either purely mechanical, e.g., the mechanical treatment of leather and skins, or partly mechanical, e.g., the treatment of water or the prevention of corrosion in general;

(e) metallurgy, ferrous or non-ferrous alloys.

(2) -

(a) In the case of operations, treatments, products or articles having both a chemical and a non-chemical part or aspect, the general rule is that the chemical part or aspect is covered by section C.

(b) In some of these cases, the chemical part or aspect brings with it a non-chemical one, even though purely mechanical, because this latter aspect either is essential to the operation or treatment or constitutes an important element thereof. It has seemed, in fact, more logical not to dissociate the different parts or aspects of a coherent whole. This is the case for applied chemistry and for the industries, operations and treatments mentioned in Notes (1)(c), (d) and (e). For example, furnaces peculiar to the manufacture of glass are covered by class C03 and not by class F27.

(c) There are, however, some exceptions in which the mechanical (or non-chemical) aspect carries with it the chemical aspect, for example:

- Certain extractive processes, in subclass A61K;
- The chemical purification of air, in subclass A61L;
- Chemical methods of fire-fighting, in subclass A62D;
- Chemical processes and apparatus, in class B01;
- Impregnation of wood, in subclass B27K;
- Chemical methods of analysis or testing, in subclass G01N;
- Photographic materials and processes, in class G03, and, generally, the chemical treatment of textiles and the production of cellulose or paper, in section D.

(d) In still other cases, the pure chemical aspect is covered by section C and the applied chemical aspect by another section, such as A, B or F, e.g., the use of a substance or composition for:

EXPAND in /IC Thesaurus (cont'd)

			- treatment of plants or animals, covered by subclass A01N;
			- foodstuffs, covered by class A23;
			- ammunition or explosives, covered by class F42.
			(e) When the chemical and mechanical aspects are so closely interlocked that a neat and simple division is not possible, or when certain mechanical processes follow as a natural or logical continuation of a chemical treatment, section C may cover, in addition to the chemical aspect, a part only of the mechanical aspect, e.g., after-treatment of artificial stone, covered by class C04. In this latter case, a note or a reference is usually given to make the position clear, even if sometimes the division is rather arbitrary.
E2	0	BT3	C0/IC
			CHEMISTRY
E3	0	BT2	C01/IC
			INORGANIC CHEMISTRY (processing powders of inorganic compounds preparatory to the manufacturing of ceramic products C04B035-00; fermentation or enzyme-using processes for the preparation of elements or inorganic compounds except carbon dioxide C12P003-00; obtaining metal compounds from mixtures, e.g. ores, which are intermediate compounds in a metallurgical process for obtaining a free metal C21B, C22B; production of non-metallic elements or inorganic compounds by electrolysis or electrophoresis C25B)
			Notes
			(1) In this class, in the absence of an indication to the contrary, a compound is classified in the last appropriate place. (3)
			(2) Processes using enzymes or micro-organisms in order to:
			(i) liberate, separate or purify a pre-existing compound or composition, or to
			(ii) treat textiles or clean solid surfaces of materials
			are further classified in subclass C12S. (5)
E4	21	BT1	C01C/IC
			AMMONIA; CYANOGEN; COMPOUNDS THEREOF (salts of oxyacids of halogens C01B011-00; peroxides, salts of peroxyacids C01B015-00; thiosulfates, dithionites, polythionates C01B017-64; compounds containing selenium or tellurium C01B019-00; azides C01B021-08; metal amides C01B021-092; nitrites C01B021-50; phosphides C01B025-08; salts of oxyacids of phosphorus C01B025-16; compounds containing silicon C01B033-00; compounds containing boron C01B035-00)
			Note
			Therapeutic activity of compounds is further classified in subclass A61P. (7)

E5	1	-->	C01C003-00/IC
			Cyanogen; Compounds thereof
			(IPC EDITION: 1-7)
E6	2	NT1	C01C003-02/IC
			. Preparation of hydrogen cyanide
			(IPC EDITION: 1-7)
E7	0	NT2	C01C003-04/IC
			. . Separation from gases
			(IPC EDITION: 1-7)
E8	0	NT1	C01C003-06/IC
			. Stabilisation of hydrogen cyanide
			(IPC EDITION: 1-7)

18
LCA

EXPAND in /IC Thesaurus (cont'd)

E9 0 NT1 C01C003-08/IC
. Simple or complex cyanides of metals
(IPC EDITION: 1-7)

E10 1 NT2 C01C003-10/IC
. . Simple alkali metal cyanides (3)
(IPC EDITION: 1-7)

E11 0 NT2 C01C003-11/IC
. . Complex cyanides (3)
(IPC EDITION: 2-7)

E12 0 NT2 C01C003-12/IC
. . Simple or complex iron cyanides (2)
(IPC EDITION: 1-7)

E13 0 NT1 C01C003-14/IC
. Cyanic acid; Salts thereof
(IPC EDITION: 1-7)

E14 0 NT1 C01C003-16/IC
. Cyanamide; Salts thereof (dicyandiamide C07C279-28)
(IPC EDITION: 1-7)

E15 0 NT2 C01C003-18/IC
. . Calcium cyanamide
(IPC EDITION: 1-7)

E16 0 NT1 C01C003-20/IC
. Thiocyanic acid; Salts thereof
(IPC EDITION: 1-7)

***** END *****

In North America
CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
E-mail: help@cas.org
Internet: www.cas.org

In Europe
FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
E-mail: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.com

In Japan
JAICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
Fax: +81-3-5978-3600
E-mail: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp