



STN is operated in North America
by Chemical Abstracts Service.

STN Database Summary Sheet

The **CASREACT® File (Chemical Abstracts Reaction Search Service)** is a chemical reaction database with reaction information derived from journal and patent documents from 1840 to date. The CA Abstract Number is the Accession Number in the file. The document-based file contains both single-step and multistep reactions.

In addition to reactions indexed by CAS, CASREACT contains reactions derived from the following: ZIC/VINITI database (1974-1999) provided by InfoChem; INPI data prior to 1986; Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich; organic reactions, portions copyright 1996-2006 John Wiley & Sons, Ltd., John Wiley and Sons, Inc., Organic Reactions Inc., and Organic Synthesis Inc. Reproduced under license. All Rights Reserved.

LCASREACT is the companion training file for learning how to use CASREACT.

The records contain reaction information consisting of structure diagrams for reactants and products, CAS Registry Numbers® (RNs) for all reactants, products, reagents, solvents, and catalysts, yields for many products, reaction conditions, and textual reaction information. The reactants, reagents, and products are structure-searchable with a single reaction query. Roles, reaction sites, and mapping of atoms between reactants and products are also structure-searchable. The CAS RNs for all reaction participants, their roles, the textual reaction information, and yields are also searchable. Common Functional Groups found in reactants, reagents, and products are searchable. The records also contain bibliographic information, in-depth substance and subject indexing, and abstracts. These are all searchable and displayable. CAS roles, patent family data, cited references, and CAS RNs indexed for CA, but not reaction participants, are only displayable in CASREACT. They can be searched in the CA and CAplus files.

Subject Coverage

Single-step and multistep reactions from journals and patents

Sources

- Journals covered for CA from 1985 to the present
- Patents covered for CA from January 1991 to the present
- The reaction collection jointly built by the All-Union Institute of Scientific and Technical Information of the Academy of Sciences of the USSR (VINITI) and the German Zentrale Informationsverarbeitung Chemie, Berlin (ZIC) and supplied by the German software company, InfoChem (journals 1974-1999, patents 1982-1999)
- Rxn: Core Reactions database from the French organization, INPI (Institut National de la Propriete Industrielle) (1840-1985)
- Biotransformations database compiled during the years 1971-1997 under the direction of Professor Doctor Klaus Kieslich
- Wiley reaction collections

File Data

- 1840 to the present
- More than 673,000 documents (8/08)
- More than 15.3 million reactions (8/08)
- Updated weekly
- Automatic current-awareness searches (SDI's) are run weekly

User Aids

- CASREACT User Guide
- Getting Started in CASREACT
- Search aids are available on the web:
www.cas.org/support/stngen/index.html
- STN User Documentation Order Form lists available STN documentation: www.cas.org/support/stngen/stndoc/index.html
- Online HELPs (HELP DIRECTORY lists all HELP messages)
- STNGUIDE

Database Producer

Chemical Abstracts Service
2540 Olentangy River Road
P. O. Box 3012
Columbus, OH 43210-0012 USA
Phone: 614-447-3600
Fax: 614-447-3798

Database Representatives

See www.cas.org/support/agents.html for a list of worldwide representatives.

In North America

CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Care:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
E-mail: help@cas.org
Internet: www.cas.org

In Europe

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
E-mail: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.de

In Japan

JAICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
Fax: +81-3-5978-3600
E-mail: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp

CASREACT

Search and Display Field Codes

The fields that allow left truncation are marked with an asterisk (*).

Reaction Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains CAS Registry Numbers for all reactants, products, reagents, solvents, and catalysts, and single words from the title (TI), supplementary term (ST), abstract (AB), index term (IT), and reaction note (NTE) fields) (1)	None (or /BI)	S 50-00-0 S FAILED REACT? S 13129-23-2 (L) 96695-24-8 S TAUTOMERISM S ?TOXIN?	AB, IT, NTE, RX formats, ST, TI
Catalyst	/CAT	S 104-15-4/CAT S L1 (L) ANY/CAT	RX formats
Functional Group that is Formed	/FG.FORM	S THIOPHENOL/FG.FORM	RX formats
Functional Group in Product	/FG.PRO	S NITRO/FG.PRO S PRIMARY AMINE/FG.RCT (S) NITRO/FG.PRO S NITRO/FG.PRO (L) SULFONE/FG.RGT S NITRO/FG.PRO (L) ANY/CAT	RX formats
Functional Group in Reactant	/FG.RCT	S TRIHALIDE/FG.RCT S AZIDE/FG.RCT (S) PRIMARY AMINE/FG.PRO S AMIDE/FG.RCT,FG.RGT	RX formats
Functional Group in Reactant, Reagent, or Product	/FG	S ACETAL/FG.RCT (L) ANY/CAT S PRIMARY AMINE/FG	RX formats
Functional Group that is Reacting	/FG.RXN	S KETONES/FG.RXN (S) THIONE/FG.FORM	RX formats
Functional Group in Reagent	/FG.RGT	S SULFONE/FG.RGT S AMIDE/FG.PRO (L) HALOHYDRIN/FG.RGT S AMIDE/FG.RCT,FG.RGT	RX formats
Functional Group Yield (2)	/FG.YD	S FG.YD>=95 S NITRO/FG.FORM (A) FG.YD>=90	RX formats
Functional Group Yield Data	/FG.YDT	S NONE/FG.YDT S (95/FG.YD OR NONE/FG.YDT) S HALIDES/FG.PRO (A) (95/FG.YD OR NONE/FG.YDT)	Not displayed
NonProduct	/NPRO	S 10025-87-3/NPRO	RX formats
Nonreacting Functional Group	/FG.NON	S ALLYL ALCOHOL/FG.FORM (L) LACTONE/FG.NON	RX formats
Number of Steps (2)	/NS	S NS>=2 S 109-99-9 (L) 71-43-2 (L) 1/NS	Not displayed
Product	/PRO	S 2577-41-5/PRO	RX formats
Reactant	/RCT	S 999-97-3/RCT S 928-49-4/RCT (L) 114140-93-1/PRO	RX formats
Reactant or Reagent	/RRT	S 100-07-2/RRT	RX formats
Reaction Notes*	/NTE	S 200 DEGREE/NTE S ?HYDROGEN?/NTE	RX formats
Reagent	/RGT	S 74-88-4/RGT	RX formats
Solvent	/SOL	S 64-17-5/SOL S 64-17-5/SOL (L) CARBOXYLIC/FG.PRO	RX formats
Yield (2)	/YD	S 98/YD S L1 (A) YD>50 S 138687-69-1/PRO(A)95-100/YD	RX formats
Yield Data	/YDT	S 2577-41-5/PRO (A) (95-100/YD OR NONE/YDT) S NONE/YDT S L5 (A) (95-100/YD OR NONE/YDT) S 2577-41-5/PRO (A) (95-100/YD OR NONE/YDT)	Not displayed

(1) CAS Registry Numbers are from the reaction information, not the IT terms.

(2) Numeric search field that may be searched with numeric operators or ranges.

General Document Fields

Search Field Name	Search Code	Search Examples	Display Codes
Abstract	/AB	S PHOTOLY?/AB	AB
Accession Number	/AN	S 109:149648/AN	AN
Author (Inventor)	/AU	S EVANS D/?AU	AU
CA Section Cross-Reference (1) (number and title)	/SX	S 24/CC,SX S ALICYCLIC/SX S CONDENSED BENZENOID/SX	CC
Classification Code (1) (contains CA section-subsection number, section title, and section group codes)	/CC	S 24/CC S ALICYCLIC/CC S PHYSICAL ORGANIC/CC	CC
Controlled Term	/CT	S PORPHYRIN#/CT S MICHAEL REACTION/CT	CT, IT
Controlled Word	/CW	S POLYMER/CW	CT, IT
Corporate Source (1) (organization name and location, patent assignee)	/CS	S DOW/CS S DOW CHEMICAL/CS S "DOW CORNING"?/CS	CS, PA
Country of Author	/CYA	S USA/CYA	CS, CYA, PA
Crossover Key (CODEN, volume, issue, first page)	/CK	S JOCEAH-51-2-277/CK	CK
Document Type (code and text)	/DT (or /TC)	S P/DT S PATENT/DT	DT
Entry Date (2)	/ED	S ED>20010600 S ED>JUNE 2001	Not displayed
Field Availability	/FA	S DIA/FA	Not displayed
File Segment (3)	/FS	S ORG/FS AND L1 S INFOCHEM/FS AND L1 S INPI/FS	CC, FS
Index Term (4)	/IT	S REACTION WITH/IT	IT
International Standard (Document) Number (contains CODEN and ISSN)	/ISN	S JACSAT/ISN S 0002-7863/ISN	ISN, SO
Issue Number of Publication (2)	/IS	S 1-3/IS	SO
Journal Title	/JT	S J AM CHEM SOC/JT	JT, SO
Language (code and text)	/LA	S L1 AND EN/LA S L1 AND ENGLISH/LA	LA
Other Source	/OS	S MARPAT/OS	OS
Publication Date (2)	/PD	S PD>20010100	PI, SO
Publication Year (2)	/PY	S 2000-2001/PY	PI, PY, SO
Publisher (1)	/PB	S ACADEMIC/PB	PB
Publisher Item Identifier	/PUI	S "S 0014-3057(96)00299-6"/PUI	PUI
Source (contains publication title, date, collation information (volume, issue, pagination), CODEN, and ISSN)	/SO	S J AM CHEM/SO S JACSAT/SO S 0002-7863/SO	SO
Supplementary Term	/ST	S (ASYM (S) SYNTHESIS)/ST	ST
Title	/TI	S REDOX AGENT#/TI	TI
Uniform Resource Locator	/URL	S "HTTP://MDPI.ORG./MOLECULES /PAPERS/30300051.PDF"/URL	SO, URL
Update Date (2)	/UP	S L1 AND UP>20011000	Not displayed
Volume and Issue of CA	/VI	S 107-25/VI	AN
Volume Number of Publication (2)	/VL	S 32-33/VL	SO

(1) Search with implied (S) proximity is available in this field.

(2) Numeric search field that may be searched with numeric operators or ranges.

(3) The file segment INFOCHEM includes records derived from the reaction collection jointly built by the All-Union Institute of Scientific and Technical Information of the Academy of Sciences of the USSR (VINITI) and the German Zentrale Informationsverarbeitung Chemie, Berlin (ZIC) and supplied by the German software company, InfoChem (journals 1974-1991, patents 1982-1991).

(4) There are no stopwords in this field.

CASREACT

Patent Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Designated State	/DS	S BE/DS S BELGIUM/DS	DS
International Patent Classification (includes Main and Secondary IPCs)	/IC	S B01J/IC S B01J027/IC S B01J027-08/IC	IC, ICM, ICS
International Patent Classification, Additional or Supplementary	/ICA	S C07C/ICA S C07C049/ICA S C07C049?/ICA	ICA
International Patent Classification, Index or Complementary	/ICI	S C07D?/ICI	ICI
International Patent Classification, Main	/ICM	S C07C033/ICM	ICM
International Patent Classification, Main Group, Range Searchable (1)	/MGR	S 10-20/MGR (L) C07H/IC	IC
International Patent Classification, Secondary	/ICS	S C07C/ICS	ICS
International Patent Classification Subgroup, Range Searchable (1)	/SGR	S SGR=>30000(L) C07C211/IC	IC
Inventor Name	/IN	S PATTON JERRY R/IN	IN
National Patent Classification	/NCL	S 548185000/NCL	NCL
National Patent Classification, Range Searchable (1)	/NCLR	S 536119000-568720000/NCLR	NCL
Patent Application Country (code and text)	/AC	S US/AC S UNITED STATES/AC	AI
Patent Application Date (1)	/AD	S AD>19950101	AI
Patent Application Number (2)	/AP	S DE90-4005135/AP	AI
Patent Application Year (1)	/AY	S 1991/AY	AI
Patent Assignee (3)	/PA	S PFIZER/PA	PA
Patent Country (code and text)	/PC	S WO/PC	PI
Patent Kind Code	/PK	S EPA2/PK	PI
Patent Number (3)	/PN	S EP424764/PN	PI
Priority Application Country (code and text)	/PRC	S US/PRC	PRAI
Priority Application Date (1)	/PRD	S PRD>19880600	PRAI
Priority Application Number (3)	/PRN	S JP89-164593/PRN	PRAI
Priority Application Year (2)	/PRY	S 1988-1989/PRY	PRAI

(1) Numeric search field that may be searched with numeric operators or ranges.

(2) Either STN format or Derwent format may be used.

(3) Search with implied (S) proximity is available in this field.

Super Search Fields for Patents

Enter a super search code to execute a search in one or more fields that may contain the desired information. Super search fields facilitate crossfile and multifile searching. EXPAND may not be used with super search fields. Use EXPAND with the individual field codes instead.

Search Field Name	Search Code	Fields Searched	Search Examples	Display Codes
International Patent Classifications	/IPC	/IC, /ICA, /ICI	S A01N/IPC	ICA, ICI, ICM,
Patent Application and Priority Number (1)	/APPS	/AP, /PRN	S A01N033/IPC	ICS
Patent Countries	/PCS	/PC, /DS	S DE90-4005135/APPS	AI, PRAI
Patent Numbers (1)	/PATS	/PN	S 90DE-4005135/APPS	DS, PI
			S DE/PCS	PI
			S EP424764/PATS	
			S EP-424764/PATS	

(1) Either STN format or Derwent format may be used.

Limiting Search Codes

Only an L-number for an answer set created in CASREACT may be limited.

Search Field Name	Search Code	Search Examples
Answers completely iterated	/COMPLETE (1)	S L4/COM
Answers incompletely iterated	/INCOMPLETE (1)	S L4/INC

(1) The code may be abbreviated to the first three letters.

Structure Search Terms

Terms (1)	Search Examples
L-numbers of structures built using the STRUCTURE command or uploaded from STN Express (Boolean logic allowed between the L-numbers)	S L1 CSS FUL
L-numbers of screen sets created using the SCREEN command (Boolean logic allowed between the L-numbers)	S L1 NOT L2
L-numbers of structures built using the STRUCTURE command or uploaded from STN Express combined with L-numbers of screen sets created using the SCREEN command (Boolean logic allowed between the L-numbers)	S L3 OR L4
	S L1 NOT L3

(1) The L-number answer set from a structure search may be combined with text terms, e.g., S L6 (L) ANY/CAT.

Types of Structure Searching

Type	Definition	Search Code	Search Examples
Substructure (default)	Search for substances that match the query. Substitution is allowed at all open positions.	SSS	S L1 SSS FUL
Closed Substructure	Search for substances that match the query exactly. Substitution is allowed at positions opened by CONNECT.	CSS	S L2
			S L1 CSS FUL
			S L4 CSS

CASREACT

Scopes of Structure Searches

To create an L-number answer set containing candidate structures that have passed the screening step of your structure search, enter EXTEND on the search command line or enter SET EXTEND ON or SET EXTEND ON PERM at an arrow prompt (=>). For details, enter HELP SET EXTEND at an arrow prompt.

Scope	Definition	Search Code	Search Examples
Sample (1) (default)	Search a fixed 5% of the file	SAM	S L1 SAM SSS S L1
Full	Search 100% of the file	FUL	S L5 SSS FUL
Range (2)	Search a user-specified portion of the file	RAN	S L4 RAN=(V112) S L1 RAN=(RCR)
Subset Sample	Search a fixed sample of an answer set created by a search in CASREACT	SUB SAM	S L9 SUB=L8 SAM
Subset Range (2)	Search a user-specified portion of an answer set created by a search in CASREACT	SUB RAN	S L12 SUB=L11 RAN=(V112,V113)
Subset Full	Search 100% of an answer set created by a search in CASREACT	SUB FUL	S L3 SUB=L2 RAN=(RCR) S L2 CSS SUB=L1 FUL

(1) EXTEND not valid with SAMPLE.

(2) RCR searches the Recent Chemical Reactions, i.e., the current volume and the preceding volume.

DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU, D L1 1-5 TI,AU. The fields are displayed or printed in the order requested.

Hit-term highlighting is available in all searchable fields except compressed reaction displays, CK and FS. In reaction fields, highlighting occurs in the Reaction Map and in the Reaction Summary. Highlighting must be ON in order to use the CRD, CRDREF, FCRD, FCRDREF, FHIT, FPATH, FSPATH, HIT, OCC, PATH, RX, RXG, RXL, RXS, and SPATH formats.

Reaction Formats

Format	Content	Examples
CRD(n) (1) CRDREF(n) (1) RX(n) (1) RXG(n) (1) RXL(n) (1) RXS(n) (1) SSRX(n) (1)	Compact Display of Reaction n Compact Display of Reaction n and SO, PY for Reference Reaction n (Map, Diagram, Summary for reaction n) Reaction n Graphics (Map and Diagram for reaction n) Reaction n Long (Map, Diagram, Summary for all steps of reaction n) Reaction n Summary (Map and Summary for reaction n) Single-Step Reaction n (Map, Diagram, Summary for single-step reaction n)	D CRD(1) D CRDREF(2) D RX(3),RX(5) D RXG(5) D RXL(8) RXL(13) D RXS(13) D SSRX(n)
ALL (MAX) (2,3,4)	AN, TI, AU, IN, CS, PA, SO, PB, DT, LA, IC (ICM, ICS), ICA, ICI, NCL, CC, FAN.CNT, PI, PRAI, OS, AB, ST, IT, RL, RE.CNT, RE, SSRX	D L2 1-7 ALL
DALL (2,3,4) IALL (2,3,4) SCAN (5) SSRX	ALL, delimited for post-processing ALL, indented with text labels TI and FCRD (random display, no answer numbers) Single-Step Reactions (Map, Diagram, and Summary for all single-step reactions)	DIS L1 DALL 1-3 D IALL D SCAN D SSRX

Reaction Formats (cont'd)

Format	Content	Examples
CRD CRDREF FCRD FCRDREF	Compact display of all hit reactions CRD and SO and Publication Date for Reference First Hit Reaction in Compact Format FCRD and SO and publication date for reference (FCRDREF is the default)	D CRD D CRDREF 1-2 D FCRD 3-5 D L2 6 FCRDREF
FHIT FPATH FSPATH HIT	First HIT Reaction Map, Diagram, and Summary Full PATH - PATH plus Reaction Summary Full SPATH - SPATH plus Reaction Summary Reaction Map, Diagram, Summary for all hit reactions and fields containing hit terms	D FHIT D BIB FPATH D FSPATH D CBIB HIT
OCC (5)	All hit fields and the number of occurrences of the hit terms in each field. Includes total number of HIT, PATH, SPATH reactions. Labels reactions that have incomplete verifications.	DIS 1-10 OCC
PATH	Reaction Map(s) and Diagram(s) of longest PATH(s). Displays all hit reactions except those whose steps are totally included within another hit reaction.	D PATH
RX RXG RXL RXS SPATH	Hit Reactions (Map, Diagram, Summary for all hit reactions) Hit Reaction Graphics (Map and Diagram for all hit reactions) Hit Reaction Long (Map, Diagram, Summary for all hit reactions) Hit Reaction Summaries (Map and Summary for all hit reactions) Reaction Map(s) and Diagram(s) for short PATH(s). Displays reactions having a hit substance in the first and last steps except for those whose steps are totally included within another SPATH reaction.	D TI RX D RXG CBIB DIS RXL D TI AU RXS D SPATH

- (1) Custom display only.
- (2) By default, patent, application, and priority numbers are displayed in STN format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN format, enter SET PATENT STN.
- (3) Structure diagrams in abstracts in the Graphics Image (GI) field are available only on graphics terminals and in offline prints.
- (4) By default, roles are displayed as codes and text. To suppress display of role codes and text, enter SET ROLES OFF. To display only codes, enter SET ROLES CODES.
- (5) No online display fee. SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

Document Formats

Format	Content	Examples
AB	Abstract Text	D AB
AI (AP) (1)	Patent Application Information	D AI
AI.B (AP.B) (1)	Patent Application Information, Basic	D AI.B
AN	Accession Number	DISPLAY L2 1-10 AN
AU	Author Name	D AU TI
CC	Classification Code (CA section and section cross-references)	D CC
CK (2)	Crossover Key (CODEN, volume, issue, first page)	D CK
CS	Corporate Source	D AU CS
CT (2)	Controlled Term	D CT
CYA (2)	Country Name of Author	D CYA
CYC (CY.CNT) (2)	Patent Country Count	D CYC
DS (2)	Designated State (Patents)	D DS
DS.B (2)	Designated States, Basic	D DS.B
DT (TC)	Document Type	D 1,5,10 DT
FS (2)	File Segment	D FS

CASREACT**Document Formats (cont'd)**

Format	Content	Examples
GI (3) ICA ICI ICM ICS IN ISN (2) IT (4) JT (2) LA NCL OS PA PB PI (PN) (1) PI.B (PN.B) (1,2) PNC (PN.CNT) (2) PRAI (PRN) (1) PRAI.B (PRN.B) (1) PUI (2) PY (2) PY.B (2) RE (5) RETABLE (2,5) RE.CNT (REC) RL (4) SO ST SX (2,6) TI URL (2)	Graphic Image or Graphic Image Information Additional (Supplementary) IPC Index or Complementary IPC Main IPC Secondary IPC Patent Inventor International Standard (Document) Number Index Term and CAS Role Journal Title Language National Patent Classification Other Source Patent Assignee Publisher Patent Information Patent Information, Basic Patent Number Count Patent Priority Information Patent Priority Information, Basic Publisher Item Identifier Publication Year Publication Year, Basic Cited References Cited References Table Citing Document's Reference Count Index Term and CAS Role Source Supplementary Term (CA Keywords) CA Section Cross-Reference Code Title of Document Uniform Resource Locator	D GI D ICM ICS ICA D ICI D ICM D ICM ICS D IN D ISN D ST IT D JT D LA D NCL D OS CK D PA D PB D AN PI D PI.B D PNC D PRAI D PRAI.B D PUI D PY D TI PY.B D TI RE D TI AU RETABLE D REC D RL D TI AU SO D ST D SX D TI RX D URL
ABS (3) ALL (MAX) (1,3,4) APPS (1) APPS.B (1) BIB (1) CAN CBIB DALL (1,3,4) IABS (3) IALL (1,3,4) IBIB (1) IC IND (4) IPC ISTD (1) OBIB (1) OIBIB (1) PATS (1)	GI, AB AN, TI, AU, IN, CS, PA, SO, PB, DT, LA, IC (ICM, ICS), ICA, ICI, NCL, CC, FAN.CNT, PI, PRAI, OS, AB, ST, IT, RL, RE.CNT, RE, SSRX AI, PRAI AI.B, PRAI.B AN, TI, AU, IN, CS, PA, SO, PB, DT, LA, FAN.CNT, PI, PRAI, OS, RE.CNT List of CA abstract numbers, no L-number header AN, plus Compressed Bibliographic Data ALL, delimited for post-processing ABS, with text labels ALL, indented with text labels BIB, indented with text labels International Patent Classification, Main and Secondary IC (ICM, ICS), ICI, ICS, NCL, CC, ST, IT, RL International Patent Classifications (IC (ICM, ICS), ICA, ICI) STD, indented with text labels BIB, Original (AN, TI, AU, IN, CS, PA, SO, PB, PI, DS, AI, PRAI, DT, LA, OS) OIBIB, indented with text labels PI, SO	DIS 2,4,6 CBIB ABS D L2 1-7 ALL D APPS D APPS.B D 1-3 BIB D 1-10 CAN DISPLAY L1 1 CBIB DIS L1 DALL 1-3 D IABS D IALL D IBIB D PI IC D IND D IPC D ISTD D OBIB D OIBIB D PATS

Document Formats (cont'd)

Format	Content	Examples
SBIB (1) SIBIB (1) SCAN (5,7) STD (1)	BIB, Standard, without cited references (AN, DN, TI, AU, IN, CS, PA, SO, PB, DT, LA, FAN.CNT, PI, PRAI, OS) SBIB, indented with text labels TI and FCRD (random display, no answer number) AN, TI, AU, IN, CS, PA, SO, PB, DT, LA, IC (ICM, ICS), ICA, ICI, NCL, FAN.CNT, PI, PRAI, OS, RE.CNT	D 1 3 SBIB D SIBIB D SCAN D STD
HIT OCC	Reaction Map, Diagram, Summary for all hit reactions and fields containing hit terms All hit fields and the number of occurrences of the hit terms in each field. Includes total number of HIT, PATH, SPATH reactions. Labels reactions that have incomplete verifications.	D CBIB HIT DIS 1-10 OCC

- (1) By default, patent, application, and priority numbers are displayed in STN format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN format, enter SET PATENT STN.
- (2) Custom display only.
- (3) Structure diagrams in abstracts in the Graphics Image (GI) field are available only on graphics terminals and in offline prints
- (4) By default, roles are displayed as codes and text. To suppress display of role codes and text, enter SET ROLES OFF. To display only codes, enter SET ROLES CODES.
- (5) No online display fee for this format.
- (6) SX displays all information in the CC field, i.e., CA section and section cross-references.
- (7) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

Displaying CAPLUS or MEDLINE documents for cited references

Enter the following in the DISPLAY command: L-number for the answer set; answer number (only one may be specified); RAN.CAPLUS(x-y), RAN.MED(x-y), where (x-y) is the cited reference number, numbers, or range of numbers; and the display format for the document to display, e.g., BIB ABS. For example, to display CAPLUS records for the cited references 1 and 2 from answer 2 in the answer set L5, enter the following:

=> D RAN.CAPLUS(1-2) L5 2 BIB ABS

SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Reaction Fields

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
All Registry Numbers from Hit Reactions	RX	Y	N
All Registry Numbers from Reaction n	RX(n)	Y	N
All Registry Numbers from Single-Step Reactions	SSRX	Y	N
All Registry Numbers from Single-Step Reaction n	SSRX(n)	Y	N
Catalyst Registry Numbers from HIT Reactions	CAT	Y	N
Catalyst Registry Numbers from Reaction n	CAT(n)	Y	N
Product Registry Numbers from Hit Reactions	PRO	Y	N
Product Registry Numbers from Reaction n	PRO(n)	Y	N

CASREACT**Reaction Fields (cont'd)**

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Reactant Registry Numbers from Hit Reactions	RCT	Y	N
Reactant Registry Numbers from Reaction n	RCT(n)	Y	N
Reagent Registry Numbers from Hit Reactions	RGT	Y	N
Reagent Registry Numbers from Reaction n	RGT(n)	Y	N
Solvent Registry Numbers from Hit Reactions	SOL	Y	N
Solvent Registry Numbers from Reaction n	SOL(n)	Y	N

(1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT CAT to select the hit catalyst Registry Number.

Document Fields

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y	N
Accession Number	AN	Y	N
Author	AU	Y	Y
CA Classification Code	CC	Y	Y
CA Section Cross-Reference Code	SX	Y	Y
CAS Role	RL	Y (2)	N
Citation	CIT	Y (2,3)	N
Cited References	RE	Y	N
Cited Reference(n)	RE(n)	Y (4)	N
Cited References Table	RETABLE	Y	N
Cited Reference Accession Number in CAPLUS	RAN.CAPLUS	Y (5)	N
Cited Reference Accession Number(n) in CAPLUS	RAN.CAPLUS (n)	Y (4,5)	N
Cited Reference Accession Number in MEDLINE	RAN.MED	Y (6)	N
Cited Reference Accession Number(n) in MEDLINE	RAN.MED(n)	Y (4,6)	N
Cited Reference Author Name	RAU	Y	N
	RIN	Y (7)	N
Cited Reference Count	RE.CNT	Y	Y
	REC	Y	Y
Cited Reference Patent Country	RPC	Y	N
Cited Reference Patent Kind	RPK	Y	N
Cited Reference Patent Number	RPN	Y	N
Cited Reference Publication Year	RPY	Y	N
Cited Reference Work Title	RWK	Y	N
CODEN	CODEN	Y (8)	Y
Controlled Term	CT	Y	N
Corporate Source	CS	Y	Y
Corporate Source, Division	CS.DIV	Y	N
Corporate Source, Organization	CS.ORG	Y	N
Country of Author	CYA	Y	Y
Crossover Key	CK	Y (2) (default)	Y
Designated States	DS	Y (2)	N
Designated States, Basic	DS.B	Y (2,9)	N
Document Type	DT	Y	Y
File Segment	FS	Y (2)	N

Document Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Index Term	IT	Y	N
International Standard (Document) Number	ISN	Y (10)	N
International Standard Serial Number	ISSN	Y (11)	Y
Inventor Name	IN	Y	Y
IPC	IPC	Y (12)	N
IPC, Additional or Supplementary	ICA	Y	Y
IPC, Index or Complementary	ICI	Y	Y
IPC, Main	ICM	Y	Y
IPC, Main and Secondary	IC	Y	Y
IPC, Secondary	ICS	Y	Y
Journal Title	JT	Y	Y
Language	LA	Y	Y
National Patent Classification	NCL	Y	Y
Other Source	OS	Y	Y
Patent Application Country	AC	Y (2)	Y
Patent Application Country, Basic	AC.B	Y (2,13)	Y
Patent Application Date	AD	Y (2)	Y
Patent Application Date, Basic	AD.B	Y (2,14)	Y
Patent Application Information	AI	Y (2,15,16)	Y
Patent Application Information, Basic	AI.B	Y (2,16,17)	Y
Patent Application Number	AP	Y (2,16)	Y
Patent Application Number, Basic	AP.B	Y (2,16,18)	Y
Patent Application and Priority Number	APPS	Y (2,16,19)	N
Patent Application and Priority Number, Basic	APPS.B	Y (2,16,20)	Y
Patent Application Year	AY	Y (2)	Y
Patent Application Year, Basic	AY.B	Y (2,21)	Y
Patent Assignee	PA	Y	Y
Patent Countries	PCS	Y (2,22)	N
Patent Countries, Basic	PCS.B	Y (2,23)	N
Patent Country	PC	Y (2)	Y
Patent Country, Basic	PC.B	Y (2,24)	Y
Patent Country Count	CYC	Y (2,25)	N
Patent Information	PI	Y (2,16,26)	Y
Patent Information, Basic	PI.B	Y (2,15,27)	Y
Patent Kind Code	PK	Y (2)	Y
Patent Kind Code, Basic	PK.B	Y (2,28)	Y
Patent Number	PN	Y (2,16)	Y
Patent Number, Basic	PATS	Y (2,16)	N
Patent Number, Basic	PN.B	Y (2,16,29)	Y
Patent Number, Basic	PATS.B	Y (2,16,30)	N
Patent Number Count	PNC	Y (31)	N
Priority Application Country	PRC	Y (2)	Y
Priority Application Country, Basic	PRC.B	Y (2,32)	Y
Priority Application Date	PRD	Y (2)	Y
Priority Application Date, Basic	PRD.B	Y (2,33)	Y
Priority Application Information	PRAI	Y (2,16,34)	Y
Priority Application Information, Basic	PRAI.B	Y (2,16,35)	Y
Priority Application Number	PRN	Y (2,16)	Y
Priority Application Number, Basic	PRN.B	Y (2,16,36)	Y
Priority Application Year	PRY	Y (2)	Y
Priority Application Year, Basic	PRY.B	Y (2,37)	Y
Publication Year	PY	Y	Y
Publication Year, Basic	PY.B	Y (2,38)	Y
Publisher	PB	Y	N
Publisher Item Identifier	PUI	Y	N

CASREACT**Document Fields (cont'd)**


Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Source of Document	SO	Y (39)	N
Supplementary Term	ST	Y	N
Title of Document	TI	Y	Y
Treatment Code	TC	Y (40)	Y
Uniform Resource Locator	URL	Y	N

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT AU to select the hit AU.
- (2) SELECT HIT and ANALYZE HIT not valid with this field.
- (3) Extracts first author, publication year, volume, first page with a truncation symbol appended and with /RE appended to the terms created by SELECT.
- (4) (n) may be a single number, range, or a list of numbers separated by a space or comma.
- (5) Selects or analyzes cited reference accession number in CAPLUS and appends /AN to the terms created by SELECT.
- (6) Selects or analyzes cited reference accession number in MEDLINE and appends /AN to the terms created by SELECT.
- (7) Selects or analyzes cited reference author name and appends /RAU to the terms created by SELECT.
- (8) Selects or analyzes the CODEN and appends /ISN to the terms created by SELECT.
- (9) Appends /DS to the terms created by SELECT.
- (10) Selects or analyzes the CODEN and ISSN and appends /ISN to the terms created by SELECT.
- (11) Selects or analyzes the ISSN and appends /ISN to the terms
- (12) Selects or analyzes the IC, ICA, ICI and appends /IPC to the terms created by SELECT.
- (13) Appends /AC to the terms created by SELECT.
- (14) Appends /AD to the terms created by SELECT.
- (15) Selects or analyzes the Patent Application Numbers and appends /AP to the terms created by SELECT.
- (16) Enter SET PATENT DERWENT at an arrow prompt (=>) to SELECT or ANALYZE patent, application, and priority numbers in Derwent format.
- (17) Selects or analyzes the Basic Patent Application Numbers and appends /AP to the terms created by SELECT.
- (18) Appends /AP to the terms created by SELECT.
- (19) Selects or analyzes the AP and PRN and appends /APPS to the terms created by SELECT.
- (20) Selects or analyzes the AP.B and PRN.B and appends /APPS to the terms created by SELECT.
- (21) Appends /AY to the terms created by SELECT.
- (22) Selects or analyzes the country codes from PI and DS and appends /PCS to the terms created by SELECT.
- (23) Selects or analyzes the country codes from PI.B and DS.B and appends /PCS to the terms created by SELECT.
- (24) Appends /PC to the terms created by SELECT.
- (25) Appends /CY.CNT to the terms created by SELECT.
- (26) Selects or analyzes the Patent Numbers and appends /PN to the terms created by SELECT.
- (27) Selects or analyzes the Basic Patent Numbers and appends /PN to the terms created by SELECT.
- (28) Appends /PK to the terms created by SELECT.
- (29) Appends /PN to the terms created by SELECT.
- (30) Appends /PATS to the terms created by SELECT.
- (31) Appends /PN.CNT to the terms created by SELECT.
- (32) Appends /PRC to the terms created by SELECT.
- (33) Appends /PRD to the terms created by SELECT.
- (34) Selects or analyzes Priority Application Numbers and appends /PRN to the terms created by SELECT.
- (35) Selects or analyzes Basic Priority Application Numbers and appends /PRN to the terms created by SELECT.
- (36) Appends /PRN to the terms created by SELECT.
- (37) Appends /PRY to the terms created by SELECT.
- (38) Appends /PY to the terms created by SELECT.
- (39) Selects or analyzes the CODEN and ISSN and appends /SO to the terms created by SELECT.
- (40) Appends /DT to the terms created by SELECT.

Sample Records

DISPLAY FCRDREF

RX(5) OF 6 - 2 STEPS



REF: U.S. Pat. Appl. Publ., 2003083350, 01 May 2003

CON: STEP (1.1) 15 minutes, 0 deg C; 2 hours, 0 deg C


STEP (2.1) 20 minutes, 0 deg C; 6 hours, 0 deg C

DISPLAY FHIT

L2 ANSWER 1 OF 5 CASREACT COPYRIGHT 2005 ACS on STN

RX(5) OF 6 COMPOSED OF RX(3), RX(2)

RX(5) K ==> A



RX(3) RCT K 92444-99-0

STAGE(1)

RGT L 16940-66-2 NaBH4

SOL 67-56-1 MeOH

CON SUBSTAGE(1) 15 minutes, 0 deg C

SUBSTAGE(2) 2 hours, 0 deg C

STAGE(2)

RGT I 7732-18-5 Water

PRO G 518314-64-2

RX(2) RCT G 518314-64-2

STAGE(1)

RGT H 7719-09-7 SOCl2

SOL 75-09-2 CH2Cl2

CON SUBSTAGE(1) 20 minutes, 0 deg C

SUBSTAGE(2) 6 hours, 0 deg C

STAGE(2)


RGT I 7732-18-5 Water

PRO A 518314-63-1

CASREACT**DISPLAY ALL (INFOCHEM File Segment)**


AN 83:178776 CASREACT Full-text
 TI Novel reaction of 5H-dibenzo[a,d]cyclohepten-5-one with hydrazine
 AU Barcza, Sandor; Coppola, Gary M.; Hardtmann, Goetz E.; Mansukhani, Ruth I.
 CS Chem. Res. Dep., Sandoz, Inc., East Hanover, N. J., USA
 SO J. Org. Chem. (1975), 40(20), 2982-3
 CODEN: JOCEAH
 DT Journal
 LA English
 CC 27-19 (Heterocyclic Compounds (One Hetero Atom))
 Section cross-reference(s): 26
 GI For diagram(s), see printed CA Issue.
 AB Reaction of the title compd. (I) with H₂NNH₂ gave 77% II.
 ST dibenzocycloheptenone cyclization hydrazine; iminodibenzocycloheptenol
 IT 302-01-2, reactions
 RL: RCT (Reactant)
 (cyclization of, with dibenzocycloheptenone)
 IT 2222-33-5
 RL: RCT (Reactant)
 (cyclization of, with hydrazine)
 IT 55991-62-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
 (prepn. and reaction with benzaldehydes)
 IT 55991-63-4P 55991-64-5P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of)
 IT 120-14-9
 RL: RCT (Reactant)
 (reaction of, with iminodibenzocycloheptenol)
 IT 100-52-7, reactions
 RL: RCT (Reactant)
 (with iminodibenzocycloheptenol)

RX(1) OF 3 A ==> B...



RX(1) RCT A 2222-33-5
 RGT C 302-01-2 N₂H₄
 PRO B 55991-62-3

RX(2) OF 3 ...B + D ==> E



RX(2) RCT B 55991-62-3, D 100-52-7
 PRO E 55991-63-4

DISPLAY ALL (INPI File Segment)

AN 1:6281 CASREACT
 TI Oxidizing o-nitrotoluene
 PA Badische Anilin- und Soda-Fabrik
 DT Patent
 LA Unavailable
 CC 10 (Organic Chemistry)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 179589		18990730	DE	

AB Process of oxidizing o-nitrotoluene in the side chain, by means of manganese dioxide and sulphuric acid, to o-nitrobenzaldehyde, as well as to carbon dioxide with excess of o-nitrotoluene, characterized by operating above 100.degree. and preferably in closed vessels. By variation in the concentration of the sulphuric acid, the principal product may be either o-nitrobenzaldehyde or o-nitrobenzoic acid, the former prevailing at 30-45.degree. B.acte.e., and the latter at 46-60.degree. B.acte.e. concentration of acid.

RX(1) OF 1 A ==> B