

# HOW TO


Comment on References



SciFinder® allows you to save your comments with individual references.

1. Perform any task that produces a reference answer set.

For example, conduct an Explore References by Research Topic.



2. Locate a reference of interest. Click **Comments**.



**Tip:** You can alternatively add comments directly within the Reference Detail. Just scroll to the bottom of the record to see the Comments option.

3. Type your thoughts, remarks, or project information in the Add Comment box. Click **Save**.

**Comments**

**Kamillosan is a safe product of camomile for topical application: Results of patch testing consecutive patients with contact dermatitis**

2 Comments   Sort by: **Newer First** | Older First

152 patients were tested with both Kamillosan cream and Kamillosan ointment. Only 1 patient with very high exposure to chamomile tested pos. for the soln.,

**Ernst Wehausen**   Posted May 07, 2009 11:17 AM  
Last Modified May 07, 2009 11:17 AM

Kamillosan could be a safe constituent of topical drugs and cosmetic products.

**Ernst Wehausen**   Posted May 07, 2009 11:15 AM  
Last Modified May 07, 2009 11:15 AM

**Add Comment:**   Maximum of 1024 characters per comment; 50 comments per user.  
Reminder: Your comments and tags can be viewed by your connected colleagues.

See also the Z Hautkr study (1985).

**Save**   Characters Remaining: 989

**Close**

**Notes:**

- You can comment on only one reference at a time.
- A user can add up to 50 comments per reference.

**Tip:** To help keep track of this reference, you may also want to apply an associated tag. This will allow you to find this reference again later with **Explore by Tags**.

4. Work with comments.

- Click **Older First** to reverse the default order.
- Click **Edit** or **Delete** to change or remove one of your comments.

**Kamillosan is a safe product of camomile for topical application: Results of patch testing consecutive patients with contact dermatitis**

3 Comments   Sort by: **Newer First** | **Older First**

Also Z Hautkr. 1985 Feb 1;60(3):270-7 (<http://www.ncbi.nlm.nih.gov/pubmed/3158124>)

**Anthony Machosky**   Posted June 09, 2009 5:20 PM  
Last Modified June 09, 2009 5:20 PM   **Edit**   **Delete**

152 patients were tested with both Kamillosan cream and Kamillosan ointment. Only 1 patient with very high exposure to chamomile tested pos. for the soln.,

**Ernst Wehausen**   Posted May 07, 2009 11:17 AM  
Last Modified May 07, 2009 11:17 AM


- Share comments by using the **Link** feature.



24. **Cosmetic composition containing tea-tree oil**  
 By Kim, Suk Hoon  
 From Repub. Korean Kongkae Taeho Kongbo (2000), KR 2000052146 A 20000816. Language: Korean, Database: CAPLUS  
 PURPOSE: A cosmetic composition containing tea-tree oil is provided which is excellent effects on cleansing, wetting, and treating the skin. Therefore, it shows therapeutic effect on dermatopathy such as eczema, dermatitis ect. CONSTITUTION: A cosmetic composition comprises tea-tree oil in the range from 1 to 1.5 wt.%, aloe in the range from 0.5 to 1 wt.%, **camomile** in the range from 0.1 to 0.2 wt.%, DPG in the range from 0.05 to 0.15 wt.%, AHA in the range from 2 to 4 wt.%, and moisturizing agents in the range from 3 to 7 wt.%, wherein tea-tree oil is known to have disinfectant and immunoactivity promoting effects on the skin, aloe is added for cleaning the skin and moisturizing the skin, **camomile** is added for stabilizing and moisturizing the skin, DPG is added for lowering **allergies** and alleviating stimulation of the skin, and AHA is added for removing corneous tissues on the skin.  
 Substances Reactions Citing Full Text **Link** Comments Tags

25. **Cosmetics and herbal remedies with Compositae-sensitive patients a**  
 By Paulsen Evy; Chistensen Lars P; Andersen Klaus E  
 From Contact dermatitis (2008), 58(1), 15-23. Language: En  
 BACKGROUND: Compositae-sensitive patients a  
 herbal remedies. However, the risk of elicitation  
 This study aims to assess the significance of dis

- Save, print, or export comments.



References Get Substances Get Reactions Get Cited Get Citing

52 References 0 Selected Keep Selected Remove Selected Remove Duplicates Add Tags Save Print Export

Select All Deselect All Sort by: Title Answers per Page [20]

21. **Colophonium and compositae mix as mark**  
**colophonium and compositae plant extracts**  
 By Paulsen, E.; Andersen, K. E.  
 From Contact Dermatitis (2005), 53(5), 285-291. Language:  
 The aim of this study was to assess the strengt  
 to Compositae, fragrance mix, Myroxylon perei  
 series of essential oils and selected fragranc  
 multicenter fragrance projects. Contact **allerg**  
 tested, and both had a statistically significan  
 individual results indicated that simultaneou  
 on cross-reactivity rather than concomitant sen  
 caryophyllene had pos. colophonium reactions  
 Compositae plant exts. of the Compositae mix  
 Compositae mix and colophonium may be mark  
 of pos. reactions to Compositae plant exts. and  
 Substances Reactions Citing Full Text

22. **Composition for controlling the respirator**  
 By Willmann, John A.  
 From U.S. Pat. Appl. Publ. (2007), US 2007082071 A1 2007  
 An anti-inflammatory compn. for application to  
 to help prevent and/or alleviate the effects  
 embodiments of the compn. include jojoba oil,  
 oil, oregano oil, **chamomile** oil, peppermint  
 wax, and aloe vera in various combinations an  
 luteolin. A compn. contained jojoba oil 34.8%  
 glycine soja 57%, and BHT 0.1%. Efficacy of the compn. in human volunteers is shown.

Substances Reactions Citing Full Text Link Comments Tags

**Export**

Export: \* Required

All answers  
 Only selected answers

File Name: \*

File Type: Rich Text Format (\*.rtf)

Format:  
 Summary  
 Detail

Include:  
 Task History  
 Tags  
 Comments

Export Cancel