

GBFULL (United Kingdom (GB) Patents Full Text)



Subject Coverage All patent-relevant areas of science and technology, i.e., all classes of the International Patent Classification

File Type Full Text

Features

Thesaurus	International Patent Classification (/IPC)), European Patent Classification (/EPC and /ICO)					
Alerts (SDIs)	Weekly or monthly (weekly is the default)					
CAS Registry Numbers [®]	<input type="checkbox"/>	Page Images	<input type="checkbox"/>	STN AnaVist	<input type="checkbox"/>	
Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/>	STN Easy	<input checked="" type="checkbox"/>	
Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>	STN Viewer	<input checked="" type="checkbox"/>	

Record Content

- Full text of patent applications and patent specifications published in the United Kingdom.
- Patent specifications from publication year 1855 to the present. Patent applications begin in 1978, when the British Intellectual Property Office started to publish applications.
- Text has been created by Optical Character Recognition (OCR) software. Therefore, characters may be misinterpreted, or portions of the text may be incomplete. A small percentage of records are absent because they failed to scan.
- Records of the database contain bibliographic data, abstract, and full text of description and claims. Clipped images (mostly front-page images) are also included, when available.
- Clipped images (mostly front-page images) from 1898 onwards are also included, when available.
- Database records comprise all documents published for one application.
- Legal status data, family and citation display formats from the INPADOCDB database are available.

File Size

- More than 2.29 million records (04/12)
- More than 1.65 million images (04/12)

Coverage 1855-present

Updates Weekly

Language English

Database Producer LexisNexis Univentio BV
Galileiweg 8
2333 BE Leiden
The Netherlands
Phone: (+31) 88-6390000
E-mail: customersupport@univentio.com
Copyright Holder

**Database
Supplier**

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
E-mail: helpdesk@fiz-karlsruhe.de

Sources

Patent applications and granted patents published by the United Kingdom Intellectual Property Office

User Aids

- Online Helps (HELP DIRECTORY lists all help messages available)
 - STNGUIDE
-

Clusters

- AEROTECH
 - ALLBIB
 - AUTHORS
 - CORPSOURCE
 - ENGINEERING
 - FULLTEXT
 - HPATENTS
 - PATENTS
 - PNTTEXT
- [STN Database Clusters](#) information (PDF).
-

Pricing

See the [STN Price List](#) or enter HELP COST at an arrow prompt.

Search and Display Field Codes

If multiple search terms are linked with and AND-operator, all terms are searched in the complete database record, i.e. in all publications referring to one application. For a search in a specific publication of the record, connect the search term and the patent kind code with the (L)-proximity operator, e.g. S BOREHOLE/AB, TI, CLM (L) GBA/PK limits the search to British applications GBA.

Fields that allow left truncation are indicated by an asterisk (*).

General Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains single words from the title (TI), abstract (AB), detailed description (DETD), claims (CLM), and main claims (MCLM) fields)	None or /BI	S TRANSISTOR AND ELECTRODE S ACOUSTIC SENSOR S ?TRANSFER?	TI, AB, DETD, CLM, MCLM
Abstract*	/AB	S BOREHOLE/AB	AB
Accession Number	/AN	S 2403388/AN	AN
Application Country (WIPO code and text)	/AC	S GB/AC	AI
Application Date (1)	/AD	S AD=JAN 2003	AI
Application Number (2)	/AP	S GB2000-10050/AP	AI
Application Year (1)	(or /APPS) /AY	S 2000GB-0010069/APPS S AY>=2000	AI
Claims*	/CLM	S DERIVATION/CLM	CLM
Document Type (code and text)	/DT (or /TC)	S P/DT S PATENT/DT	DT
Entry Date (1)	/ED	S ED=JAN 2005	ED
Entry Week (1)	/EW	S EW>200400	EW
EPC, Keyword Terms	/EPC.KW	S D2/EPC.KW	EPC
European Patent Classification (3)	/EPC (or /ECLA)	S A01B0001-02B/EPC	EPC
Field Availability	/FA	S AB/FA	FA
Graphic Image Size (1)	/GIS	S L1 AND 400-500/GIS	GIS
ICO (in computer only) (3)	/ICO	S L29C0065:16+B10/ICO	ICO
ICO Keyword Terms	/ICO.KW	S A4/ICO.KW	ICO
IdT (Indeling der Techniek)	/IDT	S B60R16/02B4B/IDT	IDT
International Patent Classification (ICM, ICS, IPCI, IPCR) (3)	/IPC	S A01B001/IPC	ICM, ICS, IPCI, IPCR
International Patent Classification (ICM, ICS)	/IC	S A24B/IC	IC, ICM, ICS
Inventor	/IN (or /AU)	S MANDEL SHELDON W/IN S MANDEL?/IN	IN
IPC Main Group (range searchable) (1, 4)	/MGR	S 10-20/MGR(S)C07C/IC	ICM, ICS
IPC Subgroup (range searchable) (1, 4)	/SGR	S C01B/ICM(S)100-2000/SGR	IC
IPC, Action Date (1)	/IPC.ACD	S 20051008/IPC.ACD	IPC.TAB
IPC, Initial	/IPCI	S B21B0001/IPCI	IPCI
IPC, Keyword Terms	/IPC.KW	S INITIAL/IPC.KW	IPC.TAB
IPC, Main	/ICM	S A01N001/ICM	ICM
IPC, Reclassified	/IPCR	S B21B0001/IPCR	IPCR
IPC, Secondary	/ICS	S A01B001-16/ICS	ICS
IPC, Version	/IPC.VER	S 7/IPC.VER	IPC.TAB
Language (code and text)	/LA	S EN/LA S ENGLISH/LA	LA
Language, Filing (code and text)	/LAF	S EN/LAF S ENGLISH/LAF	LAF
Main Claim*	/MCLM	S ?FRACTURE?/MCLM	MCLM
Number of Claims (1)	/CLMN	S 5-7/CLMN	CLMN

General Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
Number of Paragraphs in DETD (Detailed Description) (1)	/DETN	S DETN<10	DETN
Patent Applicant/Patentee (5)	/PA	S BASF AG/PA	PA
Patent Applicant/Patentee Country (WIPO code and text)	(or /CS) /PAC.NY	S DE/PAC.NY	PAC.NY
Patent Country (WIPO code and text)	/PC	S GB/PC	PI
Patent Information Publication Type	/PIT	S "GBA PATENT SPECIFICATION (UNDER 2,000,000) OR PUBLISHED PATENT APPLICATION (FROM 2,000,000)"PIT	PIT
Patent Kind Code	/PK	S GBA/PK	PI
Patent Number (2)	/PN	S GB2003005/PN	PI
Patent Number/Kind Code	(or /PATS) /PNK	S GB2000003 A/PNK	PI, PNK
Priority Country (WIPO code and text)	/PRC	S AU/PRC	PRAI
Priority Date (1)	/PRD	S AUSTRALIA/PRC S PRD=APRIL, 2 2003 S 20030402/PRD	PRAI
Priority Number (2)	/PRN	S DE2000-10001516/PRN	PRAI
Priority Type	/PRT	S NATIONAL APPLICATION/PRT	not displayed
Priority Year (1)	/PRY	S 1993/PRY	PRAI
Priority Year, First (1)	/PRYF	S 1993-1994/PRYF	PRAI, PRYF
Publication Date (1)	/PD	S PD=JAN-FEB 2003	PI
Publication Year (1)	/PY	S PY>2003 AND L1	PI
Title *	/TI	S FLUID###/TI	TI, TIEN
Update Date (1)	/UP	S UP=APR 2009	UP
Update Week (1)	/UW	S UW>200400	UW

(1) Numeric search field that may be searched using numeric operators or ranges.

(2) By default, patent numbers, application and priority numbers are displayed in STN Format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN Format, enter SET PATENT STN.

(3) An online thesaurus is available in this field.

(4) Only valid for IPC version 1-7.

(5) Search with implied (S) proximity is available in this field.

International Patent Classification (/IPC) Thesaurus

The classifications, validity and catchwords for the main headings and subheadings from the current (8th) edition of the WIPO International Patent Classification (IPC) manual are available. The classifications from the previous editions (1-7) are also available as separate thesauri. To EXPAND and SEARCH in the thesauri for editions 1-7, use the field code followed by the edition number, e.g., /IPC2, for the 2nd edition. Catchwords are included only in the thesauri for the 8th, 7th, 6th, and 5th editions.

Code	Content	Examples
ADVANCED (ADV)	Advanced Codes for the Core Level IPC Code	E A61K0006-02+ADVANCED/IPC
ALL	All Associated Terms (BT, SELF, NT, RT)	E C01C003-00+ALL/IPC
BRO (MAN)	Complete Class	E C01C+BRO/IPC
BT	Broader Term (BT, SELF)	E C01F001-00+BT/IPC
CORE (COR)	Core Codes for the Advanced Level IPC Code	E G08C0019-22+CORE/IPC
ED	Complete title of the SELF term and IPC manual edition	E C01F001-00+ED/IPC

International Patent Classification (/IPC) Thesaurus (cont'd)

Code	Content	Examples
HIE	Hierarchy Term (Broader and Narrower Term) (BT, SELF, NT)	E C01B003-00+HIE/IPC
INDEX	Complete title of the SELF term	E C01F001-00+INDEX/IPC
KT	Keyword Term (catchwords) (SELF, KT)	E CYANOGEN+KT/IPC
NEXT	Next Classification	E C01C001-00+NEXT5/IPC
NT	Narrower Terms (SELF, NT)	E C01C+NT/IPC
PREV	Previous Classification	E C01C001-12+PREV10/IPC
RT (SIB)	Related Terms (SELF, RT)	E C01C003-20+RT/IPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E C01F001-00+TI/IPC

ECLA (/EPC) and ICO Thesauri

These thesauri are available in the /EPC search field (for ECLA codes) and /ICO search field (for 'in-computer-only' codes). All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL	All usually required terms (BT, SELF, CODE, DEF)	E C12M0001-34H2+ALL/EPC
AUTO (1)	Automatic relationship (BT, SELF, CODE, DEF)	E G01J003-443+AUTO/EPC
BT	Broader terms (BT, SELF)	E G01J0003-443+BT/EPC
CODE	Classification Code (SELF, CODE)	E SCRAPER BIASING MEANS+CODE/EPC
DEF	Definition (SELF, DEF)	E B65G0045-16+DEF/EPC
HIE	Hierarchy terms (all broader and narrower terms) (BT, SELF, DEF, NT)	E A01B0001+HIE/EPC
KT	Keyword terms (SELF, KT)	E LASER+KT/EPC
MAX	All associated terms	E G01J0003-44B+MAX/EPC
NEXT	Next classification within the same class (SELF, NEXT)	E A01B0001-24+NEXT/EPC
NEXT(n)	Next n classification within the same class	E A01B0001-24+NEXT3/EPC
NT	Narrower terms	E G05B0001-04+NT/EPC
PREV	Previous Code within the same class (SELF, PREV)	E G05B0019-418N1+PREV/EPC
PREV(n)	Previous n classifications within the same class	E G05B0019-418N1+PREV2/EPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E G05B0001-03+TI/EPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU. The fields are displayed or printed in the order requested.

The information of the latest publication is displayed by default. To display the content for all levels of the record you can combine all display fields and formats with the qualifier .M except FA, FAM, CFAM, LS, LS2, SCAN, and TRIAL.

For displaying a particular publication of a database record, you can simply add for certain display field the kind code to the appropriate display format, e.g. ALL.A1. Fields that allow this are indicated by a number (3).

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB	Abstract	D TI AB 1-5
AI (AP) (1)	Application Information	D AI
AN	Accession Number	D L3 AN
CLM (3)	Claims	D CLM
CLMN (2,3)	Number of Claims	D CLMN
DETD (3)	Detailed Description	D DETD
DETN (2,3)	Number of Paragraphs in DETD	D DETN
DT (TC)	Document Type	D DT LA
ED	Entry Date	D ED
EPC	European Patent Classification	D EPC
EW	Entry Week	D EW
FA	Field Availability (for all publication levels)	D FA
GI	Graphic Image	D GI
GIS (2)	Graphic Image Size	D GIS
GIT (2)	Graphic Image Type	D GIT
IC	IPC (format contains ICM, ICS)	D IC
ICM	IPC, Main	D ICM
ICO	ICO Classification	D ICO
ICS	IPC, Secondary	D ICS
IDT	IDT Classification	D IDT
IN (AU)	Inventor	D IN
IPC	IPC (ICM, ICS, IPCI, IPCR)	D IPC
IPCI	IPC, Initial	D IPCI
IPCR	IPC, Reclassified	D IPCR
LA	Language	D LA
LAF	Language of Filing	D LAF
MCLM (5)	Main Claim	D MCLM
PA (CS)	Patent Applicant/Patentee	D PA
PACNY	Patent Applicant/Patentee Country	D PACNY
PI (PNK, PATS) (1)	Patent Information	D PI
PIT	Patent Information Publication Type	D PIT
PNK	Patent Number/Kind Code	D PNK
PRAI (PRN) (1, 5)	Priority Information	D PRAI
PRAO (PRNO) (2)	Priority Number, Original Format	D PRAO
PRYF	Priority Year, First	D PRYF
TI	Title	D TI
UP	Update Date	D UP
UW	Update Week	D UW

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
ABS	AB, ED, EW	D ABS
ALL (1,3)	AN, ED, EW, UP, TI, IN, PA, PACNY, LA, LAF, DT, PIT, PI, AI, PRAI, IPC, EPC, ICO, IDT, AB, DETD, CLM	D ALL
ALLG (1)	ALL, plus graphic image	D ALLG
IALL (1,3)	ALL, indented with text labels	D IALL
IALLG (1)	IALL, plus graphic image	D IALLG
APPS (1,3)	AI, PRAI	D APPS
BIB (1,3)	AN, ED, TI, IN, PA, LA, LAF, DT, PIT, PI, AI, PRAI	D BIB
IBIB (1,3)	BIB, indented with text labels	D IBIB
BRIEF (1,3)	AN, ED, EW, TI, IN, PA, LAF, DT, PIT, PI, AI, PRAI, IPC, EPC, ICO, IDT, AB, MCLM	D BRIEF
BRIEFG (1,4)	BRIEF, plus graphic image	D BRIEFG
IBRIEF (1,3)	BRIEF, indented with text labels	D IBRIEF
IBRIEFG (1,4)	IBRIEF, indented plus graphic image	D IBRIEFG
FAM (1,2)	AN, table of patent family information (from INPADOCDB)	D FAM
CFAM (1,2)	AN, Condensed family format (from INPADOCDB)	D CFAM
IND	ED, IPC (ICM, ICS, IPCI, IPCR), EPC, ICO, IDT	D IND
IPC	International Patent Classification (ICM, ICS, IPCI, IPCR)	D IPC
IPC.TAB	IPC, IPC.KW, IPC.ACD, IPC.VER, in tabular version	D IPC.TAB
LS (2)	Legal Status (from INPADOCDB)	D LS
LS2 (2)	Legal Status (from NPADOCDB), detailed version with display headers	D LS2
MAX (ALL.M) (1)	AN, ED, EW, UP, TI, IN, PA, PACNY, LA, LAF, DT, PIT, PI, AI, PRAI, IPC, EPC, ICO, IDT, AB, DETD, CLM, FA for all levels of publication	D MAX
MAXG (ALLG.M) (1)	MAX, plus graphic image	D MAXG
IMAX (IALL.M) (1)	MAX, indented with text labels	D IMAX
IMAXG (IALLG.M) (1)	IMAX, plus graphic image	D IMAXG
RE (2)	Citations of patent and non-patent literature (from INPADOCDB)	D RE
SCAN (4)	TI (random display without answer numbers)	D SCAN
STD (1,3)	AN, ED, TI, IN, PA, LA, LAF, DT, PIT, PI, AI, PRAI, IPC, EPC, ICO, IDT (STD is default)	D STD
STDG (1)	STD, plus graphic image	D STDG
ISTD (1,3)	STD, indented with text labels	D ISTD
ISTDG (1)	ISTD, plus graphic image	D ISTDG
TRIAL (TRI, SAMPLE, SAM, FREE)	TI, FA, DETN, CLMN, GIS, GIT	D TRIAL
TX (3)	DETD, CLM	D TX
HIT	Hit term(s) and field(s)	D HIT
KWIC	Up to 50 words before and after hit term(s) (KeyWord-In-Context)	D KWIC
OCC	Number of occurrences of hit term(s) and field(s) in which they occur	D OCC

- (1) By default, patent numbers, application and priority numbers are displayed in STN Format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN Format, enter SET PATENT STN.
- (2) Custom display only.
- (3) You can combine this display field with the qualifier .PK (Patent Kind Code) to display the content for a certain publication level of a record, e.g. STD.A8.
- (4) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.
- (5) If priority information is not available for a certain document, this information is taken from the application information of this document and marked with an asterisk (*).

GBFULL**SELECT, ANALYZE, and SORT Fields**

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

You can combine all fields except FA with the qualifier .M to SELECT/ANALYZE the content of all publication levels.

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y	N
Accession Number	AN	Y	Y
Application Country	AC	Y	N
Application Date	AD	Y	N
Application Information	AI (AP, APPS)	Y (2)	N
Application Year	AY	Y	N
Claims	CLM	Y	N
Detailed Description	DETD	Y (3)	N
Document Type	DT	Y	Y
Entry Date	ED	Y	Y
Entry Week	EW	Y	Y
European Patent Classification	EPC	Y	N
Field Availability	FA	Y	N
Graphic Image Size	GIS	Y	N
International Patent Classification	IC	Y	N
Inventor	IN (AU)	Y	Y
ICO Classification	ICO	Y	Y
IdT Classification	IDT	Y	Y
IPC (ICM, ICS, ICA, ICI, IPCI, IPCR)	IPC	Y	Y
IPC, Advanced Level Symbols	IPC.A	Y (4)	N
IPC, Advanced Level Symbols for Invention	IPC.AI	Y (4)	N
IPC, Core Level Symbols	IPC.C	Y (4)	N
IPC, Core Level Symbols for Invention	IPC.CI	Y (4)	N
IPC, Initial	IPCI	Y	Y
IPC, Main	ICM	Y	Y
IPC, Reclassified	IPCR	Y	Y
IPC, Secondary	ICS	Y	Y
Language	LA	Y	Y
Language of Filing	LAF	Y	Y
Main Claim	MCLM	Y	N
Number of Claims	CLMN	Y (5)	N
Number of Paragraphs in DETD	DETN	Y (5)	N
Occurrence Count of Hit Terms	OCC	N	Y
Patent Applicant/Patentee Country	PAC.NY	Y	Y
Patent Applicant/Patentee	PA (CS)	Y	Y
Patent Country	PC	Y	Y
Patent Information Publication Type	PIT	Y	Y
Patent Kind Code	PK	Y	Y
Patent Number	PI (PN, PATS)	Y	Y
Patent Number/Kind Code	PNK	Y	N
Pre-IPC8 Symbols from the ICM and first IPC8 values from 2006-present	IPC.F	Y (4)	N
Priority Country	PRC	Y	Y
Priority Date	PRD	Y	Y

SELECT, ANALYZE, and SORT Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Priority Number	PRN (PRAI)	Y	Y
Priority Number, Original Format	PRNO	Y	Y
Priority Year	PRY	Y	Y
Priority Year, First	PRYF	Y	Y
Publication Date	PD	Y	Y
Publication Year	PY	Y	Y
Subclass	SCL	Y (6)	N
Subclass Group	SCG	Y (6)	N
Subclass Group Main	SCGM	Y (7)	N
Subclass Main	SCLM	Y (7)	N
Title	TI	Y (default)	Y
Update Date	UP	Y	Y
Update Week	UW	Y	Y

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.
- (2) Selects or analyzes application numbers with /A appended to the terms created by SELECT.
- (3) Appends /BI to the terms created by SELECT.
- (4) Appends /IPC to the terms created by SELECT.
- (5) You can combine these display fields with the qualifier .PK (Patent Kind Code) to select the content for a certain publication level of a record. The normal search field code without the .PK extension is appended to selected terms.
- (6) Appends /IC to the terms created by SELECT.
- (7) Appends /ICM to the terms created by SELECT.

Sample Records

DISPLAY MAXG (STN format)

AN 2418818 GBFULL ED 20060509 EW 200614
UP 20090708 UW 200927

TI A method for providing a common platform for various CELP codecs
IN NITIN ARORA
PA SIEMENS AKTIENGESELLSCHAFT
PA.CNY DE
LAF English
LA English
DT Patent
PIT GBA PATENT SPECIFICATION (UNDER 2,000,000) OR PUBLISHED PATENT
APPLICATION (FROM 2,000,000)

PI GB 2418818 A 20060405
AI GB 2004-21852 A 20041001
PRAI GB 2004-21852 A 20041001 *

IPCI G10L0019-04 [I,A]
G10L0019-00 [I,C*]
IPCR G10L0019-14 [I,A]
EPC G10L0019-14

AB A method and an arrangement to provide a common platform for the encoder and decoder of various CELP codecs used during data/speech transmission within a communication network, wherein common portions (1 to 4) of said codecs were extracted and implemented on the common platform communicating with the remaining portions (5 to 10) of said codecs.

DETD BACKGROUND OF INVENTION

The presented invention particularly concerns in the 15 development of the VoIP access and trunk gateways. The demands of the customer features are increasing, wherein resources in the gates and memory in used DSP, FPGA or ASIC is limited. Supporting all the features or increasing number of features leads-on the one hand-to more expensive 20 ASIC, FPGA and DSP or lower port density achievement.

On the other hand every Telecom company is looking for the IP convergence, particularly a convergence of Voice, Data and Video in a single piece of equipment. A further important issue for the telecom companies is to save as much 25 bandwidth as possible during the data/speech transmission, but not with too much compromise of quality.

These customers' requirements are one of the reasons for the success of the Low Bit Rate Codecs (G 729, G 723, AMR, 30 Enhanced Full rate GSM etc.)

SUMMARY OF INVENTION

The present invention aims to overcome the above mentioned disadvantages.

.
.
.

CLM 1. A method to provide a common platform for the encoder and decoder of various CELP codecs used during data/speech transmission within a communication networks, wherein common portions (1 to 4;11 to 15) of said codecs were extracted and implemented on the common platform


communicating with the remaining portions(5 to 10;16 to 22) of said codecs. 10

2. A method as claimed in the preceding claim, wherein the codecs could be represented by AMR, by Enhanced Full Rate GSM, by G729 or by G723.

:

1/2

FIG 1
Encoding principle of the CS-ACELP encoder



GBFULL

AN 2418818 GBFULL ED 20060509 EW 200614
UP 20090513 UW 200918

TI A method and an arrangement to provide a common platform for tencoder
and decoder of various CELP codecs

IN NITIN ARORA

PA SIEMENS AKTIENGESELLSCHAFT

PA.CNY DE

LAF English

LA English

DT Patent

PIT GBB AMENDED PATENT SPECIFICATION (UNDER 2,000,000) OR PATENT
SPECIFICATION (FROM 2,000,000)

PI GB 2418818 B 20070502

AI GB 2004-21852 A 20041001

PRAI GB 2004-21852 A 20041001 *

IPCI G10L0019-04 [I,A]
G10L0019-00 [I,C*]

IPCR G10L0019-14 [I,A]

EPC G10L0019-14

DETD A method and an arrangement to provide a common platform for the encoder
and decoder of various CELP codecs DESCRIPTION The invention relates to
a method an arrangement to provide a common platform for the encoder and
decoder of various CELP codecs used during data/speech transmission
within a communication networks.

BACKGROUND OF INVENTION The presented invention particularly concerns in
the development of the VoIP access and trunk gateways. The demands of
the customer features are increasing, wherein resources in the gates and
memory in used DSP, FPGA or ASIC is limited. Supporting all the features
or increasing number of features leads - on the one hand - to more
expensive ASIC, FPGA and DSP or lower port density achievement.

.

.

.

CLM 1. A method to provide a common platform for the encoder and decoder of
various CELP codecs used during data/speech transmission within a
communication networks, wherein common portions (1 to 4; 11 to 15) of
said codecs were extracted and implemented on the common platform
communicating with the remaining portions (5 to 10; 16 to 22) of said
codecs.

2. A method as claimed in the preceding claim, wherein the codecs could
be represented by AMR, by Enhanced Full Rate GSM, by G729 or by G723.

3. A platform comprising implemented common portions of various CELP
codecs communicating with the remaining portions of said codecs used
during data/speech transmission within communication networks. A
platform as claimed in the preceding claim, wherein the codecs could be
represented by AMR, by Enhanced Full Rate GSM, by G729 or by G723.

DISPLAY BRIEF (Derwent Format)

AN 2418818 GBFULL ED 20060509 EW 200614
UP 20090513 UW 200918

TI A method and an arrangement to provide a common platform for tencoder
and decoder of various CELP codecs

IN NITIN ARORA

PA SIEMENS AKTIENGESELLSCHAFT

PA.CNY DE

LAF English

LA English

DT Patent

PIT GBB AMENDED PATENT SPECIFICATION (UNDER 2,000,000) OR PATENT
SPECIFICATION (FROM 2,000,000)

PI GB-----2418818 B 20070502

AI 2004GB-000021852 A 20041001

PRAI 2004GB-000021852 A 20041001 *

IPCI G10L-0019-04 [I,A]
G10L-0019-00 [I,C*]

IPCR G10L-0019-14 [I,A]

EPC G10L0019-14

MCLM 1. A method to provide a common platform for the encoder and decoder of
various CELP codecs used during data/speech transmission within a
communication networks, wherein common portions (1 to 4; 11 to 15) of
said codecs were extracted and implemented on the common platform
communicating with the remaining portions (5 to 10; 16 to 22) of said
codecs.

In North America

CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
E-mail: help@cas.org
Internet: www.cas.org

In Europe

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
E-mail: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.com

In Japan

JAICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
Fax: +81-3-5978-3600
E-mail: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp