

CEABA (Chemical Engineering And Biotechnology Abstracts)

- Subject Coverage**
- Bioprocess engineering and process development
 - Chemical and process engineering
 - Economics and management
 - Environmental protection and safety
 - Equipment and plant
 - Fermentation, enzymology and biotransformation
 - Information technology
 - Materials technology and testing, corrosion
 - Mathematical methods and modelling
 - Measurement and process control
 - Production processes and process development
 - Utilities and services
-

File Type Bibliographic

Features

Thesaurus	None				
Alerts (SDIs)	Monthly				
CAS Registry Number® Identifiers	<input checked="" type="checkbox"/>	Page Images	<input type="checkbox"/>	STN® AnaVist™	<input type="checkbox"/>
Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/>	STN Easy®	<input checked="" type="checkbox"/>
Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>		

- Record Content**
- Bibliographic information, indexing, and abstracts
 - Most abstracts are in English, some in German
 - Controlled terms and classifications are available in both English and German
-

File Size More than 1.4 million records (08/2020)

Coverage 1966-present

Updates Weekly

Language English, German

Database Producer WTI Frankfurt eG
 Ferdinand-Happ-Straße 32
 60314 Frankfurt am Main
 Germany
 Phone: +49 69 4308-111
 Fax: +49 69 4308-200
 Email: kontakt@wti-frankfurt.de
 Copyright Holder

Database Supplier FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
Email: helpdesk@fiz-karlsruhe.de

- Sources**
- Journals
 - Books
 - Conference contributions
 - Reports
 - Dissertations
 - Other non-conventional literature
-

- User Aids**
- Online Helps (HELP DIRECTORY lists all help messages available)
 - STNGUIDE
 - DECHEMA classification schemes
<http://www.stn-international.de/cc-de.html>
<http://www.stn-international.de/cc-en.html>
-

- Clusters**
- ALLBIB
 - AUTHORS
 - BIOSCIENCE
 - CASRNS
 - CHEMENG
 - CHEMISTRY
 - CORPSOURCE
 - ENGINEERING
 - ENVIRONMENT
 - MATERIALS
 - NPS
 - SAFETY
- [STN Database Clusters](#) information (PDF).
-

Pricing Enter HELP COST at an arrow prompt.

Search and Display Field Codes

Fields that allow left truncation are indicated by an asterisk (*).

General Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains single words from the title (TI), abstract (AB, ABDE), controlled term (CT), controlled term in German (CTDE), and supplementary term (ST) fields, as well as CAS Registry Numbers (RN))	None or /BI	S FLOW PATTERNS AND SPRAY DRYING S ALGORITHMI? S BIOREATOR? S KOLONN?(L)FLUTPUNKT S 100-01-6	TI, AB, ABDE, CT, CTDE, ST, RN
Accession Number	/AN	S "2000(00):0057"/AN	AN
Abstract*	/AB	S ELECTRIC MOTOR/AB	AB
Author (patent inventor)	/AU	S BABENKO, E M/AU	AU
Classification Code (code and text) (1)	/CC (or /CCEN)	S 3UM/CC S ENVIRONMENTAL POLLUTION/CC	CC
Classification Code in German (code and text) (1)	/CCDE	S 3U/CCDE S UMWELTSCHADSTOFFE/CCDE	CCDE
Controlled Term	/CT (or /CTEN)	S PACKAGING MATERIAL/CT	CT
Controlled Term in German	/CTDE	S BENZIN/CTDE	CTDE
Controlled Word (contains English and German)	/CW	S COMPUTER PROGRAM/CW S MARKTANALYSE/CW	CT, CTDE
Corporate Source (affiliation, patent assignee) (1)	/CS	S (CHEM?(L)HUELS)/CS S BASF, LUDWIGSHAFEN?/CS	CS, AU
Document Number	/DN	S CEABA: 1970:7000001/DN	DN
Document Type (code and text)	/DT (or /TC)	S B/DT S CONFERENCE/DT AND DE/LA	DT
Entry Date (2)	/ED (or /UP)	S L10 AND ED=30 OCT 2000	ED
Field Availability	/FA	S CT/FA	FA
Digital Object Identifier	/FTDOI (or /DOI)	S HTTPS://DX.DOI.ORG/10.3390/MET1006071/FTDOI	FTDOI,SO
International Standard (Document) Number (contains CODEN, ISSN and ISBN)	/ISN	S CITEAH/ISN S 0009-286X/ISN S 1-55899-265-0/ISN	ISN, SO
Journal Title	/JT	S CHEM ING TECH/JT	JT, SO
Language (code and text)	/LA	S (EN OR FR)/LA S GERMAN/LA	LA
Meeting Date (2)	/MD	S 20200701/MD	MD, SO
Meeting Location	/ML	S ABBEY/ML	ML, SO
Meeting Title (1)	/MT	S FIBERS CONGRESS/MT	MT, SO
Meeting Year	/MY	S 2019/MY	MY, SO
Publication Year (2)	/PY	S 2004/PY S 2004-2005/PY	PY, SO
Source (contains CODEN, journal title and other higher level titles, CODEN, ISBN, ISSN, publisher, meeting information)	/SO	S (CHEM(L)ING(L)TECH)/SO S DECHEMA MONO?/SO S SPRINGER VERLAG/SO S (BERLIN AND VDI)/SO S WSKRAT/SO	SO
Supplementary Term	/ST	S WASTE TREATMENT/ST S (BIOL?(S)PROZ?)/ST	ST
Title*	/TI	S TURMPACKUNG?/TI S TOWER PACK?/TI	TI
Uniform Resource Locator	/URL	S SPRINGERNATURE/URL	SO, URL

(1) Search with implied (S) proximity is available in this field.

(2) Numeric search field that may be searched using numeric operators or ranges.

CEABA**Property Fields₁**

In CEABA a numeric search for a specific set of physical properties (/PHP) is available within the text fields (TI, AB, BI). The numeric values are not displayed as single fields, but highlighted within the hit displays.

Use EXPAND/PHP to search for all available physical properties. A search with the respective field codes will be carried out in all database fields with English text. The /PHP index contains a complete list of codes and related text for all physical properties available for numeric search.

Field Code	Property	Unit	Symbol	Search Examples
/AOS	Amount of substance	Mol	mol	S 10 /AOS
/BIR	Bit Rate	Bit/Second	bit/s	S 8000-10000/BIR
/BIT	Stored Information	Bit	Bit	S BIT > 3 MEGABIT
/CAP	Capacitance	Farad	F	S 1-10 MF/CAP
/CATA	Catalytic Activity	Katal	kat	
/CDN	Current Density	Ampere/Square Meter	A/m ²	S CDN>10 A/M**2
/CMOL	Molarity, Molar Concentration	Mol/Liter	mol/L	S UREA/BI (S) 8/CMOL
/CON	Conductance	Siemens	S	S 1S-3/CON
/DB	Decibel	Decibel	dB	S DB>50
/DEG	Degree	Degree	°	S CYLINDER/BI (S) 45/DEG
/DEN (/C)	Density (Mass Concentration)	Kilogram/Cubic Meter	kg/m ³	S 5E-3-10E-3/DEN
/DEQ	Dose Equivalent	Sievert	Sv	S 100/DEQ
/DOA	Dosage	Milligram/Kilogram/Day	mg/day	
/DOS (LD50)	Dose	Milligram/Kilogram	mg/kg	S DOS>0.8
/DV	Viscosity, dynamic	Pascal * Second	Pa * s	S DV>5000
/ECH (/CHA)	Electric Charge	Coulomb	C	S 0.0001-0.001/ECH
/ECO (/ECND)	Electrical Conductivity	Siemens/Meter	S/m	S ECO>800 S/M (15A) AQUEOUS
/ELC (/ECC)	Electric Current	Ampere	A	S 1-10/ELC
/ELF (/ECF)	Electric Field	Volt/Meter	V/m	S 200/ELF
/ENE	Energy	Joule	J	S DROPLETS (10A) 40 JOULE - 70 JOULE /ENE
/ERE (/ERES)	Electrical Resistivity	Ohm * Meter	Ohm * m	S ERE>0.1
/FOR	Force	Newton	N	S 50 N /FOR
/FRE (/F)	Frequency	Hertz	Hz	S OSCILLAT?/BI (S) 1- 3/FRE
/IU	International Unit	none	IU	S IU>1000 (P) VITAMIN A
/KV	Viscosity, kinematic	Square Meter/Second	m ² /s	S METHYLPOLYSILOXANES/BI (10A) 200-300 CST /KV
/LEN (/SIZ)	Length, Size	Meter	m	S 1-4/LEN
/LUME	Luminous Emittance, Illuminance	Lux	lx	S 10-50/LUME
/LUMF	Luminous Flux	Lumen	Lm	S LUMF>1000
/LUMI	Luminous Intensity	Candela	cd	S LUMI<4
/M	Mass	Kilogram	kg	S ALLOY/BI (30A) 1E-10-1E-5/M
/MCH	Mass to Charge Ratio	none	m/z	S MCH=1
/MFD (/MFS)	Magnetic Flux	Tesla	T	S MFD>102
/MFR (/MFL)	Density			
/MFR (/MFL)	Mass Flow Rate	Kilogram/Second	kg/s	S MFR<0.1
/MFST	Magnetic Field Strength	Ampere/Meter	A/m	

Property Fields₁ (cont'd)

Field Code	Property	Unit	Symbol	Search Examples
/MM (/MW, /MOM)	Molar Mass	Gram/Mol	g/mol	S 2000-3000 G/MOL/MM
/MOLS /MVR	Molality of Substance Melt Volume Rate, Melt Flow Rate	Mol/Kilogram none	mol/kg g/10 min	S 01.-10 MOL/KG/MOLS S 3/MVR
/PER	Percent (Proportionality)	none	%	S POLYMER?/AB (5A) 4/PER
/PHV (/PH)	pH Value	pH	pH	S 7.4-7.6/PHV
/POW (/PW)	Power	Watt	W	S "HG-XE-?"/BI (S) 100-200 WATT/POW
/PPM	Parts per million	Ppm	ppm	S 100 PPM /PPM (10A) ADDITIVE/BI
/PRES (/P)	Pressure	Pascal	Pa	S (VACUUM (5A) DISTILL?)/BI (S) 1000-1100/PRES
/RAD	Radioactivity	Becquerel	Bq	S RAD/PHP
/RES	Electrical Resistance	Ohm	Ohm	S SENSOR /BI (S) 10- 100/RES
/RI	Refractive Index	none		S 3-4/RI
/RSP	Rotational Speed	Revolution/Minute	rpm	S 2 RPM - 100 RPM /RSP (S) ENGINE/BI
/SAR	Area /Surface Area	Square Meter	m ²	S PLATE/BI (S) 10 M**2 - 100 M**2 /SAR
/SOL (/SLB)	Solubility	Gram/100 gram	g/100 g	S SOL>20 G/100G (5A) WATER
/SSAM	Specific Surface Area, Mass	Square Meter/Kilogram	M2/kg	
/STSC (/ST)	Surface Tension	Joule /Square Meter	J/m ²	S 60 J/M**2/STSC
/TCO (/TCND)	Thermal Conductivity	Watt/Meter * Kelvin	W/m * K	S 1/TCO (S) HEAT?
/TEMP (/T)	Temperature	Kelvin	K	S 20-25/TEMP
/TEX	Tex	Gram/Kilometer	g/km	
/TIM	Time	Second	s	S ?INCUB?/BI (10A) 50 S - 150 S /TIM
/VEL (/V)	Velocity	Meter per Second	m/s	S REDUC?/BI (S) 1E-3-5E-3/VEL
/VELA	Velocity, angular	Radian/Second	rad/s	S VELA>10
/VLR	Volumetric Flow Rate	Cubic Meter/Second	m ³ /s	S 1 M**3/S - 2 M**3/S /VLR (S) ABRASIVE
/VOL	Volume	Cubic Meter	m ³	S 1E-8-2E-8/VOL.EX
/VOLT	Voltage	Volt	V	S TENSION/BI (10A) 5E-3 V <VOLT<7E-3 V

(1) Exponential format is recommended for the search of particularly high or low values, e.g. 1.8E+7 or 1.8E7 (for 18000000) or 9.2E-8 (for 0.000000092).

DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU. The fields are displayed or printed in the order requested.

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB AN AU CC (CCEN) CCDE CS CT (CTEN) CTDE DN (1) DT (TC) ED (UP) (1) FTDOI (DOI) (1) ISN (1) JT (1) JTF (1) LA MD (1) ML (1) MT (1) MY (1) PY (1) SO ST TI URL (1) UT	Abstract Accession Number Author (patent inventor) Classification Code Classification Code in German Corporate Source (patent assignee) (format includes AU) Controlled Term Controlled Term in German Document Number Document Type Entry Date Digital Object Identifier International Standard (Document) Number Journal Title Journal Title, Full Language Meeting Date Meeting Location Meeting Title Meeting Year Publication Year Source Supplementary Term Title of Project Uniform Resource Locator Uncontrolled TERM	D TI AB D 1-5 AN D AU TI D CC CT D CCDE D CS D CT CC D CTDE D DN D DT LA D ED D FTDOI D ISN D JT D JTF D LA D MD D ML D MT D MY D PY D L5 SO D ST D TI 1-10 D URL D UT
ABS ALL ALLDE BIB DALL IALL IBIB IND INDDE SCAN (2) TRIAL (TRI, SAMPLE, SAM)	AN, AB AN, DN, TI, AU, CS, SO, DT, AV, LA, AB, CC, CT, ST, UT AN, DN, TI, AU, CS, SO, DT, AV, LA, AB, CCDE, CTDE, ST, UT AN, DN, TI, AU, CS, SO, DT, AV, LA, ED (BIB is default) ALL, delimited for post processing ALL, indented with text labels BIB, indented with text labels AN, CC, CT, ST, UT AN, CCDE, CTDE, ST, UT TI, CT (random display without answer numbers) TI, CC, CT, ST, UT	D ABS D ALL 1-10 D ALLDE D BIB D DALL D IALL D IBIB D L5 IND D STD D TRI
HIT KWIC OCC	Hit term(s) and field(s) Up to 50 words before and after hit term(s) (KeyWord-In-Context) Number of occurrences of hit term(s) and field(s) in which they occur	D HIT D KWIC D OCC

(1) Custom display only.

(2) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y (2)	N
Accession Number	AN	Y	N
Author	AU	Y	Y
Classification Code	CC (CCEN)	Y	Y
Classification Code in German	CCDE	Y	Y
CODEN	CODEN	N	Y
Controlled Term	CT (CTEN)	Y	N
Controlled Term in German	CTDE	Y	N
Corporate Source	CS	Y	N
Document Number	DN	Y	Y
Document Type	DT (TC)	Y	Y
Entry Date	ED	Y	Y
Digital Object Identifier	FTDOI (DOI)	Y	Y
International Standard (Document) Number	ISN	Y (3)	N
International Standard Book Number	ISBN	N	Y
International Standard Serial Number	ISSN	N	Y
Journal Title	JT	Y	Y
Journal Title, Full	JTF	Y (4)	Y
Language	LA	Y	Y
Meeting Date	MD	Y	Y
Meeting Location	ML	Y	Y
Meeting Title	MT	Y	Y
Meeting Year	MY	Y	Y
Occurrence Count of Hit Terms	OCC	N	Y
Publication Year	PY	Y	Y
Source	SO	Y(5)	N
Supplementary Term	ST	Y	N
Title	TI	Y (default)	Y
Uniform Resource Locator	URL	Y	Y
Uncontrolled Term	UT	Y	Y

(1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.

(2) Appends /BI to the terms created by SELECT.

(3) Selects or analyzes CODEN, ISSN and ISBN with /ISN appended to the terms created by SELECT.

(4) Appends /JT to the terms created by SELECT.

(5) Selects or analyzes CODEN, ISSN, and ISBN with /ISN appended to the terms created by SELECT.

Sample Records

DISPLAY ALL OF JOURNAL

AN 20200068395 CEABA
 DN 20191223083
 TI Rechargeable-battery chemistry based on lithium oxide growth through nitrate anion redox
 AU Giordani, Vincent; Tozier, Dylan; Uddin, Jasim; Tan, Hongjin; Gallant, Betar M.; McCloskey, Bryan D.; Greer, Julia R.; Chase, Gregory V.; Addison, Dan
 CS Liox Power, Pasadena, CA, US; California Institute of Technology, Pasadena, CA, US; Massachusetts Institute of Technology (MIT), Cambridge, MA, US; University of California, Berkeley, CA, US
 SO Nature Chemistry (2019), Volume 11, Number 12, pp. 1133-1138, 6 Seiten
 CODEN: NCAHBB ISSN: 1755-4330 E-ISSN: 1755-4349
 DOI: <https://dx.doi.org/10.1038/s41557-019-0342-6>
 DT Journal
 LA English
 AV TIB-ZL4408
 ED Entered STN: 22 Jul 2020
 Last updated on STN: 22 Jul 2020
 AB Next-generation lithium-battery cathodes often involve the growth of lithium-rich phases, which enable specific capacities that are 2-3 times higher than insertion cathode materials, such as lithium cobalt oxide. Here, we investigated battery chemistry previously deemed irreversible in which lithium oxide, a lithium-rich phase, grows through the reduction of the nitrate anion in a lithium nitrate-based molten salt at 150X2009-C. Using a suite of independent characterization techniques, we demonstrated that a Ni nanoparticle catalyst enables the reversible growth and dissolution of micrometre-sized lithium oxide crystals through the effective catalysis of nitrate reduction and nitrite oxidation, which results in high cathode areal capacities (~12X2009mAhX2009cm⁻²). These results enable a rechargeable battery system that has a full-cell theoretical specific energy of 1,579X2009WhX2009kg⁻¹, in which a molten nitrate salt serves as both an active material and the electrolyte.
 CC 3ELB Electric energy storage devices, direct energy conversion; 3BX Fundamentals of chemistry; 3KG Inorganic nonmetallic materials
 CT LITHIUM-OXIDE; NITRATES; NITRATES; FUSED-SALTS; OXIDATION-REACTION; CATHODE-MATERIALS; NITRITES; WORKING-MATERIAL; ELECTROLYTES; ANIONS; CATHODES; STORAGE-BATTERIES; CATALYSIS; NITRATE-REDUCTION; NANOPARTICLES
 ST LITHIUM-OXIDE; LITHIUM; NITRATES; FUSED-SALTS; OXIDATION-REACTION; CATHODE-MATERIALS; NITRITES; WORKING-MATERIAL; ELECTROLYTES; ANIONS; CATHODES; STORAGE-BATTERIES; CATALYSIS; NITRATE-REDUCTION; NANOPARTICLES; Lithiumoxid; Lithium; Nitrat; Salzschnmelze; Oxidation; Kathodenwerkstoff; Nitrit; Arbeitsstoff; Elektrolyt; Anion; Kathode; wiederaufladbare Batterie; Katalyse; Nitratentfernung; Nanopartikel
 UT spezifische Kapazitaet

DISPLAY BIB OF CONFERENCE

AN 20200062389 CEABA
DN 20200200274
TI Entwicklung eines kohlenstofffaserverstaerkten Ringdruckbehaelters zur
Wasserstoffspeicherung
Development of a carbon fiber reinforced toroidal pressure vessel for
hydrogen storage
AU Schramm, N.; Neubert, M.; Naumann, M.D.; Ulke-Winter, L.; Kroll, L.;
Nendel, S.
CS Lightweight Structures Engineering, Chemnitz, DE; TU Chemnitz, DE; Cetex
Institut, Chemnitz, DE
SO Saubere Antriebe. Effizient Produziert., FC3 Fuel Cell Conference, 1,
Brennstoffzellenkonferenz, 1 (2019), pp. 1-10, 10 Seiten, 16 Quellen
ISBN: 978-3-96100-103-3
Published by: TU Chemnitz, Chemnitz, <http://www.tu-chemnitz.de>
Conference: FC3 Fuel Cell Conference, 1st, Chemnitz, DE,
Brennstoffzellenkonferenz, 1., Chemnitz, DE, 2019-11-26 - 2019-11-27,
26 Nov 2019 - 27 Nov 2019
URL (Document): <https://nbn-resolving.org/urn:nbn:de:bsz:ch1-gucosa2-361958>
DT Conference; Conference Article; Book; Book Article
LA German
ED Entered STN: 22 Jul 2020
Last updated on STN: 22 Jul 2020

In North America

CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
Email: help@cas.org
Internet: www.cas.org

In Europe

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
Email: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.com

In Japan

JAICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
Fax: +81-3-5978-3600
Email: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp