

COMPENDEX (Ei Compendex)

- Subject Coverage**
- Civil and railroad engineering
 - Environmental and agricultural engineering
 - Geological and marine engineering
 - Mining and metallurgy
 - Chemical, petroleum, and fuel engineering
 - Bioengineering
 - Electrical engineering and electronics
 - Mechanical, automotive, and industrial engineering
 - Control devices and principles, instruments and measurement
 - Nuclear technology
 - Aerospace engineering
 - Heat and thermodynamics
 - Computers and data processing, communication engineering
 - Sounds and acoustical technology
 - Optics and optical devices
-

File Type Bibliographic

Features

Thesaurus	Controlled Term (/CT), Controlled Term in German (/CTDE)			
Alerts (SDIs)	Weekly			
CAS Registry Number [®] Identifiers	<input type="checkbox"/>	Page Images	<input type="checkbox"/>	STN [®] AnaVist™ <input type="checkbox"/>
Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/>	STN Easy[®] <input checked="" type="checkbox"/>
Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>	

- Record Content**
- Bibliographic information, abstracts, and indexing
 - Cited references from journals, books, conference contributions, reports, and other non-conventional literature
-

File Size More than 20.5 million records (09/2019)

Coverage 1970-present

Updates Weekly

Language English

Database Producer Elsevier (Engineering Information)
360 Park Avenue South
New York, NY 10010 USA
Phone: 212-633-3895
Fax: 212-633-3680
Email: eicustomersupport@elsevier.com
Copyright Holder

Database Supplier FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
Email: helpdesk@fiz-karlsruhe.de

- Sources**
- Journals (over 5600)
 - Books
 - Reports
 - Conference contributions
 - Other non-conventional literature
-

- Online Helps (HELP DIRECTORY lists all help messages available)
- Ei Thesaurus – Classification Code:
http://www.stn-international.de/compendex_cc.html

- User Aids**
- STNGUIDE
-

Clusters

- AEROTECH
- ALLBIB
- AUTHORS
- CHEMENG
- CHEMISTRY
- COMPUTER
- CONSTRUCTION
- CORPSOURCE
- ELECTRICAL
- ENGINEERING
- ENVIRONMENT
- FUELS
- GEOSCIENCE
- GOVREGS
- MATERIALS
- MEETINGS
- METALS
- NPS
- PETROLEUM
- POLYMERS

[STN Database Clusters](#) information (PDF).

Pricing Enter HELP COST at an arrow prompt (=>).

Search and Display Field Codes

Fields that allow left truncation are indicated by an asterisk (*).

General Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains single words from title (TI), abstract (AB), classification code (text) (CC), controlled term (CT), and supplementary term (ST) fields)	None or /BI	S TURBOSHAFT ENGINE# S DIGITAL(2W)CONTROL S JET TURBINE# S FEEDBACK/BI,CT S ?LASER?	AB, CC, CT, ST, TI
Abstract*	/AB	S ?SYMMETRI?/AB	AB
Accession Number	/AN	S 2008-4911759913/AN	AN
Author (editor)	/AU	S CHENEY PAUL H/AU S CHENEY, PAUL H/AU S HERMAN, ?/AU	AU
Classification Code) (code and text) (1)	/CC	S (BRIDGES TUNNELS)/CC S 538.1/CC	CC
Controlled Term	/CT	S MAN MACHINE SYSTEMS/CT S *MOTOR TRANSPORTATION/CT S (FAILURE ANALYSIS(S)AUTOMAT?)/CT S MAGNETIC RESONANCE+NT/CT	CT
Controlled Term in German (2)	/CTDE	E AUSSENVERKLEIDUNG+ALL/CTDE S FACINGS/CTDE	CT
Controlled Word	/CW	S MOTOR TRUCK TERMINALS/CW	CT
Country of Publication (ISO code and text)	/CY	S US/CY	CY
Corporate Source (author affiliations) (1)	/CS	S (IBM(S)LOS(W)GATOS)/CS	CS
Document Type (STN code and text)	/DT	S REPORT/DT	DT
E-mail Address (1)	(or /TC) /EML	S B/DT S AMERICAN EDU/EML	CS, EML
Entry Date (4)	/ED	S ED=20090109	ED
Field Availability	/FA	S L10 AND AB/FA	FA
International Standard (Document) Number (CODEN, ISBN, and ISSN)	/ISN	S MACYAC/ISN S 1212-4834/ISN S 9197040843/ISN	ISN, SO
Journal Title (contains full and abbreviated journal titles)	/JT	S ACTA ASTRONAUTICA/JT S J ACOUST SOC AM /JT	JT, JTA, JTF, SO
Language (ISO code and text)	/LA	S FRENCH/LA	LA
Meeting Date (4)	/MD	S 900425-900427/MD	MD, SO
Meeting Location	/ML	S BRUSSELS/ML	ML, SO
Meeting Number	/MN	S 13230/MN	MN
Meeting Organizer (1)	/MO	S TECHNOLOGY GROUP/MO	MO, SO
Meeting Title	/MT	S (ELECTRONIC MANUFACTURING AND SYMPOSIUM)/MT	MT, SO
Meeting Year (4)	/MY	S 1990/MY	MD, SO
Number of Report	/NR	S AIAA 2005-818/NR	NR

COMPENDEX**General Search Fields (cont'd)**

Search Field Name	Search Code	Search Examples	Display Codes
Publication Date (4) Publication Year (4) Publisher (1) Publisher Item Identifier Reference Count	/PD /PY /PB /PUI /REC (or /RE.CNT)	S JAN-FEB 2007/PD S L2 AND 1981-1983/PY S SPRINGER HEIDELBERG/PB S 1011092002203496/PUI S 8-10/REC	PD, SO PY, SO PB, SO PUI REC, SO
Source (contains CODEN, DOI, journal title and other higher level titles, ISBN, ISSN, publisher, meeting information, meeting organizers and sponsors, number of report)	/SO	S TRANSP SCI/SO S NATMA4/SO S 0499-9320/SO S 0-8031-0443-X/SO S (REMOTE SENSING (S) VEGETATION)/SO S 08030606016/SO S PSISDG/SO	SO
Summary Language (ISO code and text)	/SL	S GERMAN/SL S DE/SL	SL
Supplementary Term Title*	/ST /TI	S GADOLINIUM/ST S LONGWALL MINING/TI S (STOCKPILES(S)COKE OVEN)/TI S ?ALLOCATION?/TI	ST TI
Update Date (4) Word Count, Title	/UP /WC.T	S UP=20090127 S 10-20/WC.T	ED WC.T

(1) Search with implied (S) proximity is available in this field.

(2) EXPAND with German terms may be used in the /CTDE thesaurus field to identify the corresponding English thesaurus terms. Only English terms are indexed and thus searchable in the database. This search can be carried out in the /CTDE field.

(3) Elements cited in Hill System order with an asterisk (*) between element terms.

(4) Numeric search field that may be searched using numeric operators or ranges.

Property Fields¹⁾

In COMPENDEX a numeric search for a specific set of physical properties (/PHP) is available within the abstract and title fields. The numeric values are not displayed as single fields, but highlighted within the hit displays.

Use EXPAND/PHP to search for all available physical properties. A search with the respective field codes will be carried out in the abstract and title fields. The /PHP index contains a complete list of codes and related text for all physical properties available for numeric search.

Field Code	Property	Unit	Search Examples
/AOS	Amount of substance	Mol	S 10/AOS
/BIR	Bit Rate	Bit (Bit)	S 100000-160000/BIR
/BIT	Stored Information	Bit	S BIT > 3 MEGABIT (10A) STORAGE
/CAP	Capacitance	Farad	S 1-10 MF/CAP
/CDN	Current Density	Ampere/Square Meter	S CDN>5 A/M**2
/CMOL	Molarity (Concentration, amount of substance)	mol/l	S MOLYBD?/BI (S) 2/CMOL
/CON	Conductance	S (Siemens)	S 1E-2/CON
/DB	Decibel	Decibel	S DB>50
/DEG	Degree	Degree	S (POLARI? (S) ANGLE)/BI (S) 45/DEG
/DEN	Density (Mass Density)	Kg/m ³	S (METHOD? (S) COMPO?)/AB (S) 5E-3-10E-3/DEN
/DEQ	Dose Equivalent	Sievert	S DEQ>0.5 (S) RADIATION
/DOS	Dosage	Milligram/Kilogram	S DOS>0.8
/DV	Viscosity, dynamic	Pa * s (Pascal * second)	S DV>5000

Property Fields¹⁾ (cont'd)

Field Code	Property	Unit	Search Examples
/ECH	Electric Charge	Coulomb	S 15/ECH
/ECO	Electrical Conductivity	Siemens/Meter	S ECO>5000 (XA) GEOTHERMAL EFFECTS
/ELC	Electric Current	Ampere	S 1-10/ELC
/ELF	Electric Field	Volt/Meter	S 1-10/ELF
/ENE	Energy	J (Joule)	S NUTRIENTS AND 100/ENE
/ERE	Electrical Resistivity	Ohm * Meter	S ERE>10
/FOR	Force	N (Newton)	S 50 N/FOR
/FRE	Frequency	Hz (Hertz)	S ANALY?/AB (10A) 0-3/FRE
/IU	International Unit	none	S IU>100 (P) INTERFERON
/KV	Viscosity, kinematic	m ² /s	S LUBRICANT/BI (S) 10E-5/KV
/LEN (or /SIZ)	Length	Meter	S 1-4/LEN
/LUME	Luminous Emittance/Illuminance	Lux	S 10-50/LUME
/LUMF	Luminous Flux (Luminous Power)	Lumen	S FLUID (P) LUMF>3
/LUMI	Luminous Intensity	Candela	S 5<LUMI<15
/M	Mass	Kg (Kilogram)	S ALLOY/BI (30A) 1E-10-1E-5/M
/MFD (or /MFS)	Magnetic Flux Density	Tesla	S MFD>0E-3(S)MAGNETIC RESONANCE
/MFR (or /MFL)	Mass Flow Rate	Kilogram/Second	S MFR>1.2
/MM	Molar Mass	g/mol	S 2000-3000 G/MOL/MM
/MOLS	Molality of Substance	mol/kg	S 01.-10 mol/kg/MOLS
/PER	Percent (Proportionality)	Percent	S (TITAN? (3A) DIOXID?)/AB (S) 53/PER
/PHV	pH	pH	S 7.4-7.6/PHV
/POW	Power	W (Watt)	S (SOLAR? OR PHOTOVOLTAIC?)/BI (10A) 5-10/POW
/PRES (or /P)	Pressure	Pa (Pascal)	S (VACUUM (5A) DISTILL?)/BI (S) 1000-1100/PRES
/RAD	Radioactivity	Bq (Becquerel)	S RAD>100
/RES	Electrical Impedance/resistance	Ohm	S VOLTAGE/AB (P) 1-10/RES
/RSP	Rotational Speed	Revolution/Minute	S 5000-8000/RSP AND PARAFFIN
/SAR	Area /Surface Area	m ²	S (COATING? OR FOIL?)/BI (S) 10-100/SAR
/SOL	Solubility	Gram/100 gram	S SOL>20 (10W) WATER
/STSC	Surface Tension	J/m ²	S 60 J/M**2 /STSC
/TCO	Thermal Conductivity	K (Kelvin)	S 2-17/TCO (S) THERM?
/TEMP (or /T)	Temperature	K (Kelvin)	S (STABILITY (25A) VITAMIN?) (S) 10/TEMP
/TIM	Time	S (Second)	S CONDUCT?/AB (10W) 0-1/TIM
/VEL (or /V)	Velocity	m/s (Metre per Second)	S EVOL?/BI AND 2E-4-5E-4/VEL
/VELA	Velocity, angular	rpm	S VISCO?/AB (S) VELA<350
/VLR	Volumetric Flow Rate	Cubic Meter/Second	S 1-10/VLR (XA) VARIABILITY
/VOL	Volume	m ³	S ?EFFECT?/BI (15A) 1E-8-2E-8 /VOL
/VOLT	Voltage	V (Volt)	S APPLICATION/BI(10A) 5E-3<VOLT<7E-3

(1) Exponential format is recommended for the search of particularly high or low values, e.g. 1.8E+7 or 1.8E7 (for 18000000) or 9.2E-8 (for 0.00000092).

THESAURUS FIELDS

The Engineering Index Thesaurus is available online in fields /CT (Controlled Term) and /CTDE (Controlled Term in German) (Deutsch-Englische Ausgabe).

All Relationship Codes can be used with both the SEARCH and EXPAND command.

Code	Content	Examples
ALL	All Associated Terms (BT, SELF, DA, NOTE, USE, USE+, NEW, UF, UF+, OLD, NT, RT, CC)	E SATELLITES+ALL/CT E BESCHICHTUNGEN+ALL/CTDE S COATINGS+ALL/CTDE S FLARE STACKS+AUTO/CT
AUTO (1)	Automatic Relationship (SELF, USE, USE+, NEW, UF, UF+, OLD)	
BT	Broader Terms (BT, SELF)	E JUTE FASERN+BT/CTDE S JUTE FIBERS+BT/CTDE
HIE	Hierarchy (all Broader and Narrower Terms) (BT, SELF, NT)	E MAGNETIC DEVICES+HIE/CT
NOTE	Term with date and scope note (SELF, DA, NOTE)	E RAILS+NOTE/CT
NT	Narrower Terms (SELF, NT)	S RAILROAD TRACKS+NT/CT
RT	Related Terms (SELF, RT)	E SATELLITES+RT/CT
UF	Preferred and Forbidden Terms (SELF, UF, UF+, OLD)	E MAGNETIC DISK STORAGE+UF/CT
USE	Forbidden and Preferred Terms (SELF, USE, USE+, NEW)	S PARKWAYS+USE/CT

(1) Automatic Relationship is SET OFF. In case of SET REL ON, the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU. The fields are displayed or printed in the order requested.

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB AN AU CC CS CT CY DT (TC) ED (UP) EML (1) ISN (1) JT (1) JTA (1) JTF (1) LA MD ML MN MO MT NR PD (1) PB (1) PUI PY (1) REC (RE.CNT) (1) SL SO ST TI UP WC.T (1)	Abstract Accession Number Author Classification Code Corporate Source (authors and affiliations) Controlled Term Country of Publication Document Type Entry Date E-mail Address International Standard (Document) Number Journal Title Journal Title, Abbreviated Journal Title, Full Language Meeting Date Meeting Location Meeting Number Meeting Organizer Meeting Title Number of Report Publication Date Publisher Publisher Item Identifier Publication Year Reference Count Summary Language Source Supplementary Term Title Update Date Word Count, Title	D TI AB D 1-5 AN D AU TI D CC CT D CS D CT CC D CY D DT D ED D EML D ISN D JT D JTA D JTF D LA D MD D ML D MN D MO D MT D NR D PD D PB D PUI D PY D REC D SL D SO D CT ST 5-15 D TI 1-10 D UP D WC.T
ABS ALL DALL IALL ALLO BIB IBIB IND SCAN (2) TRIAL (TRI, SAMPLE, SAM, FREE)	AN, AB BIB, AB, CC, CT, ST ALL, delimited for post-processing ALL, indented with text labels AN, TI, AU, MT, MO, ML, MD, SO, PY, MN, DT, LA, AB, CC, CT, ST, AN, TI, AU, CS, NR, SO, PUI, CY, DT, LA, SL, ED (BIB is default) BIB, indented with text labels AN, CC, CT, ST TI, CT (random display without answer numbers) TI, CC, CT, ST	D ABS D 1-3 ALL D DALL D IALL D BIB D IBIB D IND D SCAN D TRI
HIT KWIC OCC	Hit term(s) and field(s) Up to 50 words before and after hit term(s) (KeyWord-In-Context) Number of occurrences of hit term(s) and field(s) in which they occur	D HIT D KWIC D OCC

(1) Custom display only.

(2) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

COMPENDEX**SELECT, ANALYZE, and SORT Fields**

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y	N
Accession Number	AN	Y	N
Author	AU	Y	Y
Citation	CIT (RE)	Y (2)	N
Classification Code	CC	Y	Y
CODEN	CODEN	N	Y
Controlled Term	CT	Y	N
Corporate Source (author affiliations)	CS	Y (3)	Y
Country of Publication	CY	Y	Y
Document Type	DT (TC)	Y	Y
E-mail Address	EML	Y	Y
Entry Date	ED (UP)	Y	Y
International Standard Book Number	ISBN	N	Y
International Standard (Document) Number	ISN	Y (4)	Y
International Standard Serial Number	ISSN	N	Y
Journal Title	JT	Y	Y
Journal Title, Abbreviated	JTA	Y	Y
Journal Title, Full	JTF	Y	Y
Language	LA	Y	Y
Meeting Date	MD	Y	Y
Meeting Location	ML	Y	Y
Meeting Number	MN	Y	Y
Meeting Organizer	MO	Y	Y
Meeting Title	MT	Y	Y
Number of Report	NR	Y	Y
Occurrence Count of Hit Terms	OCC	N	Y
Publication Date	PD	Y (3)	Y
Publisher	PB	Y	Y
Publisher Item Identifier	PUI	Y	Y
Publication Year	PY	Y (3)	Y
Reference Count	REC (RE.CNT)	Y	Y
Source	SO	Y (5)	N
Summary Language	SL	Y	Y
Supplementary Term	ST	Y	N
Title	TI	Y (default)	Y
Update Date	UP	Y	Y
Word Count, Title	WC.T	Y	Y

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.
- (2) SELECT CIT or ANALYZE CIT allows you to extract the reference from the source documents in this database and have them automatically converted to a citation format for searching in SCISEARCH. SEL CIT selects first author, publication year, volume, first page, and a truncation symbol with /RE appended to the terms created by SELECT.
- (3) SELECT HIT and ANALYZE HIT are not valid with this field.
- (4) Selects or analyzes CODEN, ISBN, and ISSN with /ISN appended to the terms created by SELECT.
- (5) Selects or analyzes CODEN, ISBN, and ISSN with /SO appended to the terms created by SELECT.

Sample Records

DISPLAY BIB OF CONFERENCE

AN 2008-4911759913
TI A new approach to control a population of mobile robots using genetic programming
AU Luiz Anderson; Perez Fernandes; Bittencourt Guilherme; Roisenberg Mauro
CS Luiz Anderson; Perez Fernandes; Bittencourt Guilherme (Department of Automation and Systems, Federal University of Santa Catarina, UFSC, Florianopolis, SC (BR)); Roisenberg Mauro (Department of Computer Science, Federal University of Santa Catarina, UFSC, Florianopolis, SC (BR))
EMAIL: anderson@das.ufsc.br; gb@das.ufsc.br; mauro@inf.ufsc.br
SO Proceedings of the 23rd Annual ACM Symposium on Applied Computing, SAC'08. Proceedings of the ACM Symposium on Applied Computing (2008), pp. 1602-1606, 16 refs.
ISBN: 9781595937537
DOI: 10.1145/1363686.1364063
Published by: Association for Computing Machinery, 1515 Broadway, 17th Floor, New York, NY 10036-5701 (US)
Conference: 23rd Annual ACM Symposium on Applied Computing, SAC'08 Fortaleza, Ceara (BR), 16 Mar 2008-20 Mar 2008
Organizer(s): ACM Special Interest Group on Applied Computing (ACM SIGAPP)
CY United States
DT Conference; (Conference Paper)
LA English
SL English
ED Entered STN: 9 Jan 2009
Last updated on STN: 15 Jan 2009

COMPENDEX

DISPLAY ALL OF JOURNAL

AN 2013-0315913005

TI Regeneration of the East African timber tree *Ocotea usambarensis* in relation to historical logging

AU Kleinschroth Fritz(1); Kowarik Ingo(1); Cierjacks Arne(1); Schoning Caspar(2); Kung'u James B.(3)
Correspondence(s): Kleinschroth F.(1)

CS (1)Department of Ecology, Ecosystem Science/Plant Ecology, Technische Universität Berlin, Rothenburgstr. 12, 12165 Berlin, Germany
(2)Functional Biodiversity, Dahlem Centre of Plant Sciences, Institut für Biologie, Freie Universität Berlin, Königin-Luise-Str. 1-3, 14195 Berlin, Germany
(3)Department of Environmental Sciences, Kenyatta University, P.O. Box 43844, 00100 Nairobi, Kenya
EMAIL: fritz.kln@gmail.com

SO Forest Ecology and Management (1 Mar 2013), Volume 291, pp. 396-403, 55 refs.
CODEN: FECMDW ISSN: 0378-1127
DOI: 10.1016/j.foreco.2012.11.021
Published by: Elsevier, P.O. Box 211, 1000 AE, Amsterdam, Netherlands

PUI S0378112712006974

CY Netherlands

DT Journal; Article

LA English

SL English

ED Entered STN: 21 Jan 2013
Last updated on STN: 21 Jan 2013

AB East African montane forests have been subjected to heavy logging, particularly of *Ocotea usambarensis* Engl., formerly one of the dominant tree species of moist mid-altitude forests. At Mt. Kenya, logging was suspended in 2000 after a conspicuous decline in population size, but the success of this conservation measure has not yet been evaluated. Given that a management scheme of *O. usambarensis* forests based on vegetative regeneration has been suggested, we hypothesized that natural regeneration mainly by root suckers would be sufficient for a recovery of this species. Demography and regeneration (both sexual and vegetative) of *O. usambarensis* were studied in 45 study plots between 1700 and 2500m asl along a gradient of historical logging intensity, while taking altitude and light incidence into account as predictor variables. The diameter distribution showed a high percentage of old individuals and rather low recruitment in *O. usambarensis*. In heavily logged areas (removed basal area >25m²ha⁻¹), smaller trees (<50cm DBH, >130cm high) were completely absent. The number of seedlings was low and independent of logging intensity. It increased with higher light incidence. The number of root suckers was 5.6-fold the number of seedlings, underscoring the importance of vegetative reproduction. However, number of root suckers and logging intensity were negatively correlated. We conclude that regeneration of *O. usambarensis* at Mt. Kenya is generally low and negatively influenced by historical logging. Therefore, natural regeneration is inadequate for the recovery of this valuable timber species, and additional conservation measures such as enrichment planting should be considered. .COPYRGT. 2012 Elsevier B.V.

CC 415.3 Wood Structural Materials; 442.2 Land Reclamation; 454 Environmental Engineering; 811.2 Wood and Wood Products; 922.2 Mathematical Statistics

CT *Reforestation; Conservation; Logging (forestry); Population statistics; Timber

ST Mount Kenya; Mountain forests; Regeneration; Root sucker; Seedling

DISPLAY ALLO

AN 2008-4911759407
 TI SER performance of OFDM polarization diversity system with EGC
 AU Ilic Maja; Pejanovic-Djurisic Milica
 MT 4th IEEE International Conference on Wireless and Mobile Computing,
 Networking and Communication, WiMob 2008
 ML Avignon (FR)
 MD 12 Oct 2008 - 14 Oct 2008
 SO Proceedings - 4th IEEE International Conference on Wireless and Mobile
 Computing, Networking and Communication, WiMob 2008. Proceedings - 4th
 IEEE International Conference on Wireless and Mobile Computing,
 Networking and Communication, WiMob 2008, pp. 661-665, var.pagings p.,
 arn: 4654316, 14 refs.
 ISBN: 9780769533933
 DOI: 10.1109/WiMob.2008.87
 Published by: Inst. of Elec. and Elec. English Computer Society, 445 Hoes
 Lane - P.O.Box 1331, Piscataway, NJ 08855-1331 (US)
 PY 2008
 MN 74304
 DT Conference; (Conference Paper)
 LA English
 AB This paper presents an analytical model for Symbol Error Rate (SER)
 calculation of a polarization receive diversity system with equal gain
 combining (EGC) of the received signals. Ricean fading statistic
 characterizing wireless communication channel is assumed. Pade rational
 approximation to the moment generating function (MGF) of the output SNR
 (Signal-to-Noise Ratio) is used in the case of EGC. Furthermore, linear
 transformation of correlated signals into uncorrelated ones is proposed,
 so that standard analytical model for SER calculation of the uncorrelated
 received signals can be applied. The influence of two main parameters
 characterizing polarization diversity system: correlation coefficient and
 cross-polar discrimination on SER is also analyzed. The validity of the
 presented model for SER calculation is proved using the simulation of the
 system considered. .COPYRGT. 2008 IEEE.
 CC 723.4 Artificial Intelligence; 723.5 Computer Applications; 731.5
 Robotics; 741.1 Light and Optics; 723.2 Data Processing; 751.2 Acoustic
 Properties of Materials; 921 Applied Mathematics; 921.6 Numerical
 Methods; 922.2 Mathematical Statistics; 804.1 Organic Compounds; 723
 Computer Software, Data Handling and Applications; 701.1 Electricity,
 Basic Concepts and Phenomena; 711.1 Electromagnetic Waves in Different
 Media; 716 Electronic Equipment, Radar, Radio and Television; 716.1
 Information and Communication Theory; 461.4 Human Engineering; 716.3
 Radio Systems and Equipment; 718 Telephone and Other Line
 Communications; 722.3 Data Communication, Equipment and Techniques;
 722.4 Digital Computers and Systems; 717 Electro-Optical Communication
 CT *Wireless networks; Acoustic intensity; Antennas; Codes (symbols);
 Correlation methods; Function evaluation; Ketones; Learning systems;
 Mobile computing; Modal analysis; Polarization; Signal encoding; Signal
 to noise ratio
 ST Correlation coefficient; Cross-polar discrimination; EGC; Polarization
 diversity; Symbol error rate

COMPENDEX**=> E RAILROAD TRACKS+ALL/CT**

E1	1261	BT2	Facilities/CT
E2	6379	BT2	Railroads/CT
E3	3341	BT1	Railroad plant and structures/CT
E4	3439	-->	Railroad tracks/CT
		DA	January 1993
E5	0	UF	Tracks (railroad)/CT
E6	301	OLD	Railroad plant and structures:Track/CT
E7	38	OLD	Railroad plant and structures:Track inspection/CT
E8	102	NT1	Railroad ties/CT
E9	66	NT1	Railroad track switches/CT
E10	348	RT	Ballast (railroad track)/CT
E11	270	RT	Rail laying/CT
E12	3691	RT	Rails/CT
E13	55	RT	Track test cars/CT
E14	0	CC	681.1/CT

***** END *****

=> E AUSSENVERKLEIDUNG+ALL/CTDE

E1	4939	BT3	EN Structures (built objects)/CTDE
E2	0	DE	Bauwerke (erbaute Objekte)/CTDE
E3	30967	BT2	EN Buildings/CTDE
E4	0	DE	Gebaeude/CTDE
E5	422	BT1	EN Building components/CTDE
E6	0	DE	Gebaedeteile/CTDE
E7	212	EN	Facings/CTDE
E8	0	-->	DE Aussenverkleidung/CTDE
		DA	EN January 1993
		DE	Januar 1993
E9	63	OLD	EN Buildings:Facings/CTDE
E10	603	RT	EN Facades/CTDE
E11	0	DE	Fassaden/CTDE
E12	142	RT	EN Revetments/CTDE
E13	0	DE	Verkleidungen/CTDE
E14	401	RT	EN Veneers/CTDE
E15	0	DE	Furniere/CTDE
E16	0	CC	EN 402/CTDE
E17	0	CC	EN 408.2/CTDE

***** END *****

In North America

CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
Email: help@cas.org
Internet: www.cas.org

In Europe

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
Email: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.com

In Japan

JAIICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
+81-3-5978-3600
Email: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp