

# **GBFULL** (United Kingdom (GB) Patents Full-Text)

Subject Coverage	All patent-relevant areas of science and technology, i.e., all classes of the International     Patent Classification			
File Type	Full-Text			
Features	Thesauri	Internat Classifi /ICO)	ional Patent Classifica cation (/CPC), Europe	ation (/IPC) ), Cooperative Patent an Patent Classification (/EPC and
	Alerts (SDIs)	Weekly	or monthly (weekly is	the default)
	CAS Registry Number <sup>®</sup> Identifiers		Page Images	
	Keep & Share	$\checkmark$	SLART	$\overline{\mathbf{A}}$
	Learning Database		Structures	
Record Content	<ul> <li>Full-text of patent applications and patent specifications published in the United Kingdom from 1782 onwards.</li> <li>Patent applications begin in 1982, when the British Intellectual Property Office started to publish applications.</li> <li>Database records comprise all documents published for one application. Records of the database contain bibliographic data, including patent applicant and inventor information, patent, application and priority application data, IPC, CPC (including CPC combination sets), and EPC classification codes, plus the searchable text of the complete documents, comprising titles, abstracts, description and claims.</li> <li>Numeric values of 59 physical and chemical properties are searchable in about 5000 unit variants within in all full-text fields.</li> <li>Clipped images (mostly front-page images) from 1893 onwards are also included, if available.</li> </ul>			ations published in the United h Intellectual Property Office started ned for one application. Records of patent applicant and inventor ation data, IPC, CPC (including CPC plus the searchable text of the description and claims. erties are searchable in about 5000 1893 onwards are also included, if ition (OCR) software. Therefore, text may be incomplete. A small d to scan.
File Size	<ul><li>More than 2.9 mill</li><li>More than 1.85 mill</li></ul>	ion family illion front	records with more the page images from 18	an 3.83 million publications (07/2022) 93 to present (07/2022)
Coverage	Comprehensive 1893	3 to prese	nt, first document from	ו 1782
Updates	Weekly			
Language	English			
Database Producer	LexisNexis Univentio Galileiweg 8 2333 BD Leiden The Netherlands Phone: (+31) 88-639 Email: <u>customersupp</u> Copyright Holder	BV 0000 ort@unive	entio.com	

## 2 GBFULL

Sources	<ul> <li>Patent applications and granted patents published by the United Kingdom Intellectual Property Office</li> </ul>
User Aids	<ul> <li>Online Helps (HELP DIRECTORY lists all help messages available)</li> <li>STNGUIDE</li> </ul>
Cluster	<ul> <li>AEROTECH</li> <li>ALLBIB</li> <li>AUTHORS</li> <li>CORPSOURCE</li> <li>ENGINEERING</li> <li>FULLTEXT</li> <li>HPATENTS</li> <li>NPS</li> <li>PATENTS</li> <li>PNTTEXT</li> <li>STN Database Cluster information: http://www.stn-international.com/en/customersupport/customer-support#cluster+%7C+subjects+%7C+features</li> </ul>

## **Search and Display Field Codes**

If multiple search terms are linked with and AND-operator, all terms are searched in the complete database record, i.e. in all publications referring to one application. For a search in a specific publication of the record, connect the search term and the patent kind code with the (L)-proximity operator, e.g. S BOREHOLE/AB,TI,CLM (L) GBA/PK limits the search to British applications GBA.

Fields that allow left truncation are indicated by an asterisk (\*).

## **General Search Fields**

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains single words from the title (TI), abstract (AB), detailed description (DETD), claims (CLM), and main claims (MCLM))	None or /BI	S TRANSISTOR AND ELECTRODE S ACOUSTIC SENSOR S ?TRANSFER?	TI, AB, DETD, CLM, MCLM
Abstract*	/AB (or	S BOREHOLE/AB	АВ
Accession Number Application Country (WIPO code and text)	/ABEN) /AN /AC	S 2403388/AN S GB/AC	AN AI
Application Date (1) Application Kind Code Application Number (2)	/AD /AK /AP	S AD=JAN 2003 S GBA/AK S GB2000-10050/AP	AI AI AI
Application Number Original	(or /APPS) /APO (or /AIO)	S 2000GB-0010069/APPS S GB1817326/APO	APO
Application Year <b>(1)</b> Claims*	/AY /CLM (or /CLMEN)	S AY>=2000 S DERIVATION/CLM	AI CLM
Cooperative Patent Classification (3) Cooperative Patent Classification, Action Date (1)	/CPC /CPC.ACD	S C12N0009-1085/CPC S 20121113/CPC.ACD	CPC CPC.TAB
Cooperative Patent Classification, Keywords	/CPC.KW	S C12N0009-1085/CPC (S) I/CPC.KW	CPC.TAB
Cooperative Patent Classification, Version (1)	/CPC.VER	S 20130101/CPC.VER	CPC.TAB
Data Entry Date (1) Data Update Date (1) Document Type	/DED /DUPD /DT (or /TC)	S 20181206/DED S 20181207/DUPD S P/DT S PATENT/DT	DED DUPD DT
Entry Date (1) Entry Date Full-Text (1) EPC, Keyword Terms European Patent Cleasification (2)	/ED /EDTX /EPC.KW	S ED=JAN 2005 S 20181211/EDTX S B17/00/EPC.KW	ED EDTX EPC
European Patent Classification (3)	(or /ECLA or	S AUTBOOUT-02B/EPC	EPC
Field Availability Graphic Image Size <b>(1)</b> ICO (in-computer-only) Classification <b>(3)</b> ICO Keyword Terms IdT (Indeling der Technick)	/FA /GIS /ICO /ICO.KW	S AB/FA S L1 AND 400-500/GIS S L29C0065:16A6B/ICO S ADD/ICO.KW S B60P0027-00/IDT	FA GIS ICO ICO
International Patent Classification (ICM, ICS, IPCI, IPCR) (3)	/IPC	S A01B001/IPC	IPC, ICM, ICS, IPCI, IPCR
(ICM, ICS) Inventor	/IPCMS) /IN	S MANDEL WALTER/IN	IN
Inventor, Country IPC, Action Date <b>(1)</b>	(or /AU) /IN.CNY /IPC.ACD	S MANDEL?/IN S FR/IN.CNY S 20051008/IPC.ACD	IN IPC.TAB

### General Search Fields (cont'd)

Search Field Name	Search Code	Search Examples	Display Codes
IPC, Additional	/ICA (or	S A61K0007-00/ICA	ICA
IPC, Index	/IPCA) /ICI (or	S A61K0007-06/ICI	ICI
IPC, Initial	/IPCIN) /IPCI	S B21B0001/IPCI	IPCI
IPC. Keyword Terms	/IPC.KW	S INITIAL/IPC.KW	IPC.TAB
IPC, Main	/ICM (or /IPCM)	S A01N001/ICM	ICM
IPC, Reclassified	/IPCR <sup>^</sup>	S B21B0001-34/IPCR	IPCR
IPC, Reform	/IPC.REF	S A01B0001-16/IPC.REF	IPC
IPC, Secondary	/ICS	S A01B001-16/ICS	ICS
IPC, Version	/IPC.VER (or /IC.VER)	S 7/IPC.VER	IPC.TAB
Key Terms	/KT <sup>′</sup>	S PROTEIN SYNTHESIS/KT S "BIOAVAILABLE PROTEIN AND	кт
Language (and and text)	//	STARCH"/KT	
Language (code and text)			
Main Claim*	/MCLM (or	S ?FRACTURE?/MCLM	MCLM
Number of Claims (1)	/MCLMEN) /CLMN	S 5-7/CLMN	CLMN
Number of Paragraphs in DETD (Detailed Description) (1)	/DETN	S DETN<10	DETN
Patent Applicant (4)	/PA (or /CS)	S BASF AG/PA	PA
Patent Applicant Country	/PA.CNY	S DE/PA.CNY	PA.CNY
Patent Country (WIPO code and	/PC	S GB/PC	PI
Patent Information Publication Type	/PIT	S "GBA PATENT SPECIFICATION (UNDER NO. 2000000) OR PUBLISHED PATENT APPLICATION (FROM NO. 2000000)"/PIT	PIT
Patent Kind Code	/PK	S GBA/PK	PI
Patent Number (2)	/PN (or /PATS)	S GB2003005/PN	PI
Patent Number Original	/PNO <sup>′</sup>	S GB201301786/PNO	PNO
Patent Number/Kind Code	/PNK	S GB2000003 A/PNK	PI, PNK
Priority Country	/PRC	S AU/PRC	PRAI
(WIPO code and text)		S AUSTRALIA/PRC	
Priority Date (1)	/PRD	S PRD=APRIL, 2 2003 S 20030402/PRD	PRAI
Priority Kind Code	/PRK	S DEA/PRK	PRAI
Priority Number (2)	/PRN	S DE2000-10001516/PRN	PRAI
Priority Number Original	/PRNO	S EP12001001/PRNO	PRAO
Priority Year <b>(1)</b>	/PRY	S 1993/PRY	PRAI
Priority Year, First (1)	/PRYF	S 1993-1994/PRYF	PRAI, PRYF
Publication Date (1)	/PD	S PD=JAN-FEB 2003	PI
Related Application Country (WIPO code and text)	/RLC	S WO/RLC	RLI
Related Application Date (1)	/RLD	S 20170203/RLD	RLI
Related Application Number	/RLN	S WO 2017-CA24/RLN	RLI
Related Application Type	/RLT	S PCT APPLICATION/RLT	RLI
Related Application Year (1)	/RLY	S 2017/RLY	RLI
Publication Year (1)	/PY	S PY>2003 AND L1	PI
Title *	/TI (or /TIEN)	S FLUID###/TI	TI, TIEN
Update Date (1)	I /UP	S UP=APR 2009	IUP

(1) Numeric search field that may be searched using numeric operators or ranges.
 (2) By default, patent numbers, application and priority numbers are displayed in STN Format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN Format, enter SET PATENT STN.
 (3) An online thesaurus is available in this field.
 (4) Search with implied (S) proximity is available in this field.

# **Property Fields**<sub>1)</sub>

In GBFULL a numeric search for a specific set of physical properties (/PHP) is available within the full-text fields (TI, AB, DETD, CLM, BI). The numeric values are not displayed as single fields, but highlighted within the hit displays.

Use EXPAND/PHP to search for all available physical properties. A search with the respective field codes will be carried out in all database fields with English text. The /PHP index contains a complete list of codes and related text for all physical properties available for numeric search.

Field Code	Property	Unit	Symbol	Search Examples
/AOS	Amount of	Mol	mol	S 10 /AOS
/BIR	Bit Rate	Bit/Second	bit/s	S 8000-10000/BIR
/BIT	Stored Information	Bit	Bit	S BIT > 3 MEGABIT
/CAP	Capacitance	Farad	F	S 1-10 MF/CAP
/CDN	Current Density	Ampere/Square	A/m <sup>2</sup>	S CDN>10 A/M**2
, <b>O</b> DIT	Carron Donony	Meter	, , , , , , , , , , , , , , , , , , , ,	
/CMOL	Molarity, Molar	Mol/Liter	mol/L	S UREA/BI (S) 8/CMOL
/CON	Conductance	Siemens	S	S 1S-3/CON
/DB	Decibel	Decibel	dB	S DB>50
	Degree	Degree	°	S CYLINDER/BL(S) 45/DEG
	Density (Mass	Kilogram/Cubic Meter	ka/m <sup>3</sup>	S 5E-3-10E-3/DEN
/DEN (/O)	Concentration		Kg/III	0 3E-3-10E-3/DEN
/DEQ	Dose Equivalent	Sievert	Sv	S 100/DEQ
/DOS (/LD50)	Dosage	Milligram/Kilogram	mg/kg	S DOS>0.8
/DV	Viscosity, dynamic	Pascal * Second	Pa * s	S DV>5000
/ECD	Electric Charge	Coulomb/Square	C/m <sup>2</sup>	S ECD>10
	Density	Meter		
/ECH (/CHA)	Electric Charge	Coulomb	С	S 0.0001-0.001/ECH
/ECO (/ECND)	Electrical	Siemens/Meter	S/m	S ECO>800 S/M (15A) AQUEOUS
	Conductivity			
/ELC (/ECC)	Electric Current	Ampere	А	S 1-10/ELC
/ELF (/ECF)	Electric Field	Volt/Meter	V/m	S 200/ELF
/ENE	Energy	Joule	J	S DROPLETS (10A) 40 JOULE - 70
				JOULE /ENE
/ERE (/ERES)	Electrical	Ohm * Meter	Ohm * m	S ERE>0.1
	Resistivity			
/FOR	Force	Newton	N	S 50 N /FOR
/FRE (/F)	Frequency	Hertz	Hz	S OSCILLAT?/BI (S) 1- 3/FRE
/IU	International Unit	none	IU	S IU>1000 (P) VITAMIN A
/KV	Viscosity,	Square	m²/s	S POLYETHYLENE WAX/BI (6A) 200-300
	kinematic	Meter/Second		cST /KV
/LEN (/SIZ)	Length, Size	Meter	m	S 1-4/LEN
/LUME	Luminous	Lux	lx	S 10-50/LUME
	Emittance,			
	Illuminance			
/LUMF	Luminous Flux	Lumen	Lm	S LUMF>1000
/LUMI	Luminous	Candela	cd	S LUMI<4
	Intensity			
/M	Mass	Kilogram	kg	S ALLOY/BI (30A) 1E-10-1E-5/M
/MCH	Mass to Charge	none	m/z	S MCH=1
	Ratio			
/MFD (/MFS)	Magnetic Flux	Tesla	Т	S MFD>102
	Density			
/MFR (/MFL)	Mass Flow Rate	Kilogram/Second	kg/s	S MFR<0.1

# Property Fields1) (cont'd)

Field Code	Property	Unit	Symbol	Search Examples
/MM (/MW, /MOM)	Molar Mass	Gram/Mol	g/mol	S 2000-3000 G/MOL/MM
/MOLS	Molality of	Mol/Kilogram	mol/kg	S 0110 MOL/KG/MOLS
/MVR	Melt Volume Rate,	none	g/10 min	S 3/MVR
/NUC (/NUTC)	Melt Flow Rate Nutrition	none	g/100 kcal	S NUC/PHP
/PER	Percent (Proportionality)	none	%	S POLYMER?/AB (5A) 4/PER
/PERA	Permittivity, Absolute	Farad/Meter	F/m	S 1-10/PERA
/PERR	Permittivity, Relative	none		S 1500-2000/PERR
/PHV (/PH) /POW (PW)	pH Value Power	pH Watt	pH W	S 7.4-7.6/PHV S "HG-XE-?"/BI (S) 100-200 WATT/POW
/PPM /PRES (/P)	Parts per million Pressure	Ppm Pascal	ppm Pa	S 100 PPM /PPM (10A) ADDITIVE/BI S (VACUUM (5A) DISTILL?)/BI (S) 1000-1100/PRES
/RAD /RES	Radioactivity Electrical	Becquerel Ohm	Bq Ohm	S RAD/PHP S SENSOR /BI (S) 10- 100/RES
/RI /RSP	Refractive Index	none Revolution/Minute	rom	S 3-4/RI S 2 RPM - 100 RPM /RSP (S)
	Speed	Square Motor	m <sup>2</sup>	ENGINE/BI S DI ATE/BI (S) 10 M**2 100 M**2
	Area		111-	/SAR
/SOL (/SLB) /STSC (/ST)	Solubility Surface Tension	Joule /Square Meter	g/100 g J/m²	S SOL>20 G/100G (5A) WATER S 60 J/M**2/STSC
/TCO (/TCND)	Thermal Conductivity	Watt/Meter * Kelvin	W/m * K	S 1/TCO (S) HEAT?
/TEMP (/T) /TIM	Temperature Time	Kelvin Second	K	S 20-25/TEMP S 2INCUB2/BL (10A) 50 S - 150 S
,				/TIM
/VEL (/V) /VELA	Velocity Velocity, angular	Meter per Second Radian/Second	m/s rad/s	S REDUC?/BI (S) 1E-3-5E-3/VEL S VELA>10
/VLR	Volumetric Flow	Cubic Meter/Second	m³/s	S 1 M**3/S - 2 M**3/S /VLR (S)
/VOL	Volume	Cubic Meter	m <sup>3</sup>	S 1E-8-2E-8/VOL.EX
/VOLT	Voltage	Volt	V	S TENSION/BI (10A) 5E-3 V <volt<7e-3 td="" v<=""></volt<7e-3>
/WAC	Water Activity	none		S WAC/PHP

(1) Exponential format is recommended for the search of particularly high or low values, e.g. 1.8E+7 or 1.8E7 (for 18000000) or 9.2E-8 (for 0.000000092).

## International Patent Classification (/IPC) Thesaurus

The classifications, validity and catchwords for the main headings and subheadings from the current (8th) edition of the WIPO International Patent Classification (IPC) manual are available. The classifications from the previous editions (1-7) are also available as separate thesauri. To EXPAND and SEARCH in the thesauri for editions 1–7, use the field code followed by the edition number, e.g., /IPC2, for the 2nd edition. Catchwords are included only in the thesauri for the 8th, 7th, 6th, and 5th editions.

Relationship Code	Content	Search Examples
ADVANCED (ADV)	Advanced Codes for the Core Level IPC Code	E A61K0006-02+ADVANCED/IPC
ALL	All Associated Terms (BT, SELF, NT, RT)	E C01C003-00+ALL/IPC
BRO (MAN)	Complete Class	E C01C+BRO/IPC
BT	Broader Term (BT, SELF)	E C01F001-00+BT/IPC
CORE (COR)	Core Codes for the Advanced Level IPC Code	E G08C0019-22+CORE/IPC
HIE	Hierarchy Term (Broader and Narrower Term) (BT, SELF, NT)	E C01B003-00+HIE/IPC
INDEX	Complete title of the SELF term	E C01F001-00+INDEX/IPC
KT	Keyword Term (catchwords) (SELF, KT)	E CYANOGEN+KT/IPC
NEXT	Next Classification	E C01C001-00+NEXT5/IPC
NT	Narrower Terms (SELF, NT)	E C01C+NT/IPC
PREV	Previous Classification	E C01C001-12+PREV10/IPC
RT (SIB)	Related Terms (SELF, RT)	E C01C003-20+RT/IPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E C01F001-00+TI/IPC
ED	Complete title of the SELF term and IPC manual edition	E C01F001-00+ED/IPC

## ECLA (/EPC) and ICO Thesauri

These thesauri are available in the /EPC search field (for ECLA codes) and /ICO search field (for 'incomputer-only' codes). All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL AUTO <b>(1)</b> BT CODF	All usually required terms (BT, SELF, CODE, DEF) Automatic relationship (BT, SELF, CODE, DEF) Broader terms (BT, SELF) Classification Code (SELF, CODE)	E C12M0001-34H2+ALL/EPC E G01J003-443+AUTO/EPC E G01J0003-443+BT/EPC E SCRAPER BIASING
DEF	Definition (SELF, DEF) Hierarchy terms (all broader and narrower terms) (BT, SELF,	MEANS+CODE/EPC E B65G0045-16+DEF/EPC E A01B0001+HIE/EPC
KT MAX NEXT	DEF, NT) Keyword terms (SELF, KT) All associated terms	E LASER+KT/EPC E G01J0003-44B+MAX/EPC E A01B0001-24+NEXT/EPC
NEXT NEXT(n) NT PREV	Next classification within the same class (SELF, NEXT) Next n classification within the same class Narrower terms Previous Code within the same class (SELF, PREV)	E A01B0001-24+NEXT3/EPC E G05B0001-04+NT/EPC E G05B0019-418N1+PREV/EPC
TI	Complete Title of the SELF Term and Broader Terms (BT, SELF)	E G05B0019-418N1+PREV2/EPC E G05B0001-03+TI/EPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

## **CPC** Thesaurus

This thesaurus is available in the /CPC search field. All relationship codes can be used with both the EXPAND and SEARCH commands.

Relationship Code	Content	Search Examples
ALL	All usually required terms (BT, SELF, CODE, DEF)	E C12M0001-005+ALL/CPC
AUTO <b>(1)</b>	Automatic relationship (BT, SELF, CODE, DEF)	E G01J003-443+AUTO/CPC
BT	Broader terms (BT, SELF)	E G01J0003-443+BT/CPC
CODE	Classification Code (SELF, CODE)	E CARTRIDGES+CODE/CPC
DEF	Definition (SELF, DEF)	E B65G0045-16+DEF/CPC
HIE	Hierarchy terms (all broader and narrower terms) (BT, SELF,	E A01B0001+HIE/CPC
KT	Keyword terms (SELF, KT)	E LASER+KT/CPC
MAX	All associated terms	E G01J0003-44+MAX/CPC
NEXT	Next classification within the same class (SELF, NEXT)	E A01B0001-24+NEXT/CPC
NEXT(n)	Next n classification within the same class	E A01B0001-24+NEXT3/CPC
NT	Narrower terms	E G05B001-04+NT/CPC
PREV	Previous Code within the same class (SELF, PREV)	E G05B0019-00+PREV/CPC
PREV(n)	Previous n classifications within the same class	E G05B0019-00+PREV2/CPC
TI	Complete Title of SELF Term and Broader Terms (BT, SELF)	E G05B0001-03+TI/CPC

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

## **DISPLAY and PRINT Formats**

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU. The fields are displayed or printed in the order requested.

The information of the latest publication is displayed by default. To display the content for all levels of the record you can combine all display fields and formats with the qualifier .M except FA, FAM, CFAM, LS, LS2, SCAN, and TRIAL.

For displaying a particular publication of a database record, you can simply add for certain display field the kind code to the appropriate display format, e.g. ALL.A1. Fields that allow this are indicated by a number (3).

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB (ABS)	Abstract	D TI AB 1-5
AI (AP) (1)	Application Information	D AI
AN	Accession Number	D L3 AN
APO (2)	Application Information Original	D APO
CLM (3)	Claims	D CLM
CLMN (3)	Number of Claims	D CLMN
CPC	Cooperative Patent Classification	D CPC
CPC.TAB	CPC, in Tabular Version	D CPC.TAB
DED	Data Entry Date	D DED
DETD (3)	Detailed Description	D DETD
DETN (3)	Number of Paragraphs in DETD	D DETN
DT (TC)	Document Type	D DT
DUPD	Data Update Date	D DUPD
ED	Entry Date	D ED
EDTX	Entry Date Full-Text	D EDTX
EPC	European Patent Classification	D EPC
FA	Field Availability (for all publication levels)	D FA
GI	Graphic Image	D GI
GIS (2)	Graphic Image Size	D GIS
GIT (2)	Graphic Image Type	D GIT

# **DISPLAY and PRINT Formats (cont'd)**

Format	Content	Examples
IC	IPC (format contains ICM, ICS)	DIC
ICA (IPCA)	IPC, Additional	D ICA
ICI	IPC, Index	D ICI
ICM	IPC, Main	D ICM
ICO	ICO (in-computer-only) Classification	D ICO
ICS	IPC, Secondary	DICS
IDT	IDT Classification	D IDT
IN (AU)	Inventor	D IN
IN.ČNÝ	Inventor, Country	D IN.CNY
IPC.REF	IPC, Reform	D IPC.REF
IPCI	IPC, Initial	D IPCI
KT	Key Terms	D KT
IPCR	IPC, Reclassified	D IPCR
LA	Language	D LA
LAF	Language of Filing	D LAF
MCLM <b>(5)</b>	Main Claim	D MCLM
PA (CS)	Patent Applicant	D PA
PA.CNY	Patent Applicant Country	D PA.CNY
PI (PN, PATS) <b>(1)</b>	Patent Information	D PI
PIT	Patent Information Publication Type	D PIT
PNK	Patent Number/Kind Code	D PNK
PNO <b>(2)</b>	Patent Number Original	D PNO
PRAI (PRN) <b>(1, 5)</b>	Priority Information	D PRAI
PRAO (PRNO) (2)	Priority Number, Original Format Priority Year, First	D PRAO
PRYF	Priority Year, First	
RLI		
UP	Update Date	DUP
ALL (1, 3)	AN, ED, UP, EDTX, DED, DUPD, TI, IN, PA, PA.CNY, LA, LAF, DT, PIT,	D ALL
	PI, AI, RLI, PRAI, IPC, CPC, EPC, ICO, IDT, AB, DETD, CLM, KT	
	ALL, plus graphic image	
	ALL, Indented with text labels	
	IALL, plus graphic image	
DID (1,3)	PRAI	<i>D</i> ЫВ
IBIB <b>(1,3)</b>	BIB, indented with text labels	D IBIB
BRIEF <b>(1,3)</b>	AN, ED, UP, EDTX, DED, DUPD, TI, IN, PA, LAF, DT, PIT, PI, AI, RLI,	D BRIEF
	PRAI, IPC, CPC, EPC, ICO, IDT, AB, MCLM, KT	
BRIEFG <b>(1,4)</b>	BRIEF, plus graphic image	D BRIEFG
IBRIEF <b>(1,3)</b>	BRIEF, indented with text labels	D IBRIEF
IBRIEFG <b>(1,4)</b>	BRIEFG, indented with text labels	D IBRIEFG
CPC.TAB	CPC, CPC.KW, CPC.ACD, CPC.VER in tabular format	D CPC.TAB
IND	IPC (ICA, ICI, ICM, ICS, IPCI, IPCR), CPC, EPC, ICO, IDT	D IND
IPC	International Patent Classification (ICA, ICI, ICM, ICS, IPCI, IPCR)	D IPC
IPC.TAB	IPC, IPC.KW, IPC.ACD, IPC.VER, in tabular version	D IPC.TAB
MAX (ALL.M) <b>(1)</b>	AN, ED, UP, EDTX, DED, DUPD, TI , IN, PA, PA.CNY, LA, LAF, DT, PIT,	D MAX
	PI, AI, RLI, PRAI, IPC, CPC, EPC, ICO, IDT, AB, DETD, CLM, KT, FA for	
	all levels of publication	<b>B</b> MANG
MAXG (ALLG.M) <b>(1)</b>	MAX, plus graphic image	DMAXG
IMAX (IALL.M) <b>(1)</b>	MAX, indented with text labels	
IMAXG (IALLG.M) (1)	INIAX, plus graphic image	
PAIS	ri, klyn	DPAIS

### <sup>10</sup> GBFULL DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
SCAN (4) STD (1,3) STDG (1) ISTD (1,3) ISTDG (1)	TI (random display without answer numbers) AN, ED, UP, EDTX, DED, DUPD, TI, IN, PA, LA, LAF, DT, PIT, PI, AI, PRAI, IPC, CPC, EPC, ICO, IDT (STD is default) STD, plus graphic image STD, indented with text labels ISTD, plus graphic image	D SCAN D STD D STDG D ISTD D ISTDG
TRIAL (TŔI, SAMPLE, SAM, FREE)	TI, FA, DETN, CLMN, ĞIS, GIT	D TRIAL
HIT KWIC OCC	Hit term(s) and field(s) Up to 50 words before and after hit term(s) (KeyWord-In-Context) Number of occurrences of hit term(s) and field(s) in which they occur	D HIT D KWIC D OCC

(1) By default, patent numbers, application and priority numbers are displayed in STN Format. To display them in Derwent format, enter SET PATENT DERWENT at an arrow prompt. To reset display to STN Format, enter SET PATENT STN.

(2) Custom display only.

(3) You can combine this display field with the qualifier .PK (Patent Kind Code) to display the content for a certain publication level of a record, e.g. STD.A8.

(4) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

(5) If priority information is not available for a certain document, this information is taken from the application information of this document and marked with an asterisk (\*).

# SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

You can combine all fields except FA with the qualifier .M to SELECT/ANALYZE the content of all publication levels.

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract Accession Number Application Country Application Date Application Information Application Information Original Application Year CPC Classification Data Entry Date	AB AN AC AD AI (AP) AIO (APO) AY CPC DED	Y Y Y Y (2) Y Y	N Y N N N N N N N N N N N N N N N N N N
Data Undate Date Document Type Entry Date Entry Date Full-Text	DUPD DT ED EDTX	Y Y Y Y	Y Y Y Y

July 2022

# SELECT, ANALYZE, and SORT Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Furopean Patent Classification	FPC	Y	Y
Field Availability	FA	Ŷ	Ň
Graphic Image Size	GIS	Ŷ	N
International Patent Classification	IC	Ŷ	N
Inventor	IN (AU)	Ŷ	Ŷ
ICO (in-computer-only) Classification		Ŷ	Ý
IdT Classification	IDT	Ŷ	Ý
IPC (ICM, ICS, ICA, ICI, IPCI, IPCR)	IPC	Ŷ	Ý
IPC Additional	IPCA	Ŷ	Ý
IPC, Advanced Level Symbols	IPC.A	Ý (4)	Ň
IPC Advanced Level Symbols for Invention	IPC AI	Y (4)	N
IPC. Core Level Symbols	IPC.C	Y (4)	N
IPC Core Level Symbols for Invention	IPC CI	Y (4)	N
		Y	Y
IPC Initial	IPCI	Ŷ	Ý
IPC. Main	ICM	Ŷ	Ý
IPC. Reclassified	IPCR	Ŷ	Ý
IPC. Reform	IPC REF	Ŷ	Ŷ
IPC. Secondary	ICS	Ŷ	Ý
		Ŷ	Ý
Language of Filing		Ŷ	Ý
Key Terms	KT.	Ŷ	Ň
Number of Claims	CLMN	Ý (5)	N
Number of Paragraphs in DETD	DETN	Y (5)	N
Occurrence Count of Hit Terms	000	N	Ŷ
Patent Applicant Country	PACNY	Y	Ý
Patent Applicant	PA (CS)	Ŷ	Ý
Patent Country	PC	Ý	Ý
Patent Information Publication Type	PIT	Ŷ	Ý
Patent Kind Code	PK	Ŷ	Ý
Patent Number	PI (PN)	Y (default)	Ý
Patent Number/Kind Code	PNK	Y	Ý
Patent Number Original	PNO	Ý	Ý
Pre-IPC8 Symbols from the ICM and first IPC8 values from 2006-	IPC.F	Ý (4)	Ň
present			
Priority Country	PRC	Y	Ŷ
Priority Date	PRD	Y	Ŷ
Publication Year	PY	Y	Y
Related Application Country	RLC	Y	Ŷ
Related Application Date	RLD	Y	Ŷ
Related Application Number	RLN	Y	Y
Related Application Type	RLT	Y	Y
Related Application Year	RLY	Y	Y
Title	TI	Y)	Y
Update Date	UP	Y	Y

(1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.

(2) Selects or analyzes application numbers with /AP appended to the terms created by SELECT.
(3) Appends /BI to the terms created by SELECT.
(4) Appends /IPC to the terms created by SELECT.

(5) You can combine these display fields with the qualifier .PK (Patent Kind Code) to select the content for a certain publication level of a record. The normal search field code without the .PK extension is appended to selected terms.

## **Sample Records**

#### **DISPLAY MAXG (STN format)**

AN	2418818 GBFULL ED 20140615 UP 20190108 EDTX 20140615
	DUPD 20181218
TI	A method and an arrangement to provide a common platform for tencoder and
	decoder of various CELP codecs
IN	ARORA NITIN, DE
PA	SIEMENS AG, DE
LAF	English
LA	English
DT	Patent; (Fulltext)
PIT	GBB AMENDED PATENT SPECIFICATION [UNDER NO. 2000000] or PATENT
	SPECIFICATION [FROM NO. 2000000]
PI	GB 2418818 B 20070502
AI	GB 2004-21852 A 20041001
PRAI	GB 2004-21852 20041001
IPCI	G10L0019-04 [I,A]
IPCR	G10L0019-12 [I,A]; G10L0019-14 [I,A]; G10L0019-16 [I,A]
CPC	G10L0019-04; G10L0019-12; G10L0019-16
EPC	G10L0019-04; G10L0019-12; G10L0019-16

#### AB

Equivalent from GB2418818A

A method and an arrangement to provide a common platform for the encoder and decoder of various CELP codecs used during data/speech transmission within a communication network, wherein common portions (1 to 4) of said codecs were extracted and implemented on the common platform communicating with the remaining portions (5 to 10) of said codecs.

#### DETD

A method and an arrangement to provide a common platform for the encoder and decoder of various CELP codecs

#### DESCRIPTION.

The invention relates to a method an arrangement to provide a common platform for the encoder and decoder of various CELP codecs used during data/speech transmission within a communication networks.

BACKROUND OF INVENTION.

The presented invention particularly concerns in the development of the VoIP access and trunk gateways. The demands of the customer features are increasing, wherein resources in the gates and memory in used DSP, FPGA or ASIC is limited. Supporting all the features or increasing number of features leads - on the one hand - to more expensive ASIC, FPGA and DSP or lower port density achievement.

On the other hand every Telecom company is looking for the IP convergence, particularly a convergence of Voice, Data and Video in a single piece of equipment. A further important issue for the telecom companies is to save as much bandwidth as possible during the data/speech transmission, but not with too much compromise of quality.

CLM

 A method to provide a common platform for the encoder and decoder of various CELP codecs used during data/speech transmission within a communication networks, wherein common portions (1 to 4; 11 to 15) of said codecs were extracted and

implemented on the common platform communicating with the remaining portions ( 5 to 10; 16 to 22) of said codecs.

- 2. A method as claimed in the preceding claim, wherein the codecs could be represented by AMR, by Enhanced Full Rate GSM, by G729 or by G723.
- 3. A platform comprising implemented common portions of various CELP codecs communicating with the remaining portions of said codecs used during data/speech transmission within communication networks.
- 4. A platform as claimed in the preceding claim, wherein the codecs could be represented by AMR, by Enhanced Full Rate GSM, by G729 or by G723.

KΤ

common platform; celp codec; tencoder and decoder; common portion; complex celp encoder; memory and gates requirement; encoder and decoder; mobile and fixed network codec; low port density; remaining portion; enhanced full rate; celp decoder; communication network; encoder portion; synthesis filter; perceptual weighing filter; efforts and cost; pre-processing block; memory chip; quantization and interpolation; conclusion implementation; cost consuming; ip convergence

1/2



Encoding principle of the CS-ACELP encoder

FIG 1

14 GBFULL

#### In North America

CAS Customer Center P.O. Box 3012 Columbus, Ohio 43210-0012 U.S.A.

Phone: 800-753-4227 (North America) 614-447-3731 (worldwide) Email: help@cas.org Internet: www.cas.org

#### In EMEA

CAS Customer Center EMEA (represented by FIZ Karlsruhe) P.O. Box 2465 76012 Karlsruhe Germany

Phone: +49-7247-808-555 E-mail: EMEAhelp@cas.org

#### In Japan

JAICI (Japan Association for International Chemical Information) Nakai Building 6-25-4 Honkomagome, Bunkyo-ku Tokyo 113-0021 Japan Phone: +81-3-5978-3601 (Technical Service) +81-3-5978-3621 (Customer Service) support@jaici.or.jp (Technical Service) customer@jaici.or.jp (Customer Service) Internet: www.jaici.or.jp