

# TEMA<sup>®</sup> (Technology and Management)



- Subject Coverage**
- Aerospace
  - Automotive research
  - Ceramics and plastics
  - Civil engineering
  - Electrical engineering and electronics
  - Energy
  - Information technology
  - Instrumentation
  - Machinery and plants
  - Management and organization
  - Manufacturing
  - Materials, metals, paints
  - Mechanical engineering
  - Medical engineering
  - Mining
  - Textile engineering
  - Transportation

**File Type** Bibliographic

**Features**

Thesaurus	None			
<a href="#">Alerts (SDIs)</a>	Monthly			
CAS Registry Number <sup>®</sup> Identifiers	<input type="checkbox"/>	Page Images	<input type="checkbox"/>	STN <sup>®</sup> AnaVist <sup>™</sup> <input type="checkbox"/>
<a href="#">Keep &amp; Share</a>	<input checked="" type="checkbox"/>	<a href="#">SLART</a>	<input checked="" type="checkbox"/>	STN Easy <sup>®</sup> <input type="checkbox"/>
Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>	

**Record Content** Bibliographic information, indexing, and an abstract, either in German, or English, partly also in both languages.

**File Size** More than 6.8 million records (08/2020)

**Coverage** 1968-present

**Updates** Weekly

**Language** English, German

**Database Producer** WTI Frankfurt eG  
Ferdinand-Happ-Straße 32  
60314 Frankfurt am Main  
Germany  
Phone: +49 69 4308-111  
Fax: +49 69 4308-200  
Email: [kontakt@wti-frankfurt.de](mailto:kontakt@wti-frankfurt.de)  
Copyright Holder

---

<b>Database Supplier</b>	FIZ Karlsruhe STN Europe P.O. Box 2465 76012 Karlsruhe Germany Phone: +49-7247-808-555 Fax: +49-7247-808-259 Email: <a href="mailto:helpdesk@fiz-karlsruhe.de">helpdesk@fiz-karlsruhe.de</a>
<b>Sources</b>	<ul style="list-style-type: none"><li>• Reports</li><li>• Conferences</li><li>• Journals</li><li>• Dissertations</li><li>• Patents</li><li>• Standards</li><li>• Translations</li><li>• Books</li></ul>
<b>User Aids</b>	<ul style="list-style-type: none"><li>• Fachordnung Technik (2006), German *</li><li>• Thesaurus Technik und Management (Ausgabe 2003/2004), German/English *</li><li>• Online Helps (HELP DIRECTORY lists all help messages available)</li><li>• STNGUIDE</li></ul> * available from producer
<b>Clusters</b>	<ul style="list-style-type: none"><li>• AEROTECH</li><li>• ALLBIB</li><li>• AUTHORS</li><li>• COMPUTER</li><li>• CONSTRUCTION</li><li>• CORPSOURCE</li><li>• ELECTRICAL</li><li>• ENGINEERING</li><li>• MATERIALS</li><li>• METALS</li><li>• NPS</li></ul> <a href="#">STN Database Cluster</a> information (PDF).
<b>Pricing</b>	Enter HELP COST at an arrow prompt.

---

## Search and Display Field Codes

Fields that allow left truncation are indicated by an asterisk (\*).

### General Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index* (contains single words from abstract (AB), controlled term (CT), controlled term in German (CTDE), title (TI), supplementary term (ST), and uncontrolled term (UT) fields)	None or /BI	S ORGANISATIONSSTRUKTUREN(L) AUFTRAG?  S MAPPING ALGORITHM# S SAFETY REGULATIONS S ?FILTRATION?	AB, CT, CTDE, ST, TI, UT
Abstract*	/AB	S FORMALDEHYD/AB	AB
Accession Number	/AN	S 20030100009/AN	AN
Author	/AU	S MAN C H/AU S MAN, C H/AU	AU
Classification Code (1) (code and text)	/CC	S 3AAP/CC	CC
Classification Code in German (1) (code and text)	/CCDE	S PROJECT MANAGEMENT/CC S 3AAP/CCDE S PROJEKTMANAGEMENT/CCDE	CCDE
Controlled Term	/CT	S SAFETY-REGULATIONS/CT	CT
Controlled Term in German	/CTDE	S MAC-OS/CTDE	CTDE
Controlled Word	/CW	S (CIRCULAR(S)KNIT?)/CW	CT, CTDE
Corporate Source (1)	/CS	S MAN DIESEL AUGSBURG/CS	CS
Document Number	/DN	S 20191222689/DN	DN
Document Type (code and text)	/DT	S BOOK/DT	DT
Entry Date (2)	(or /TC) /ED (or /UP)	S B/DT S ED=JUL 2020 AND PY=2020	ED
International Standard (Document) Number (contains ISSN and ISBN)	/ISN	S 3-00-000421-1/ISN S 1090-8471/ISN	ISN, SO
Journal Title (contains full and abbreviated journal titles)	/JT	S JOURNAL OF ADHESION/JT S J OF ADHES/JT	JT, JTA, JTF, SO
Language (ISO code and text)	/LA	S L1 AND FRENCH/LA S FR/LA	LA
Meeting Date (1)	/MD	S MD=11 FEB 2020	MD
Meeting Location (2)	/ML	S DUESSELDORF/ML	ML
Meeting Title (2)	/MT	S SPRITZGIESSEN/MT	MT
Meeting Year (2)	/MY	S 2020/MY	MY
Publication Year (2)	/PY	S 1998-1999/PY	PY, SO
Publisher (1)	/PB	S SPRINGER BERLIN/PB	PB, SO
Source (contains journal titles, and other higher level titles, serial titles, ISSN, ISBN, publisher, DOIs, URLs, and pagination)	/SO	S (ROENTGENSTRAHLEN AND 2001)/SO S 1438 9029/SO S DAS ECHO/SO	SO
Supplementary Term	/ST	S ANLAGENBAU/ST	ST
Title*	/TI	S ROUTE PLANNING/TI	TI
Update Date (1)	/UP	S ED>JUL 2020	UP
Uniform Resource Locator	/URL	S SPRINGERONLINE/URL	SO, URL

(1) Search with implied (S) proximity is available in this field.

(2) Numeric search field that may be searched using numeric operators or ranges.

## Property Fields<sup>1)</sup>

**TEMA**

In TEMA a numeric search for a specific set of physical properties (/PHP) is available within the text fields (TI, AB, BI). The numeric values are not displayed as single fields, but highlighted within the hit displays.

Use EXPAND/PHP to search for all available physical properties. A search with the respective field codes will be carried out in all database fields with English text. The /PHP index contains a complete list of codes and related text for all physical properties available for numeric search.

Field Code	Property	Unit	Symbol	Search Examples
/AOS	Amount of substance	Mol	mol	S 10 /AOS
/BIR	Bit Rate	Bit/Second	bit/s	S 8000-10000/BIR
/BIT	Stored Information	Bit	Bit	S BIT > 3 MEGABIT
/CAP	Capacitance	Farad	F	S 1-10 MF/CAP
/CATA	Catalytic Activity	Katal	kat	
/CDN	Current Density	Ampere/Square Meter	A/m <sup>2</sup>	S CDN>10 A/M**2
/CMOL	Molarity, Molar Concentration	Mol/Liter	mol/L	S UREA/BI (S) 8/CMOL
/CON	Conductance	Siemens	S	S 1S-3/CON
/DB	Decibel	Decibel	dB	S DB>50
/DEG	Degree	Degree	°	S CYLINDER/BI (S) 45/DEG
/DEN (/C)	Density (Mass Concentration)	Kilogram/Cubic Meter	kg/m <sup>3</sup>	S 5E-3-10E-3/DEN
/DEQ	Dose Equivalent	Sievert	Sv	S 100/DEQ
/DOA	Dosage	Milligram/Kilogram/Day	mg/day	
/DOS (/LD50)	Dose	Milligram/Kilogram	mg/kg	S DOS>0.8
/DV	Viscosity, dynamic	Pascal * Second	Pa * s	S DV>5000
/ECH (/CHA)	Electric Charge	Coulomb	C	S 0.0001-0.001/ECH
/ECO (/ECND)	Electrical Conductivity	Siemens/Meter	S/m	S ECO>800 S/M (15A) AQUEOUS
/ELC (/ECC)	Electric Current	Ampere	A	S 1-10/ELC
/ELF (/ECF)	Electric Field	Volt/Meter	V/m	S 200/ELF
/ENE	Energy	Joule	J	S DROPLETS (10A) 40 JOULE - 70 JOULE /ENE S ERE>0.1
/ERE (/ERES)	Electrical Resistivity	Ohm * Meter	Ohm * m	
/FOR	Force	Newton	N	S 50 N /FOR
/FRE (/F)	Frequency	Hertz	Hz	S OSCILLAT?/BI (S) 1- 3/FRE
/IU	International Unit	none	IU	S IU>1000 (P) VITAMIN A
/KV	Viscosity, kinematic	Square Meter/Second	m <sup>2</sup> /s	S METHYLPOLYSILOXANES/BI (10A) 200-300 CST /KV S 1-4/LEN
/LEN (/SIZ)	Length, Size	Meter	m	
/LUME	Luminous Emittance, Illuminance	Lux	lx	S 10-50/LUME
/LUMF	Luminous Flux	Lumen	Lm	S LUMF>1000
/LUMI	Luminous Intensity	Candela	cd	S LUMI<4
/M	Mass	Kilogram	kg	S ALLOY/BI (30A) 1E-10-1E-5/M
/MCH	Mass to Charge Ratio	none	m/z	S MCH=1
/MFD (/MFS)	Magnetic Flux Density	Tesla	T	S MFD>102
/MFR (/MFL)	Mass Flow Rate	Kilogram/Second	kg/s	S MFR<0.1
/MFST	Magnetic Field Strength	Ampere/Meter	A/m	

Property Fields<sub>1)</sub> (cont'd)

Field Code	Property	Unit	Symbol	Search Examples
/MM (/MW, /MOM)	Molar Mass	Gram/Mol	g/mol	S 2000-3000 G/MOL/MM
/MOLS /MVR	Molality of Substance Melt Volume Rate, Melt Flow Rate	Mol/Kilogram none	mol/kg g/10 min	S 01.-10 MOL/KG/MOLS S 3/MVR
/PER	Percent (Proportionality)	none	%	S POLYMER?/AB (5A) 4/PER
/PHV (/PH)	pH Value	pH	pH	S 7.4-7.6/PHV
/POW (/PW)	Power	Watt	W	S "HG-XE-?"/BI (S) 100-200 WATT/POW
/PPM	Parts per million	Ppm	ppm	S 100 PPM /PPM (10A) ADDITIVE/BI
/PRES (/P)	Pressure	Pascal	Pa	S (VACUUM (5A) DISTILL?)/BI (S) 1000-1100/PRES
/RAD	Radioactivity	Becquerel	Bq	S RAD/PHP
/RES	Electrical Resistance	Ohm	Ohm	S SENSOR /BI (S) 10- 100/RES
/RI	Refractive Index	none		S 3-4/RI
/RSP	Rotational Speed	Revolution/Minute	rpm	S 2 RPM - 100 RPM /RSP (S) ENGINE/BI
/SAR	Area /Surface Area	Square Meter	m <sup>2</sup>	S PLATE/BI (S) 10 M**2 - 100 M**2 /SAR
/SOL (/SLB)	Solubility	Gram/100 gram	g/100 g	S SOL>20 G/100G (5A) WATER
/SSAM	Specific Surface Area, Mass	Square Meter/Kilogram	M2/kg	
/STSC (/ST)	Surface Tension	Joule /Square Meter	J/m <sup>2</sup>	S 60 J/M**2/STSC
/TCO (/TCND)	Thermal Conductivity	Watt/Meter * Kelvin	W/m * K	S 1/TCO (S) HEAT?
/TEMP (/T)	Temperature	Kelvin	K	S 20-25/TEMP
/TEX	Tex	Gram/Kilometer	g/km	
/TIM	Time	Second	s	S ?INCUB?/BI (10A) 50 S - 150 S /TIM
/VEL (/V)	Velocity	Meter per Second	m/s	S REDUC?/BI (S) 1E-3-5E-3/VEL
/VELA	Velocity, angular	Radian/Second	rad/s	S VELA>10
/VLR	Volumetric Flow Rate	Cubic Meter/Second	m <sup>3</sup> /s	S 1 M**3/S - 2 M**3/S /VLR (S) ABRASIVE
/VOL	Volume	Cubic Meter	m <sup>3</sup>	S 1E-8-2E-8/VOL.EX
/VOLT	Voltage	Volt	V	S TENSION/BI (10A) 5E-3 V <VOLT<7E-3 V

(1) Exponential format is recommended for the search of particularly high or low values, e.g. 1.8E+7 or 1.8E7 (for 18000000) or 9.2E-8 (for 0.000000092).

## DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU. The fields are displayed or printed in the order requested.

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB AN AU CC (1) CCDE (1) CS CT CTDE DN DT (TC) FTDOI ISN (1) JT (1) JTF (1) LA MD (1) ML (1) MT (1) MY (1) PB (1) PY (1) SO ST TI UP (ED) (1) URL UT	Abstract Accession Number Author Classification Code Classification Code in German Corporate Source Controlled Term Controlled Term in German Document Number Document Type Digital Object Identifier International Standard (Document) Number Journal Title Journal Title, Full Language Meeting Date Meeting Location Meeting Title Meeting Year Publisher Publication Year Source Supplementary Term Title Update Date Uniform Resource Locator Uncontrolled Term	D AB D AN D AU TI D CC D CCDE D CS D CT D CTDE D DN D DT D FTDOI D ISN D JT D JTF D LA D MD D ML D MT D MY D PB D PY D SO D ST D TI D UP D URL D UT
ABS ALL ALLDE DALL IALL BIB (STD) IBIB IND INDDE SCAN (2) TRIAL (TRI, SAMPLE, SAM, FREE)	AN, AB AN, DN, TI, AU, CS, SO, DT, AV, LA, ED, AB, CC, CT, ST, UT AN, DN, TI, AU, CS, SO, DT, AV, LA, ED, AB, CCDE, CTDE, ST, UT ALL, with delimiter for post processing ALL, indented with text labels AN, DN, TI, AU, CS, SO, DT, AV, LA, ED (BIB is default) BIB, indented with text labels AN, CC, CT, ST, UT AN, CCDE, CTDE, ST, UT TI, CT (random display without answer numbers) TI, CC, CT, ST, UT	D ABS D ALL D ALLDE D DALL D IALL D BIB D IBIB D IND D INDDE D SCAN D TRIAL
HIT KWIC OCC	Hit term(s) and field(s) Up to 50 words before and after hit term(s) (KeyWord-In-Context) Number of occurrences of hit term(s) and field(s) in which they occur	D HIT D KWIC D OCC

(1) Custom display only.

(2) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

## SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y (2)	N
Accession Number	AN	Y	N
Author	AU	Y	Y
Classification Code	CC	Y	Y
Classification Code in German	CCDE	Y	Y
Citation	CIT	Y (3,4)	N
Controlled Term	CT	Y	N
Controlled Term in German	CTDE	Y	Y
Corporate Source	CS	Y	Y
Digital Object Identifier	FTDOI (DOI)	Y	Y
Document Number	DN	Y	Y
Document Type	DT (TC)	Y	Y
Entry Date	ED (UP)	Y	Y
International Standard Book Number	ISBN	N	Y
International Standard (Document) Number	ISN	Y (5)	Y
Journal Title	JT	Y	Y
Journal Title, Full	JTF	Y	Y
Language	LA	Y	Y
Meeting Date	MD	Y	Y
Meeting Location	ML	Y	Y
Meeting Title	MT	Y	Y
Meeting Year	MY	Y	Y
Occurrence Count of Hit Terms	OCC	N	Y
Publication Year	PY	Y	Y
Publisher	PB	Y	Y
Source	SO	Y (6)	Y
Supplementary Term	ST	Y	Y
Title	TI	Y (default)	Y
Uncontrolled Term	UT	Y (2,4)	Y
Uniform Resource Locator	URL	Y	Y
Update Date	UP (ED)	Y	Y

- (1) Hit may be used to restrict extracted terms to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.
- (2) Appends /BI to the terms created by SELECT.
- (3) SELECT or ANALYZE CIT allows you to extract the reference from the source documents in this file and have them automatically converted to a citation format for searching in the SCISEARCH file. SEL or ANALYZE CIT extracts first author, publication year, volume, first page, with a truncation symbol and with /RE appended to the terms created by SELECT.
- (4) SELECT HIT or ANALYZE HIT is not valid with this field.
- (5) Selects ISBN and ISN with /SO appended to the terms created by SELECT.
- (6) Selects ISBN and ISSN with /SO appended to the terms created by SELECT.

## Sample Records

**TEMA****DISPLAY BIB OF CONCERENCE**

AN 20200175262 TEMA  
 DN 20200700099  
 TI Rolling into the Future - Bearing Solutions for Electric Mobility  
 Waelzlagerloesungen fuer die E-Mobilitaet-  
 AU Voelkel, Franz; Tietz, Manfred; Schamin, Alexander; Giehl, Sebastian  
 CS Schaeffler Technologies, Herzogenaurach, DE  
 SO Dritev, International VDI Congress Dritev - Drivetrain for Vehicles, 20;  
 VDI-Berichte (2020), Volume 2373, pp. 103-117, 15 Seiten, 6 Quellen  
 ISSN: 0083-5560 ISBN: 978-3-18-092373-4  
 Published by: VDI-Verlag, Duesseldorf, <http://www.vdi-verlag.de>  
 Conference: International VDI Congress Dritev - Drivetrain for Vehicles,  
 20th, Bonn, DE, 24 Jun 2020 - 25 Jun 2020  
 DT Conference; Conference Article  
 LA English  
 ED Entered STN: 23 Jul 2020  
 Last updated on STN: 23 Jul 2020

**DISPLAY ALL OF JOURNAL**

AN 20200175396 TEMA  
 DN 20200700233  
 TI Development of a Resistance Spot Welding Process Using Additive  
 Manufacturing  
 AU Batista, Marcio; Furlanetto, Valdir; Brandi, Sergio Duarte  
 CS Universidade de Sao Paulo (USP), BR; Welding Science, Sao Paulo, BR  
 SO Metals (2020), Volume 10, Number 5, pp. 555/1-555/12, 12 Seiten, 22  
 Quellen  
 ISSN: 2075-4701  
 DOI: <https://dx.doi.org/10.3390/met10050555>  
 Published by: MDPI AG, Basel, <http://www.mdpi.com>  
 URL (Document): <https://www.mdpi.com/2075-4701/10/5>  
 DT Journal  
 LA English  
 ED Entered STN: 23 Jul 2020  
 Last updated on STN: 23 Jul 2020  
 AB For several decades, the electrical resistance spot welding process has  
 been widely used in the manufacturing of sheet metal structures,  
 especially in automotive bodies. During this period there was no  
 significant development for this welding process. However, in recent  
 years, in order to meet the demand for lighter, economical, and low-cost  
 vehicles, the automotive manufacturing industry is undergoing a  
 revolution in the use of high strength steel sheet combinations,  
 chemical compositions, and of different thicknesses. In this context,  
 the present work focuses on the study and development of a new resistant  
 spot welding technology using additive manufacturing (AMSW) in  
 zinc-coated steel sheets, used in the automotive industry. As a  
 comparison, spot welding was also performed by the conventional  
 resistance spot welding process (RSW). The results showed that the spot  
 welding process using additive manufacturing (AMSW), through the  
 optimized parameters, compared to the conventional resistance spot  
 welding process (RSW), was 34.47% higher in relation to the shear  
 tensile stress, as well as 28.57% higher tensile stress with a  
 perpendicular load to the weld spot. The indentation or thermomechanical  
 mark on the surface of the sheet was imperceptible to the visual  
 inspection, producing a smooth face in the spot region.  
 CC 3LNB Welding, soldering; 3KEB Steels, cast steel; 3KX Materials  
 properties



CT SPOT-WELDING; ADDITIVE-MANUFACTURING; AUTOMOBILE-INDUSTRY; PRESSING-IN;  
PRESSING-IN; ASSESSING; TENSILE-STRESS; WELDING-TECHNIQUE; WELD-POINT;  
VALUE-OF-ELECTRIC-RESISTANCE; SHEET-METALS; HIGH-STRENGTH-STEEL;  
CHEMICAL-COMPOSITION; ZINC; COATED-STEEL; OPTIMIZATION-PARAMETER;  
BODY:VEHICLE

ST Punktschweissen; additive Fertigung; Automobilindustrie;  
Schweisssverfahren; Eindrueckung; visuelle Inspektion; Zugspannung;  
Schweisstechnologie; Schweisspunkt; elektrischer Widerstand (Wert);  
Blech; hochfester Stahl; chemische Zusammensetzung; Zink; beschichteter  
Stahl; Optimierungsparameter; Karosserie

---

**In North America**

CAS  
STN North America  
P.O. Box 3012  
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:  
Phone: 800-753-4227 (North America)  
614-447-3700 (worldwide)  
Fax: 614-447-3751  
Email: help@cas.org  
Internet: www.cas.org

**In Europe**

FIZ Karlsruhe  
STN Europe  
P.O. Box 2465  
76012 Karlsruhe  
Germany  
Phone: +49-7247-808-555  
Fax: +49-7247-808-259  
Email: helpdesk@fiz-karlsruhe.de  
Internet: www.stn-international.com

**In Japan**

JAICI (Japan Association for  
International Chemical Information)  
STN Japan  
Nakai Building  
6-25-4 Honkomagome, Bunkyo-ku  
Tokyo 113-0021, Japan  
Phone: +81-3-5978-3601 (Technical Service)  
+81-3-5978-3621 (Customer Service)  
Fax: +81-3-5978-3600  
Email: support@jaici.or.jp (Technical Service)  
customer@jaici.or.jp (Customer Service)  
Internet: www.jaici.or.jp