

VETU (Derwent Veterinary Drug File)

Subject Coverage	All developments and applications of veterinary drugs: <ul style="list-style-type: none"> • Analysis • Biochemistry • Chemistry • Endocrinology • Management • Microbiology • Pathology • Pharmacology • Zoology 			
<hr/>				
File Type	Bibliographic			
<hr/>				
Features	Thesaurus	Controlled Term (/CT)		
	Alerts (SDIs)	Not available		
	CAS Registry Numbers®	<input checked="" type="checkbox"/>	Page Images	<input type="checkbox"/> STN AnaVist <input type="checkbox"/>
	Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/> STN EASY <input type="checkbox"/>
	Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/> STN Viewer <input type="checkbox"/>
<hr/>				
Record Content	Bibliographic information, Derwent's abstract and extension abstracts, controlled term indexing and structure codes, as well as CAS Registry Numbers®, and Enzyme Commission Numbers, where applicable.			
<hr/>				
File Size	75,796 citations			
<hr/>				
Coverage	1983-2001			
<hr/>				
Updates	Closed file			
<hr/>				
Language	English			
<hr/>				
Database Producer	Thomson Reuters (Scientific) Ltd. The Johnson Building 77 Hatton Garden London EC1N 8JS United Kingdom Copyright Holder: Thomson Reuters	Phone: +44 20 7433 4000 Fax: +44 20 7433 4001 Helpdesk: +44 20 7433 4999 E-mail: ts.support.emea@thomsonreuters.com		

Sources 1,100 veterinary and scientific journals and conference proceedings.

- User Aids**
- Online Helps (HELP DIRECTORY lists all help messages available)
 - STNGUIDE
-

- Clusters**
- ALLBIB
 - AUTHORS
 - BIOSCIENCE
 - CORPSOURCE
 - TOXICOLOGY
- [STN Database Clusters](#) information (PDF).
-

Related Databases VETB (data from 1968 to 1982)

Pricing See the [STN Price List](#) or enter HELP COST at an arrow prompt.

Search and Display Field Codes

General Search Fields

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index (contains single words from title (TI), controlled term (CT), abstract (AB) and extension abstract (ABEX), CAS Registry Numbers (RN), and Enzyme Commission Number (EC) fields)	None or /BI	S EFFECT# OF NALOXONE S FARM-ANIMAL(L)GONADOTROPIN-METAB? S 465-65-6 S EC-1.16.3.1	AB, ABEX, EC, CT, RN, TI
Accession Number Author Availability of Document (1) (Reprint Address) CAS Registry Number Classification Code (1,2) (Profile Titles) (code and text) Controlled Term (3,4) (limited by roles) Corporate Source (1) Derwent Drug Registry Name (5) (link to file DRUGR) Document Type (code and text) Entry Date (6) Enzyme Commission Number Field Availability International Standard (Document) Number (CODEN) Journal Title Language (ISO code and text) Location (1) Multipunch Code (7) (limited by roles) Publication Year (6) Source (contains journal title, CODEN, collation) Subject Heading (8) (Thematic Groups) (code and text) Title	/AN /AU /AV /RN /CC /CT /CS /DDRN /DT (or /TC) /ED (or /UP) /EC /FA /ISN /JT /LA /LO /MPC /PY /SO /SH /TI	S 1993-61315/AN S PARVIZI N/AU S INSTITUT TIERZUCHT NEUSTADT/AV S 465-65-6/RN S 10/CC S NON-STEROID HORMONES/CC S MORPHINE-ANTAGONISTS/CT S MORPHINE-ANTAGONISTS *FT/CT(L) INJECTION *FT/CT S FDA DIV? SEAFOOD/CS S 1967U81/DDRN S JOURNAL/DT S J/DT S L5 AND ED>19941020 S EC-1.16.3.1/EC S L7 AND MPC/FA S JRPFA4/ISN S J REPROD FERTIL/JT S L7 AND DE/LA S GERMAN/LA S (BASLE OR BASEL)/LO S 076 080 104 254/MPC S 076 *G 080 *G 104 *G 254 *G/MPC S 1991-1993/PY S REPROD FERTIL/SO S JRPFA4/SO S FOOD CHEM/SO(L)32 NO 3/SO S G/SH S GALENICS/SH S EFFECT OF NALOXONE/TI	AN AU AV CT, RN CC CT CS CT DT not displayed CT, EC FA SO SO LA LO MPC SO SO SH TI

- (1) Search with implied (S) proximity is available in this field.
- (2) The 16 Profile Titles (/CC) were introduced in 1991.
- (3) There are 9 roles available in field /CT to limit a search to a particular aspect of a drug or a disease: AE Adverse Effects, DI Drug Interactions, DM Drug Metabolism, FT Further Term (assigned when no other role assigned), OC Other Context, PH Pharmacology, RC Reference Compound, RN Registry Name, TR Treatment.
- (4) Controlled terms concerning the same drug in a record are linked by (L) proximity.
- (5) For file crossover to file DRUGR, SELECT DDRN and search the resulting E-number(s) in DRUGR.
- (6) Numeric search field that may be searched using numeric operators or ranges.
- (7) Search with implied (L) proximity is available in this field. Multipunch codes concerning the same drug in a record are linked by (L) proximity.
- (8) The 15 Thematic Groups (/SH) were used prior to 1991.

The Derwent Veterinary Drug File Thesaurus

Field	Relationship code	Content	Examples
/CT	ALL	All Associated Terms (BT, SELF, USE, UF, SEE, NEW, OLD, TN, EC, CN, RT, NT, NTE, ONTE)	E DACARBAZINE+ALL/CT
	AUTO (1)	Automatic Relationship (SELF, USE, UF, SEE, NEW, OLD, TN, EC, CN, NT, ONTE)	S DETICENE+AUTO/CT
	BT	Broader Terms (BT, SELF, also BT1, BT2 etc. possible)	E DACARBAZINE+BT/CT
	HIE	Hierarchy (BT, SELF, NT)	E MITE+HIE/CT
	NT	Narrower Terms (SELF, NT, also NT1, NT2 etc. possible)	E MITE+NT/CT
	PFT	All Preferred and Forbidden Terms (SELF, USE, UF, SEE, SF, NEW, OLD, TN, EC, CN)	E DACARBAZINE+PFT/CT
	RT	Related Terms (SELF, RT)	E MINERALOCORTICOID+RT/CT
	TN	Trade Names (SELF, TN)	E DACARBAZINE+TN/CT
	UF	Preferred and Forbidden Terms (SELF, UF)	E DACARBAZINE+UF/CT
	USE	Forbidden and Preferred Terms (SELF, USE)	E DTIC+USE/CT

(1) Automatic Relationship is SET OFF. In case of SET REL ON the result of EXPAND or SEARCH without any relationship code is the same as described for AUTO.

DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI CS. The fields are displayed or printed in the order requested.

Hit-term highlighting is available for all fields. Highlighting must be ON during SEARCH to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB	Abstract	D TI AB 1-4
ABEX	Abstract Extension	D ABEX
AN	Accession Number	DIS AN
AU	Author	D AU TI 1-10
AV	Availability of Document (Reprint Address)	D TI AV 1-5
CC	Classification Code	D CC
CS	Corporate Source	D CS
CT	Controlled Term (incl. Enzyme Com. Nos. and CAS Registry Numbers)	D CT
DDRN	Derwent Drug Registry Name	D DCRN
DT (TC)	Document Type	D DT LA
EC	Enzyme Commission Number	D EC
FA	Field Availability	D AN FA
ISN (1)	International Standard (Document) Number	D JT ISN
JT (1)	Journal Title	D JT
LA	Language	D LA
LO	Location	D CS LO
MPC	Multipunch Code	D MPC
PY (1)	Publication Year	D PY
RN (1)	CAS Registry Number	D RN
SH	Subject Heading	D SH
SO	Source	D SO
TI	Title	D TI 5

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
ABS	AN, AB, ABEX	D ABS
ALL	AN, TI, AU, CS, LO, SO, AV, LA, DT, AB, SH, CC, CT, FA	D ALL
IALL	ALL, indented with text labels	D IALL
BIB	AN, TI, AU, CS, LO, SO, AV, LA, DT, FA	D BIB
CBIB	AN, TI, AU, CS, LO, SO, AV, LA, DT (compressed bibliography)	D CBIB
IBIB	BIB, indented with text labels	D IBIB
IND	AN, SH, CC, CT, MPC	D IND
MAX	AN, TI, AU, CS, LO, SO, AV, LA, DT, AB, ABEX, SH, CC, CT, MPC, FA	D MAX
TRIAL (TRI, SAM)	AN, TI, CC, CT	D TRIAL
HIT	Hit term(s) and field(s)	D HIT
KWIC	Up to 50 words before and after hit term(s) (KeyWord-In-Context)	D KWIC
OCC	Number of occurrences of hit term(s) and field(s) in which they occur	D OCC

(1) Custom display only.

SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y (2)	N
Abstract Extension	ABEX	Y (2)	N
Accession Number	AN	Y	N
Author	AU	Y	Y
Availability of Document	AY	Y	Y
CAS Registry Number	RN	Y	N
Citation	CIT (RE)	Y	N
Classification Code	CC	Y	Y
CODEN	CODEN	N	Y
Controlled Term	CT	Y	N
Corporate Source	CS	Y	Y
Derwent Crop Registry Name	DDRN	Y	N
Document Type	DT (TC)	Y	Y
Enzyme Commission Number	EC	Y	Y
Field Availability	FA	Y	Y
International Standard (Document) Number	ISN	Y (3)	N
Journal Title	JT	Y	Y
Language	LA	Y	Y
Location	LO	Y	Y
Multipunch Code	MPC	Y	N
Occurrence Count of Hit Terms	OCC	N	Y
Publication Year	PY	Y	Y
Source	SO	Y (4)	N
Subject Heading	SH	Y	Y
Title	TI	Y (default)	Y

(1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.

(2) Appends /BI to the terms created by SELECT.

VETU

(3) Selects or analyzes CODEN and appends /ISN to the terms created by SELECT.

(4) Selects or analyzes CODEN and appends /SO to the terms created by SELECT.

Sample Records**DISPLAY MAX**

AN 2001-63368 VETU
 TI In vivo effect of a COX-2 selective and nonselective nonsteroidal anti-inflammatory drug on gastric mucosal and synovial fluid prostaglandin synthesis in dogs.
 AU Jones C J; Streppa H K; Budenberg S C
 CS Univ.Georgia
 LO Athens, Ga., USA
 SO Vet.Surg. (30, Number 5, 497, 2001)
 AV University of Georgia, Athens, GA, U.S.A.
 LA English
 DT Journal
 AB The in-vivo activity of a known selective COX-2 inhibitor, meloxicam (MX), and a nonselective NSAID, aspirin (AS), on the gastric mucosa and synovial fluid of dogs with osteoarthritis was investigated, and this activity was correlated with COX-1 and COX-2 inhibition in blood. The results showed that LPS-stimulated PGE2 in blood and PGE2 in synovial fluid were suppressed by both AS and MX, which is consistent with activity against the COX-2 isoenzyme. AS, but not MX, suppressed PGE2 in the gastric mucosa and TXB2 in blood, which is consistent with activity against COX-1. This in-vivo model confirms a beneficial effect of a COX-2 selective inhibitor, MX, on PG inhibition in the synovial fluid, while sparing gastric mucosal PG synthesis. (conference abstract: American College of Veterinary Surgeons, 11th Annual Symposium, Chicago, Illinois, USA, October, 2001).
 ABEX 12 Dogs with unilateral osteoarthritis of the stifle were treated in a crossover design with AS or MX for 21 days with a 6-mth washout between treatments. PGE2 levels in LPS-stimulated whole blood, synovial fluid, and endoscope gastric mucosal biopsies, and thromboxane B2 (TXB2) in serum were measured on days 0, 7 and 21 of each treatment period using ELISA. AS significantly suppressed PGE2 in blood, gastric mucosa and synovial fluid, as well as TXB2 in serum on days 7 and 21. MX significantly suppressed PGE2 in blood and synovial fluid on days 7 and 21 but had no effect on TXB2 in serum or PGE2 in gastric mucosa. (CLW)
 CC 1 Anesthesia and Pharmacology
 CT OSTEOARTHRITIS *OC; JOINT-DISEASE *OC; IN-VIVO *FT; DOG *FT; GASTRIC *FT; MUCOSA *FT; SYNOVIAL *FT; FLUID *FT; PGE2 *FT; PROSTAGLANDIN-METAB. *FT; PROSTAGLANDIN-ANTAGONIST *FT; THROMBOXANE-ANTAGONIST *FT; ANTIINFLAMMATORY *FT; SMALL-ANIMAL *FT
 [01] ASPIRIN *PH; ASPIRIN *RN; CYCLOOXYGENASE-1-INHIBITOR *FT; CYCLOOXYGENASE-INHIBITOR *FT; PROSTAGLANDIN-ANTAGONIST *FT; ANALGESICS *FT; ANTIPYRETICS *FT; ANTIRHEUMATICS *FT; ANTIAGGREGANTS *FT; ANTIINFLAMMATORIES *FT; PH *FT
 [02] MELOXICAM *PH; MELOXICAM *RN; CYCLOOXYGENASE-2-INHIBITOR *FT; CYCLOOXYGENASE-INHIBITOR *FT; PROSTAGLANDIN-ANTAGONIST *FT; ANTIINFLAMMATORIES *FT; CYCLOOXYGENASE-INHIBITORS *FT; CYCLOOXYGENASE-2-INHIBITORS *FT; PH *FT
 FA AB; LA; CT

In Europe

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
E-mail: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.com

In North America

CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.
CAS Customer Center:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
E-mail: help@cas.org
Internet: www.cas.org

In Japan

JAICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
Fax: +81-3-5978-3600
E-mail: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp